



CATALOGUE 2024/25

www.tactixtools.com



HAND TOOLS



**PRECISION
TOOLS**



**POWER TOOLS
ACCESSORIES**



**PERSONAL
PROTECTIVE
EQUIPMENT**



Meridian LJ: A 40,000m² facility located in Shanghai for all packaging and distribution coordination activities.



Meridian LT: A 40,000m² facility located in Pinghu, Zhejiang province for the production of all injection molded plastic products.



Meridian LM: A 50,000m² facility located in Jinhua, Zhejiang province for the production of all steel storage items including storage racks and garage storage systems.



Toolux Sanding: A 67,000m² facility located in Shengzhou, Zhejiang province for the production of hand tools.



Mei Zhi: A 33,000 m² facility located in Cixi, Zhejiang province for the production of watering tools.



Li Wei: A 3,800m² facility located in Zhangjiagang, Jiangsu province for the production of hand tools.



Suofuer: A 3,600 m² facility located in Ningbo, Zhejiang province for the production of hand tools.



Since 1992, Meridian International, an ISO9001 accredited company, has successfully established itself as one of the leading organizations serving the tool and hardware market, becoming the headquarters for an effective group of manufacturers with the proven capabilities of serving global customers. Such ability can be attributed to the synchronized approach to manufacturing taken by Meridian, following a collaborative process of internal research, product development and graphic design together with proven sourcing, manufacturing, and distribution capabilities.

Currently, we utilize a team containing more than 30 engineers and industrial designers who are involved in the coordination and execution of conceptual design, mechanical design, and the overall project management activities. In addition to our ongoing cooperation with some of the world's leading design houses, we currently have international branches located in Australia, Luxembourg, United Kingdom, Latin America, United States of America to guarantee our products strength across the competitive global markets. This comprehensive process ensures both the originality and superior quality of our products.

Meridian International also utilizes strong sourcing capabilities, currently working in co-operation with 700+ factories across China and in several other Asian countries. Our experienced product managers and sourcing specialists are constantly working with customers on the development and management of their product ranges.



HAND TOOLS

Fastening	1-19
Striking	20-24
Measuring	24-26
Layout	26-28
Cutting	29-35
Masonry & Painting	35-42
Finishing	43-48
Plumbing	48-50
Mechanic's Tools	51-76
Electrician	77-81
Insulated Tools	82-85
Knives & Multi-Tools	86-87
Security & Torches	87-88
Miscellaneous	89-91
Tool Sets	92-94
Hardware Assortment	94-99
Promotion	100-108
TACTIX QP	109
TACTIX PRO	110-112



PRECISION TOOLS

Precision Screwdrivers	114-116
Wood Working Tools	116-119
Machinist Tools	119-120
Specialty Tools	121-123





TABLE OF CONTENTS

POWER TOOLS ACCESSORIES

Drill bits in Poly bag	127-128
HSS Twist Drill Bits	129-133
Taps & Dies	134
Step Drill Bits	135-136
Concrete Drill Bits	137
Multi-Purpose Drill Bits & Glass Drill Bits	138
SDS Drill Bits & Chisels	139-140
Garden Auger Drill Bits	141
Wood Drill Bits & Wood Spades	142
Auger Drill Bits	143
Forstner Drill Bits & Counter Sink Bit	143-144
Pilot Drill & Carpentry Tools	144
Drills & Bits Set	145-150
Impact Bits Set	151-152
Router Bits	153-154
Diamond Blades	155-157
Multi-purpose Diamond Blades & Diamond Grinding Wheel	158
Diamond Coated Hole Saws	159-160
Circular Saw Blades	161-162
Grinding & Cut Off Wheels	163-164
Jig Saw Blades & Reciprocating Saw Blades	165-170
Bi-metal Hole Saws	171
Arbors For Hole Saws & Carbide Hole Saws	172
Multi Saw Blades	173-175
Sanding Discs, Sheets & Belts	176-177
Polishing Accessories	178-179
Wire Brushes	180-184
Flap Disc & Rotary Rasp	185
Drill Brushes	186
Driving Bits & Accessories	187-188
Impact bits & Accessories	189-191
Power Bits sets	192-194
Welding Accessories	195-199
Welding Consumables	200
Drill Bits Display & Promotions	201

PERSONAL PROTECTIVE EQUIPMENT

Eye Protection	203
Respiratory Protection	204
Head & Face Protection	205
Hearing Protection	206-208
Electronic Hearing Protection	209-210
Work Wear	211-214

HAND TOOLS





LONG NOSE PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200001	160 mm (6 in.)	0369 8	6	36
200003	200 mm (8 in.) high leverage	0370 4	6	24

DIAGONAL PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200005	160 mm (6 in.)	0371 1	6	36
200007	200 mm (8 in.) high leverage	0372 8	6	24

HEAVY-DUTY DIAGONAL PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200008	190 mm (7-1/2 in.) high leverage	0742 9	6	24

LINESMAN PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200009	160 mm (6 in.)	0373 5	6	36
200011	190 mm (7-1/2 in.) high leverage	0374 2	6	24
200013	220 mm (8-1/2 in.) high leverage	0375 9	6	24

FLAT NOSE PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200015	160 mm (6 in.)	0376 6	6	36

BENT NOSE PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200017	160 mm (6 in.)	0377 3	6	36
200019	200 mm (8 in.)	0378 0	6	24

ROUND NOSE PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200021	160 mm (6 in.)	0379 7	6	36

END NIPPER

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200023	160 mm (6 in.)	0380 3	6	36

HEAVY-DUTY END NIPPER

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200024	200 mm (8 in.)	4706 7	6	36

WIRE STRIPPER

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200025	160 mm (6 in.)	0381 0	6	36

SCREW REMOVAL PLIERS

- Removes stripped screws
- Specifically designed to grip screw heads
- Wire cutting blades



Item No.	Size	EAN 69426292+	Inner	Outer
200029	160 mm (6 in.)	8373 7	6	36

DISPLAY FOR SCREW REMOVAL PLIERS

- Display includes 1 pc try me pliers
- Display contains 12 pliers



Item No.	Size	EAN 69426292+	Inner	Outer
200029DISPLAY			0	1

SLIP JOINT PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200051	175 mm (7 in.)	0382 7	6	36
200053	200 mm (8 in.)	0383 4	6	24

GROOVE JOINT PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200061	200 mm (8 in.)	0384 1	6	24
200063	250 mm (10 in.)	0385 8	6	24
200065	300 mm (12 in.)	0386 5	6	12

BOX JOINT PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200071	250 mm (10 in.)	0387 2	6	24

FENCE PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200075	270 mm (10-1/2 in.)	4876 7	6	24

MINI LONG NOSE PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200081	120 mm (4-3/4 in.)	0388 9	6	36

MINI DIAGONAL PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200083	110 mm (4-1/4 in.)	0389 6	6	36

MINI BENT NOSE PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200085	120 mm (4-3/4 in.)	0390 2	6	36

MINI FLAT NOSE PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200087	120 mm (4-3/4 in.)	0391 9	6	36

MINI END NIPPER

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200089	100 mm (4 in.)	0392 6	6	36

MINI LINESMAN PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
200091	115 mm (4-1/2 in.)	6943 6	6	36

LONG NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200101	160 mm (6 in.)	0393 3	6	36
200103	200 mm (8 in.)	0394 0	6	24

PLASTIC CUTTING PLIERS

- Chrome-Vanadium steel
- Double dipped handle
- Spring-loaded



Item No.	Size	EAN	Inner	Outer
200104	160 mm (6 in.)	5173 6	6	36

DIAGONAL PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200105	160 mm (6 in.)	0395 7	6	36
200107	200 mm (8 in.)	0396 4	6	24

HEAVY-DUTY DIAGONAL PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200108	190 mm (7-1/2 in.)	0744 3	6	24

LINESMAN PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200109	160 mm (6 in.)	0397 1	6	36
200111	190 mm (7-1/2 in.)	0398 8	6	24
200113	220 mm (8-1/2 in.)	0399 5	6	24

HEAVY-DUTY LINESMAN PLIERS

- High-leverage mechanics
- Crimping function
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200114	230 mm (9 in.)	6843 7	6	24

FLAT NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200115	160 mm (6 in.)	0400 8	6	36

BENT NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200117	160 mm (6 in.)	0401 5	6	36
200119	200 mm (8 in.)	0402 2	6	24

ROUND NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200121	160 mm (6 in.)	0403 9	6	36

END NIPPER

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200123	160 mm (6 in.)	0404 6	6	36

HEAVY-DUTY END NIPPER

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200124	200 mm (8 in.)	4916 0	6	36

SLIP JOINT PLIERS

- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200151	160 mm (6 in.)	0406 0	6	36
200153	200 mm (8 in.)	0407 7	6	24

GROOVE JOINT PLIERS

- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200161	200 mm (8 in.)	0408 4	6	24
200163	250 mm (10 in.)	0409 1	6	24
200165	300 mm (12 in.)	0410 7	6	12

MINI LONG NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200181	120 mm (4-3/4 in.)	0411 4	6	36

MINI DIAGONAL PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200183	110 mm (4-1/4 in.)	0412 1	6	36

MINI BENT NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200185	120 mm (4-3/4 in.)	0413 8	6	36

MINI FLAT NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200187	120 mm (4-3/4 in.)	0414 5	6	36

MINI END NIPPER

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200189	100 mm (4 in.)	0415 2	6	36

MINI LINESMAN PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200191	115 mm (4-1/2 in.)	0745 0	6	36

HEAVY-DUTY FENCE PLIERS

- For installing, maintaining, and repairing wire fences
- 3 wire cutters
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200201	250 mm (10 in.)	7784 2	6	24

LONG REACH PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200221	280 mm (11 in.)	0416 9	6	24

LONG REACH PLIERS 45°

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200223	280 mm (11 in.)	0417 6	6	24

LONG REACH PLIERS 90°

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200225	280 mm (11 in.)	0418 3	6	24

LONG REACH PLIERS 20° OFFSET

- Chrome-Vanadium steel
- Double dipped handle

CR-V



Item No.	Size	EAN	Inner	Outer
200227	280 mm (11 in.)	69426292+	6	24

CURVED JAW LOCKING PLIERS

- Chrome-Vanadium steel
- Double dipped handle

CR-V



Item No.	Size	EAN	Inner	Outer
200551	125 mm (5 in.)	0427 5	6	36
200553	175 mm (7 in.)	0428 2	6	24
200555	250 mm (10 in.)	0429 9	6	12

WELDING CLAMP LOCKING PLIERS

- High carbon steel
- Nickel plated



Item No.	Size	EAN	Inner	Outer
200603	266 mm (10 in.)	3143 1	2	24

CARPENTER'S PINCER

- Chrome-Vanadium steel
- Double dipped handle

CR-V



Item No.	Size	EAN	Inner	Outer
200303	200 mm (8 in.)	0420 6	6	24

LONG NOSE LOCKING PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
200507	165 mm (6-1/2 in.)	0425 1	6	36
200509	235 mm (9-1/2 in.)	0426 8	6	24

FLAT WELDING LOCKING PLIERS

- High carbon steel
- Nickel plated



Item No.	Size	EAN	Inner	Outer
200611	200 mm (8 in.)	3144 8	4	24
200613	250 mm (10 in.)	3145 5	4	24

TOWER PINCER

- Chrome-Vanadium steel
- Double dipped handle

CR-V



Item No.	Size	EAN	Inner	Outer
200313	225 mm (9 in.)	0421 3	6	24
200316	250 mm (10 in.)	7786 6	6	24

LONG NOSE LOCKING PLIERS

- Chrome-Vanadium steel
- Double dipped handle

CR-V



Item No.	Size	EAN	Inner	Outer
200557	165 mm (6-1/2 in.)	0430 5	6	36
200559	235 mm (9-1/2 in.)	0431 2	6	24

C TYPE WELDING LOCKING PLIERS

- High carbon steel
- Nickel plated



Item No.	Size	EAN	Inner	Outer
200621	160 mm (6 in.)	3146 2	4	24
200623	275 mm (11 in.)	3147 9	4	24

CURVED JAW LOCKING PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
200501	125 mm (5 in.)	0422 0	6	36
200503	175 mm (7 in.)	0423 7	6	24
200505	250 mm (10 in.)	0424 4	6	12

STRAIGHT JAW LOCKING PLIERS

- Chrome-Vanadium steel
- Double dipped handle

CR-V



Item No.	Size	EAN	Inner	Outer
200563	175 mm (7 in.)	3481 4	6	24
200565	250 mm (10 in.)	3482 1	6	12

C TYPE WELDING LOCKING PLIERS WITH SWIVEL PAD

- High carbon steel
- Nickel plated



Item No.	Size	EAN	Inner	Outer
200633	275 mm (11 in.)	3149 3	4	24



AUTO GRIP PLIERS

- Auto-grip function
- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
200711	180 mm (7 in.)	5913 8	20	40
200713	250 mm (10 in.)	5914 5	20	40

MINI WATER PUMP PLIERS

- Chrome-Vanadium steel
- Compact design
- Precision forged
- 26 mm max jaw opening



Item No.	Size	EAN	Inner	Outer
200721	100 mm (4 in.)	5064 7	6	36

INSULATED LONG NOSE PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
201003	200 mm (8 in.)	1435 9	6	24

INSULATED DIAGONAL PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
201005	160 mm (6 in.)	1436 6	6	24

INSULATED COMBINATION PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
201011	200 mm (8 in.)	1437 3	6	24

INSULATED BENT NOSE PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
201017	160 mm (6 in.)	8091 0	6	24

INSULATED WIRE STRIPPER

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
201025	160 mm (6 in.)	1438 0	6	24

INSULATED COMBINATION PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
201063	230 mm (9 in.)	1439 7	6	24

3 PC INSULATED PLIERS SET

- 160 mm (6 in.) diagonal pliers
- 160 mm (6 in.) long nose pliers
- 200 mm (8 in.) combination pliers
- VDE/GS certified
- 1000 V insulated

CR-V



Item No.	Size	EAN	Inner	Outer
201083	3 pc	8642 4	3	12



CIRCLIP PLIERS STRAIGHT EXTERIOR

- Chrome-Vanadium steel
- Double dipped handle
- 1.8 mm tip diameter



Item No.	Size	EAN	Inner	Outer
202011	175 mm (7 in.)	69426292+	1440 3	6 24

CIRCLIP PLIERS STRAIGHT INTERIOR

- Chrome-Vanadium steel
- Double dipped handle
- 1.8 mm tip diameter



Item No.	Size	EAN	Inner	Outer
202013	175 mm (7 in.)	69426292+	1441 0	6 24

CIRCLIP PLIERS BENT EXTERIOR

- Chrome-Vanadium steel
- Double dipped handle
- 1.8 mm tip diameter



Item No.	Size	EAN	Inner	Outer
202015	175 mm (7 in.)	69426292+	1442 7	6 24

CIRCLIP PLIERS BENT INTERIOR

- Chrome-Vanadium steel
- Double dipped handle
- 1.8 mm tip diameter



Item No.	Size	EAN	Inner	Outer
202017	175 mm (7 in.)	69426292+	1443 4	6 24

4 PC CIRCLIP PLIERS SET

- Internal and external use
- 0°, 45°, 90° tips
- 1.4 mm tip diameter



Item No.	Size	EAN	Inner	Outer
202024	150 mm (6 in.)	69426292+	3351 0	6 24

2 PC PLIERS & WRENCH SET

- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) adjustable wrench



Item No.	Size	EAN	Inner	Outer
204001	2 pc	69426292+	1272 0	6 12

3 PC PLIERS SET

- 160 mm (6 in.) long nose pliers & diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers



Item No.	Size	EAN	Inner	Outer
204005	3 pc	69426292+	1274 4	6 12

3 PC PLIERS SET

- 160 mm (6 in.) diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) box joint pliers



Item No.	Size	EAN	Inner	Outer
204007	3 pc	69426292+	1275 1	6 12

4 PC PLIERS SET

- 160 mm (6 in.) long nose pliers & diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) box joint pliers



Item No.	Size	EAN	Inner	Outer
204009	4 pc	69426292+	1444 1	6 12

2 PC MINI PLIERS SET

- 120 mm (4-3/4 in.) long nose pliers
- 110 mm (4-1/4 in.) diagonal pliers



Item No.	Size	EAN	Inner	Outer
204024	2 pc	69426292+	1555 4	6 24

5 PC MINI PLIERS

- 1 pc mini bent nose pliers
- 1 pc mini long nose pliers
- 1 pc mini linesman pliers
- 1 pc mini diagonal pliers
- 1 pc mini end nipper
- Zipper case included



Item No.	Size	EAN	Inner	Outer
204025	5 pc	69426292+	5667 0	6 12

4 PC MINI PLIERS SET

- 120 mm (4-3/4 in.) long nose plier
- 120 mm (4-3/4 in.) bent nose pliers
- 110 mm (4-1/4 in.) diagonal pliers
- 100 mm (4 in.) end nipper



Item No.	Size	EAN	Inner	Outer
204036	4 pc	69426292+	1606 3	6 24



SLOTTED SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle
- Parallel tip



Item No.	Size	EAN	Inner	Outer
205000	2.5 x 75 mm (3/32 x 3 in.)	2987 2	6 72	
205001	3.0 x 75 mm (1/8 x 3 in.)	0432 9	6 72	
205002	3.0 x 100 mm (1/8 x 4 in.)	2988 9	6 72	
205003	4.0 x 100 mm (5/32 x 4 in.)	0433 6	6 72	
205004	4.0 x 125 mm (5/32 x 5 in.)	2989 6	6 72	

SLOTTED SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN	Inner	Outer
205009	5.5 x 100 mm (7/32 x 4 in.)	0436 7	6 72	
205017	5.5 x 150 mm (7/32 x 6 in.)	2991 9	6 72	
205010	6.5 x 100 mm (1/4 x 4 in.)	1373 4	6 72	
205014	6.5 x 150 mm (1/4 x 6 in.)	3024 3	6 72	
205020	6.5 x 38 mm (1/4 x 1-1/2 in.)	2827 1	6 72	
205013	8.0 x 150 mm (5/16 x 6 in.)	0438 1	6 60	
205015	10 x 200 mm (3/8 x 8 in.)	0439 8	6 60	

PHILLIPS SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN	Inner	Outer
205031	#0 x 60 mm (2-1/2 in.)	0440 4	6 72	
205032	#0 x 75 mm (3 in.)	2994 0	6 72	
205033	#1 x 75 mm (3 in.)	0441 1	6 72	
205047	#1 x 38 mm (1-1/2 in.)	4740 1	6 72	
205037	#2 x 100 mm (4 in.)	0443 5	6 72	
205038	#2 x 125 mm (5 in.)	2996 4	6 72	
205035	#2 x 38 mm (1-1/2 in.)	0442 8	6 72	
205041	#3 x 150 mm (6 in.)	0445 9	6 60	
205045	#3 x 200 mm (8 in.)	4164 5	6 60	

POZI SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN	Inner	Outer
205052	#0 x 75 mm (3 in.)	2997 1	6 72	
205054	#1 x 100 mm (4 in.)	2998 8	6 72	
205063	#1 x 38 mm (1-1/2 in.)	4741 8	6 72	
205057	#2 x 100 mm (4 in.)	0449 7	6 72	
205055	#2 x 38 mm (1-1/2 in.)	0448 0	6 72	
205061	#3 x 150 mm (6 in.)	0451 0	6 60	

TORX® SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN	Inner	Outer
205069	T-8 x 75 mm (3 in.)	0847 1	6 72	
205071	T-10 x 75 mm (3 in.)	0452 7	6 72	
205073	T-15 x 100 mm (4 in.)	0453 4	6 72	
205075	T-20 x 100 mm (4 in.)	0454 1	6 72	
205077	T-25 x 100 mm (4 in.)	0455 8	6 72	
205081	T-30 x 125 mm (5 in.)	0457 2	6 72	
205083	T-40 x 150 mm (6 in.)	0458 9	6 60	
205085	T-45 x 150 mm (6 in.)	0459 6	6 60	

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

TAMPER TORX® SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN	Inner	Outer
205151	T-10 x 75 mm (3 in.)	3463 0	6 72	
205153	T-15 x 100 mm (4 in.)	3464 7	6 72	
205155	T-20 x 100 mm (4 in.)	3465 4	6 72	
205157	T-25 x 100 mm (4 in.)	3466 1	6 72	
205159	T-27 x 125 mm (5 in.)	3467 8	6 72	
205161	T-30 x 125 mm (5 in.)	3468 5	6 72	

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

GO-THROUGH SLOTTED SCREWDRIVERS

- Go-through blade with hex bolster
- Magnetic tip
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN	Inner	Outer
205173	6 x 150 mm (1/4 x 6 in.)	5069 2	6 72	
205177	8 x 200 mm (5/16 x 8 in.)	5071 5	6 72	

GO-THROUGH PHILLIPS SCREWDRIVERS

- Go-through blade with hex bolster
- Magnetic tip
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN	Inner	Outer
205183	#2 x 100 mm (4 in.)	5073 9	6 72	
205185	#2 x 150 mm (6 in.)	5074 6	6 72	
205187	#3 x 150 mm (6 in.)	5075 3	6 72	
205189	#3 x 200 mm (8 in.)	5076 0	6 72	



6-IN-1 SCREWDRIVER WITH BITS

- Non-slip bi-material handle
- #1 & #2
- 6 mm (1/4 in.) & 5 mm (3/16 in.)
- 5/16 in. & 1/4 in.

CR-V



Item No.	Size	EAN	Inner	Outer
205211	6-in-1	69426292+	6	60

2-IN-1 SCREWDRIVER

- Non-slip bi-material handle
- 125 mm (5 in.) interchangeable shank
- 6.5 mm (1/4 in.)
- #2



Item No.	Size	EAN	Inner	Outer
205213	2-in-1	69426292+	12	48

AWL

- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
205233	100 mm (4 in.)	69426292+	6	60

MAGNETIC TIP DRIVER

- Non-slip bi-material handle
- Magnetic bit holder



Item No.	Size	EAN	Inner	Outer
205241	100 mm (4 in.)	69426292+	6	72

RATCHET SCREWDRIVER

- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- 6 bits included
- 4 mm, 5.5 mm, 6.5 mm
- #1, #2, #3



Item No.	Size	EAN	Inner	Outer
205245		69426292+	16	48

STUBBY RATCHET SCREWDRIVER


- Removable extension bar for working in tight space
- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- 6 bits included
- 4 mm, 5.5 mm, 6.5 mm
- #1, #2, #3



Item No.	Size	EAN	Inner	Outer
205247		69426292+	16	48

43 PC RATCHET SCREWDRIVER SET


- 40 pc bits:
- #0, #1 x 3, #2 x 3, #3 x 2
- 3 mm x 2, 4 mm x 2, 5 mm x 2, 6 mm x 2, 7 mm
- #1, #2, #3
- #0 x 2, #1 x 2, #2 x 2
- T-8, T-10, T-15, T-20, T-25, T-27, T-30
- 2, 2.5, 3, 4, 5, 6 mm
- 215 mm flexible extension
- Ratchet screwdriver
- Bit/socket adaptor



Item No.	Size	EAN	Inner	Outer
205253	43 pc	69426292+	6	12

RATCHET SCREWDRIVER

- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- 6 bits included
- 4 mm, 5.5 mm, 6.5 mm
- #1, #2, #3



Item No.	Size	EAN	Inner	Outer
205248		69426292+	6	24

STUBBY RATCHET SCREWDRIVER


- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- 6 bits included
- 4 mm, 5.5 mm, 6.5 mm
- #1, #2, #3



Item No.	Size	EAN	Inner	Outer
205249		69426292+	6	24

RATCHET TELESCOPIC SCREWDRIVER

- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- 6 bits included
- 4 mm, 5.5 mm, 6.5 mm
- #1, #2, #3



Item No.	Size	EAN	Inner	Outer
205250		69426292+	6	24

6-IN-1 SCREWDRIVER WITH BITS

- #1 & #2
- 6 mm (1/4 in.) & 5 mm (3/16 in.)
- 5/16 in. & 1/4 in.

CR-V



Item No.	Size	EAN	Inner	Outer
205387	6-in-1	4810 1	12	48

6 PC SCREWDRIVER SET

- #0 x 75 mm (3 in.), #1 x 75 mm (3 in.)
- #2 x 100 mm (4 in.)
- 3 x 75 mm (1/8 x 3 in.), 5.5 x 100 mm (7/32 x 4 in.)
- 6.5 x 100 mm (1/4 x 4 in.)



Item No.	Size	EAN	Inner	Outer
205401	6 pc	1276 8	6	24

6 PC SCREWDRIVER SET

- #0 x 60 mm (2-1/2 in.), #1 x 75 mm (3 in.)
- #2 x 100 mm (4 in.)
- T-10 x 75 mm (3 in.), T-15 x 100 mm (4 in.)
- T-25 x 100 mm (4 in.)



Item No.	Size	EAN	Inner	Outer
205403	6 pc	1277 5	6	24

6 PC SCREWDRIVER SET

- T-10 x 75 mm (3 in.), T-15 x 100 mm (4 in.), T-20 x 100 mm (4 in.), T-25 x 100 mm (4 in.), T-27 x 125 mm (5 in.) & T-30 x 125 mm (5 in.)



Item No.	Size	EAN	Inner	Outer
205405	6 pc	1448 9	6	24

10 PC SCREWDRIVER SET

- 6.5 x 38 mm (1/4 x 1-1/2 in.), 3 x 75 mm (1/8 x 3 in.), 5.5 x 100 mm (7/32 x 4 in.) & 6.5 x 100 mm (1/4 x 4 in.)
- #2 x 38 mm (1-1/2 in.), #0 x 75 mm (3 in.), #1 x 75 mm (3 in.) & #2 x 100 mm (4 in.)
- T-10 x 75 mm (3 in.)
- T-15 x 100 mm (4 in.)



Item No.	Size	EAN	Inner	Outer
205407	10 pc	1449 6	6	12

6 PC GO-THROUGH SCREWDRIVER SET

- 5 x 75 mm (3/16 x 3 in.), 6 x 100 mm (1/4 x 4 in.), 8 x 150 mm (5/16 x 6 in.)
- #1 x 75 mm (3 in.), #2 x 100 mm (4 in.), #3 x 150 mm (6 in.)



Item No.	Size	EAN	Inner	Outer
205426	6 pc	4809 5	6	24

6 PC SCREWDRIVER SET

- #1 x 100 mm (4 in.), #2 x 125 mm (5 in.)
- 3 x 75 mm (1/8 x 3 in.), 4 x 100 mm (5/32 x 4 in.)
- #1 x 100 mm (4 in.), #2 x 125 mm (5 in.)



Item No.	Size	EAN	Inner	Outer
205408	6 pc	8431 4	6	24

2 PC SCREWDRIVER SET

- #2 x 100 mm (4 in.)
- 6.5 x 100 mm (1/4 x 4 in.)



Item No.	Size	EAN	Inner	Outer
205409	2 pc	8861 9	6	24

2 PC STUBBY SCREWDRIVER SET

- #2 x 38 mm (1-1/2 in.)
- 6.5 x 38 mm (1/4 x 1-1/2 in.)



Item No.	Size	EAN	Inner	Outer
205411	2 pc	8862 6	6	24

4 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- 6 x 150 mm (1/4 x 6 in.)
- 5 x 100 mm (3/16 x 4 in.)
- #1 x 150 mm (6 in.)
- #2 x 150 mm (6 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
205435	4 pc	69426292+	3949 9	6 36

4 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- T-10 x 83 mm (3-1/4 in.)
- T-20 x 83 mm (3-1/4 in.)
- T-15 x 83 mm (3-1/4 in.)
- T-25 x 83 mm (3-1/4 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
205437	4 pc	69426292+	3950 5	6 36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

6 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- 6 x 100 mm (1/4 x 4 in.)
- 6 x 150 mm (1/4 x 6 in.)
- 5 x 75 mm (3/16 x 3 in.)
- 5 x 150 mm (3/16 x 6 in.)
- #1 x 100 mm (4 in.)
- #2 x 100 mm (4 in.)

CR-V




Item No.	Size	EAN	Inner	Outer
205439	6 pc	69426292+	3951 2	6 24

2 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- #2 x 100 mm (4 in.)
- 6 x 100 mm (1/4 x 4 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
205431	2 pc	69426292+	3947 5	6 60

2 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- T-10 x 83 mm (3-1/4 in.)
- T-15 x 83 mm (3-1/4 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
205433	2 pc	69426292+	3948 2	6 60

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

20 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- 5 x 75 mm (3/16 x 3 in.), 5 x 100 mm (3/16 x 4 in.), 5 x 150 mm (3/16 x 6 in.), 6 x 100 mm (1/4 x 4 in.), 6 x 150 mm (1/4 x 6 in.), 6 x 38 mm (1/4 x 1-1/2 in.)
- #1 x 100 mm (4 in.), #1 x 150 mm (6 in.), #2 x 100 mm (4 in.), #2 x 150 mm (6 in.), #2 x 38 mm (1-1/2 in.)
- 6 pc precision screwdriver
- #0, #00
- 1.5 mm (1/16 in.), 2.0 mm (5/64 in.), 2.5 mm (3/32 in.), 3.0 mm (1/8 in.)
- 2 pc offset
- #1-5 mm (3/16 in.)
- #2-6 mm (1/4 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
205440	20 pc	69426292+	4544 5	0 8

2 PC STUBBY SCREWDRIVER SET

- Chrome-Vanadium steel blade
- 6 x 38 mm (1/4 x 1-1/2 in.)
- #2 x 38 mm (1-1/2 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
205441	2 pc	69426292+	3952 9	6 60

6 PC PRECISION SCREWDRIVER SET

- Chrome-Vanadium steel blade
- 1.5 mm (1/16 in.), 2.0 mm (5/64 in.), 2.5 mm (3/32 in.), 3.0 mm (1/8 in.)
- #00, #0

CR-V



Item No.	Size	EAN	Inner	Outer
205791	6 pc	69426292+	1460 1	8 32


35 PC SCREWDRIVER SET

- 8 pc Screwdriver:
- 6 x 38 mm, 5 x 75 mm, 6 x 100 mm, 8 x 150 mm
- #2 x 38 mm, #2 x 100 mm, #1 x 75 mm, #3 x 150 mm
- 1 pc Magnetic Driver
- 20 pc 1 in. Bits: #1, #2, #3
- 3, 4, 5, 6 mm, 1/8, 5/32, 3/16, 1/4 in.
- #1, #2, #3
- T-10, T-20, T-30
- 6 pc Precision Screwdriver
- 1.5 mm, 2 mm, 2.5 mm, 3 mm
- #0, #00

CR-V




Item No.	Size	EAN	Inner	Outer
205445	35 pc	69426292+	6730 0	0 6



SLOTTED INSULATED SCREWDRIVERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
205500	2.5 x 75 mm	4736 4	6	60
205501	3 x 75 mm	1450 2	6	60
205503	4 x 100 mm	1451 9	6	60
205505	5.5 x 125 mm	1452 6	6	60
205509	8.0 x 175 mm	3001 4	6	60

PHILLIPS INSULATED SCREWDRIVERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
205511	#0 x 60 mm	1453 3	6	60
205513	#1 x 80 mm	1454 0	6	60
205515	#2 x 100 mm	1455 7	6	60

POZI INSULATED SCREWDRIVERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
205523	#1 x 80 mm	1457 1	6	60

6 PC INSULATED SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- 3 x 75 mm, 4 x 100 mm & 5.5 x 125 mm
- #0 x 60 mm, #1 x 80 mm & #2 x 100 mm

CR-V




Item No.	Size	EAN	Inner	Outer
205601	6 pc	69426292+	1459 5	6 24

12 PC SCREWDRIVER SET

- 5 pc VDE screwdriver:
- #1 x 80 mm, #2 x 100 mm
- 3 x 75 mm, 4 x 100 mm, 5.5 x 125 mm
- 6 pc precision screwdriver:
- #00, #0
- 1.5, 2.0, 2.5, 3.0 mm
- 1 pc 140 mm VDE tester



Item No.	Size	EAN	Inner	Outer
205604	12 pc	69426292+	8643 1	6 24



12 PC INSULATED INTERCHANGEABLE SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- Interchangeable shank
- Include 1 pc VDE handle, 10 pc S2 steel interchangeable VDE shank
- 2.0, 2.5, 3.0, 3.5, 4.0, 5.5, 6.5 mm
- #0, #1, #2
- 1 pc VDE tester 125-250 V
- Nylon pouch included

S2



Item No.	Size	EAN	Inner	Outer
205605VD	12 pc	69426292+	9322 4	6 24

7 PC INSULATED PRECISION SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- S2 steel
- Include #00, #0
- 1.5, 1.8, 2.0, 2.5, 3.0 mm
- Plastic storage case included

S2



Item No.	Size	EAN	Inner	Outer
205793VD	7 pc	69426292+	9323 1	6 24

SLOTTED CHS SCREWDRIVERS

- Chrome-Vanadium steel blade
- Magnetic tip



Item No.	Size	EAN 69426292+	Inner	Outer
205611	2.5 x 75 mm (3/32 x 3 in.)	0001 7	12	96
205612	3.0 x 75 mm (1/8 x 3 in.)	0002 4	12	96
205613	3.0 x 100 mm (1/8 x 4 in.)	0003 1	12	96
205614	3.0 x 150 mm (1/8 x 6 in.)	0004 8	12	96
205617	4.0 x 100 mm (5/32 x 4 in.)	0005 5	12	96
205618	4.0 x 125 mm (5/32 x 5 in.)	0008 6	12	96
205621	5.0 x 38 mm (3/16 x 1-1/2 in.)	0009 3	12	96
205622	5.0 x 75 mm (3/16 x 3 in.)	0010 9	12	96
205623	5.0 x 100 mm (3/16 x 4 in.)	0011 6	12	96
205624	5.0 x 150 mm (3/16 x 6 in.)	0012 3	12	96
205626	6.0 x 38 mm (1/4 x 1-1/2 in.)	0013 0	12	96
205627	6.0 x 100 mm (1/4 x 4 in.)	0014 7	12	96
205628	6.0 x 125 mm (1/4 x 5 in.)	0015 4	12	72
205629	6.0 x 150 mm (1/4 x 6 in.)	0016 1	12	72
205632	8.0 x 100 mm (5/16 x 6 in.)	0019 2	12	72
205635	10.0 x 200 mm (3/8 x 8 in.)	0020 8	12	72

PHILLIPS CHS SCREWDRIVERS

- Chrome-Vanadium steel blade
- Magnetic tip



Item No.	Size	EAN 69426292+	Inner	Outer
205641	#0 x 60 mm (2-1/2 in.)	0021 5	12	96
205642	#0 x 75 mm (3 in.)	0022 2	12	96
205645	#1 x 75 mm (3 in.)	0023 9	12	96
205646	#1 x 100 mm (4 in.)	0024 6	12	96
205647	#1 x 150 mm (6 in.)	0025 3	12	96
205651	#2 x 38 mm (1-1/2 in.)	0026 0	12	96
205652	#2 x 100 mm (4 in.)	0027 7	12	72
205653	#2 x 125 mm (5 in.)	0028 4	12	72
205655	#2 x 200 mm (8 in.)	0029 1	12	72
205656	#2 x 250 mm (10 in.)	0030 7	12	72
205659	#3 x 150 mm (6 in.)	0031 4	12	72
205660	#3 x 200 mm (8 in.)	0080 2	12	72

CHS NUT DRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205705	3/16 in. x 75 mm	0087 1	12	72
205706	1/4 in. x 75 mm	0088 8	12	72
205707	5/16 in. x 75 mm	0089 5	12	72
205708	11/32 in. x 75 mm	0090 1	12	72
205709	3/8 in. x 75 mm	0195 3	12	72
205710	7/16 in. x 75 mm	0196 0	12	72
205711	1/2 in. x 75 mm	0199 1	12	72

4 PC CHS SCREWDRIVER SET

- 5 x 100 mm (3/16 x 4 in.), 6 x 100 mm (1/4 x 4 in.)
- #1 x 100 mm (4 in.), #2 x 100 mm (4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205774	4 pc	0200 4	6	24

6 PC CHS SCREWDRIVER SET

- 5 x 100 mm (3/16 x 4 in.), 5 x 150 mm (3/16 x 6 in.), 6 x 100 mm (1/4 x 4 in.), 6 x 150 mm (1/4 x 6 in.)
- #1 x 100 mm (4 in.), #2 x 100 mm (4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205775	6 pc	0214 1	6	24

10 PC CHS SCREWDRIVER SET

- 5 x 75 mm (3/16 x 3 in.), 5 x 100 mm (3/16 x 4 in.), 5 x 150 mm (3/16 x 6 in.), 6 x 38 mm (1/4 x 1-1/2 in.), 6 x 100 mm (1/4 x 4 in.), 6 x 150 mm (1/4 x 6 in.)
- #1 x 100 mm (4 in.), #2 x 38 mm (1-1/2 in.), #2 x 100 mm (4 in.), #3 x 150 mm (6 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205776	10 pc	0215 8	6	12

16 PC HEX & TORX KEY SET

- Chrome-Vanadium steel
- 1.27, 1.5, 2, 2.5, 3, 4, 5, 6 mm
- T-9, T-10, T-15, T-20, T-25, T-27, T-30, T-40



Item No.	Size	EAN 69426292+	Inner	Outer
206028	16 pc	4879 8	10	60

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

9 PC LONG HEX KEY SET

- Chrome-Vanadium steel
- 2-component clip



Item No.	Size	EAN 69426292+	Inner	Outer
206001	1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm	0460 2	6	36
206003	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8 in.	0461 9	6	36

9 PC BALL END LONG HEX KEY SET

- Chrome-Vanadium steel
- 2-component clip



Item No.	Size	EAN 69426292+	Inner	Outer
206005	1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm	0462 6	6	36
206007	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8 in.	0463 3	6	36

9 PC LONG TORX® KEY SET

- Chrome-Vanadium steel
- 2-component clip



Item No.	Size	EAN 69426292+	Inner	Outer
206009	T-10, 15, 20, 25, 27, 30, 40, 45 & 50	0464 0	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

9 PC EXTRA LONG BALL END HEX KEY SET


- Chrome-Vanadium steel
- 2-component clip



Item No.	Size	EAN 69426292+	Inner	Outer
206015	1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm	4260 4	6	36
206017	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8 in.	4261 1	6	36

LONG HEX KEY

- Chrome-Vanadium steel



Item No.	Size	L (mm)	W (mm)	EAN 69426292+	Inner	Outer
206031	1.5 mm	78	15	4362 5	20	120
206032	2 mm	84	17	4363 2	20	120
206033	2.5 mm	91	20	4364 9	20	120
206034	3 mm	101	22	4365 6	20	120
206036	4 mm	108	28	4366 3	20	120
206038	5 mm	121	32	4367 0	20	120
206040	6 mm	144	37	4368 7	20	120
206042	8 mm	166	43	4369 4	20	120
206044	10 mm	177	49	4370 0	20	120
206046	12 mm	220	57	6699 0	10	60
206048	14 mm	250	69	6700 3	10	60
206050	16 mm	256	75	6701 0	10	40
206051	1/16 in.	77	15	4371 7	20	120
206052	5/64 in.	83	17	4372 4	20	120
206053	3/32 in.	88	19	4373 1	20	120
206054	7/64 in.	93	21	4374 8	20	120
206055	1/8 in.	98	22	4375 5	20	120
206056	9/64 in.	103	23	4376 2	20	120
206057	5/32 in.	109	25	4377 9	20	120
206058	3/16 in.	119	29	4378 6	20	120
206059	7/32 in.	129	31	4379 3	20	120
206060	1/4 in.	141	34	4380 9	20	120
206061	5/16 in.	160	40	4381 6	20	120
206062	3/8 in.	180	44	4382 3	20	120

BALL END LONG HEX KEY


- Chrome-Vanadium steel



Item No.	Size	L (mm)	W (mm)	EAN 69426292+	Inner	Outer
206071	1.5 mm	78	15	4383 0	20	120
206072	2 mm	84	17	4384 7	20	120
206073	2.5 mm	91	20	4385 4	20	120
206074	3 mm	101	22	4386 1	20	120
206076	4 mm	108	28	4387 8	20	120
206078	5 mm	121	32	4388 5	20	120
206080	6 mm	144	37	4389 2	20	120
206082	8 mm	166	43	4390 8	20	120
206084	10 mm	177	49	4391 5	20	120
206091	1/16 in.	77	15	4392 2	20	120
206092	5/64 in.	83	17	4393 9	20	120
206093	3/32 in.	88	19	4394 6	20	120
206094	7/64 in.	93	21	4395 3	20	120
206095	1/8 in.	98	22	4396 0	20	120
206096	9/64 in.	103	23	4397 7	20	120
206097	5/32 in.	109	25	4398 4	20	120
206098	3/16 in.	119	29	4399 1	20	120
206099	7/32 in.	129	31	4400 4	20	120
206100	1/4 in.	141	34	4401 1	20	120
206101	5/16 in.	160	40	4402 8	20	120
206102	3/8 in.	180	44	4403 5	20	120

EXTRA LONG HEX KEY

- Chrome-Vanadium steel



Item No.	Size	L (mm)	W (mm)	EAN 69426292+	Inner	Outer
206111	1.5 mm	90	14	4404 2	20	120
206112	2 mm	101	17	4405 9	20	120
206113	2.5 mm	113	19	4406 6	20	120
206114	3 mm	128	22	4407 3	20	120
206116	4 mm	143	28	4408 0	20	120
206118	5 mm	164	32	4409 7	20	120
206120	6 mm	185	37	4410 3	20	120
206122	8 mm	207	43	4411 0	20	120
206124	10 mm	233	49	4412 7	12	72
206131	1/16 in.	90	14	4413 4	20	120
206132	5/64 in.	101	17	4414 1	20	120
206133	3/32 in.	113	19	4415 8	20	120
206134	7/64 in.	122	21	4416 5	20	120
206135	1/8 in.	128	22	4417 2	20	120
206136	9/64 in.	139	24	4418 9	20	120
206137	5/32 in.	143	28	4419 6	20	120
206138	3/16 in.	164	32	4420 2	20	120
206139	7/32 in.	175	35	4421 9	20	120
206140	1/4 in.	185	37	4422 6	20	120
206141	5/16 in.	207	43	4423 3	20	120
206142	3/8 in.	232	48	4424 0	12	72

BALL END EXTRA LONG HEX KEY

- Chrome-Vanadium steel



Item No.	Size	L (mm)	W (mm)	EAN 69426292+	Inner	Outer
206151	1.5 mm	90	14	4425 7	20	120
206152	2 mm	101	17	4426 4	20	120
206153	2.5 mm	113	19	4427 1	20	120
206154	3 mm	128	22	4428 8	20	120
206156	4 mm	143	28	4429 5	20	120
206158	5 mm	164	32	4430 1	20	120
206160	6 mm	185	37	4431 8	20	120
206162	8 mm	207	43	4432 5	20	120
206164	10 mm	233	49	4433 2	12	72
206171	1/16 in.	90	14	4434 9	20	120
206172	5/64 in.	101	17	4435 6	20	120
206173	3/32 in.	113	19	4436 3	20	120
206174	7/64 in.	121.8	20.8	4437 0	20	120
206175	1/8 in.	128.2	22.2	4438 7	20	120
206176	9/64 in.	139	24	4439 4	20	120
206177	5/32 in.	143	28	4440 0	20	120
206178	3/16 in.	164	32	4441 7	20	120
206179	7/32 in.	175	35	4442 4	20	120
206180	1/4 in.	185	37	4443 1	20	120
206181	5/16 in.	207	43	4444 8	20	120
206182	3/8 in.	232	48	4445 5	12	72

8 PC TORX® TAMPER KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206209	T-9, 10, 15, 20, 25, 27, 30 & 40	0469 5	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

BALL END T-HANDLE HEX KEY

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206301	2 mm	4446 2	6	60
206303	2.5 mm	4447 9	6	60
206305	3 mm	4448 6	6	60
206307	4 mm	4449 3	6	60
206309	5 mm	4450 9	6	60
206311	6 mm	4451 6	6	36
206313	7 mm	4452 3	6	36
206315	8 mm	4453 0	6	36
206317	10 mm	4454 7	6	36
206331	5/64 in.	4455 4	6	60
206333	3/32 in.	4456 1	6	60
206335	1/8 in.	4457 8	6	60
206337	5/32 in.	4458 5	6	60
206339	3/16 in.	4459 2	6	60
206343	1/4 in.	4461 5	6	36
206345	5/16 in.	4462 2	6	36
206347	3/8 in.	4463 9	6	36

T-HANDLE TORX® KEY

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206377	T-9	2659 8	6	60
206378	T-10	2660 4	6	60
206379	T-15	2661 1	6	60
206380	T-20	2662 8	6	60
206381	T-25	2663 5	6	60
206382	T-27	2664 2	6	36
206383	T-30	2665 9	6	36
206384	T-40	2666 6	6	36
206385	T-45	2667 3	6	36
206386	T-50	2668 0	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

5 PC T-HANDLE HEX KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206360	3, 4, 5, 6 & 8 mm	4976 4	6	12

7 PC T-HANDLE HEX KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206366	2.5, 3, 4, 5, 6, 8 & 10 mm	2650 5	6	12
206367	3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8 in.	4874 3	6	12

4 PC PUNCH SCREWDRIVER BIT SET

- Slotted 10 mm (3/8 in.), 8 mm (5/16 in.), PH #2, #3
- Forward/reverse rotation
- Can use with 1/2 in. Dr. impact socket



Item No.	Size	EAN 69426292+	Inner	Outer
207201	4 pc	2781 6	6	12

5 PC TORX® KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206393	T-10, 15, 20, 25 & 30	4978 8	6	12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

7 PC TORX® KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206397	T-10, 15, 20, 25, 27, 30 & 40	2669 7	6	12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

19 PC SPIN FORCE DRILL & BIT SET

- Min length 175 mm (7 in.), Max length 223 mm (8-3/4 in.)
- Works like a Yankee® screwdriver
- 6 pc drill bits: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64 in.
- 11 pc 2 in. bits: 1/8 in. x 2, 3/16 in. x 2, 1/4 in. x 2; #0 x 2, #1 x 2, #2;
- Drill hole starter



Item No.	Size	EAN 69426292+	Inner	Outer
209021	19 pc	2622 2	8	24

YANKEE® IS REGISTERED TRADEMARK OF THE STANLEY WORKS

ADJUSTABLE WRENCH

- Laser etched mm/in. scale
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
210001	150 mm (6 in.)	0308 7	6	36
210003	200 mm (8 in.)	0309 4	6	36
210005	250 mm (10 in.)	0310 0	6	24
210007	300 mm (12 in.)	0311 7	6	12
210009	375 mm (15 in.)	0312 4	6	12

ADJUSTABLE WRENCH

- Laser etched mm/in. scale
- Chrome-Vanadium steel
- Heavy-duty
- Wide open



Item No.	Size	Max open	EAN 69426292+	Inner	Outer
210011	150 mm (6 in.)	24 mm	2952 0	6	36
210013	200 mm (8 in.)	29 mm	2953 7	6	36
210015	250 mm (10 in.)	34 mm	2954 4	6	24
210017	300 mm (12 in.)	41 mm	2955 1	6	12
210019	375 mm (15 in.)	44 mm	2956 8	6	12

ADJUSTABLE WRENCH

- Laser etched mm/in. scale
- Chrome-Vanadium steel
- Chrome plated



Item No.	Size	EAN 69426292+	Inner	Outer
210021	150 mm (6 in.)	3842 3	6	36
210023	200 mm (8 in.)	3843 0	6	36
210025	250 mm (10 in.)	3844 7	6	24
210027	300 mm (12 in.)	3845 4	6	12
210029	375 mm (15 in.)	3846 1	6	12

3 PC ADJUSTABLE WRENCH SET

- Laser etched mm/in. scale
- Chrome-Vanadium steel
- 150 mm (6 in.), 200 mm (8 in.), 250 mm (10 in.)
- Cr-plated



Item No.	Size	EAN 69426292+	Inner	Outer
210123	3 pc	5665 6	6	12

INSULATED ADJUSTABLE WRENCH

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
210142VD	200 mm (8 in.)	9330 9	6	24
210143VD	250 mm (10 in.)	9331 6	6	24

C-CLAMP

- Heavy-duty cast-iron body



Item No.	Size	EAN 69426292+	Inner	Outer
215001	50 mm (2 in.)	0257 8	6	60
215003	75 mm (3 in.)	0258 5	6	24
215005	100 mm (4 in.)	0259 2	6	12
215007	125 mm (5 in.)	0260 8	6	12
215009	150 mm (6 in.)	0261 5	4	8
215011	200 mm (8 in.)	0262 2	4	8

QUICK ACTION F-CLAMP

- Quick release function
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
215453	300 mm (12 in.)	2748 9	6	12
215455	450 mm (18 in.)	2749 6	6	12
215457	600 mm (24 in.)	2750 2	6	12
215459	900 mm (36 in.)	2751 9	6	12

PUMP CLAMP

- Heavy-duty cast-iron body
- For professional wood and metal working



Item No.	Size	EAN 69426292+	Inner	Outer
215475	500 x 120 mm	8376 8	0	6
215479	1000 x 120 mm	8377 5	0	4

F-CLAMP

- All steel construction and swivel handle for more clamp force
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
215213	200 x 80 mm	0608 8	6	12
215217	300 x 80 mm	0610 1	6	12
215227	300 x 120 mm	0615 6	4	8
215229	400 x 120 mm	0616 3	4	8
215233	600 x 120 mm	0618 7	2	4
215237	1000 x 120 mm	0620 0	2	4

F-CLAMP

- Heavy-duty cast iron body
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
215403	150 x 50 mm	0625 5	6	36
215405	200 x 50 mm	0626 2	6	36
215409	300 x 50 mm	0628 6	6	36
215413	200 x 80 mm	0630 9	6	12
215417	300 x 80 mm	0632 3	6	12
215427	300 x 120 mm	0637 8	0	8
215429	400 x 120 mm	0638 5	0	6
215433	600 x 120 mm	0640 8	0	6
215437	1000 x 120 mm	0642 2	0	4

DUAL-ACTION TRIGGER CLAMP

- One-hand clamping and spreading function
- Non-slip soft handle
- 100 kg (230 lbs.) clamp force



Item No.	Size	EAN 69426292+	Inner	Outer
215601	150 mm (6 in.)	2642 0	6	12
215603	300 mm (12 in.)	2643 7	6	12
215604	450 mm (18 in.)	2744 1	6	12
215605	600 mm (24 in.)	2644 4	6	12
215607	900 mm (36 in.)	2645 1	4	8
215609	1200 mm (48 in.)	2646 8	4	8

HEAVY-DUTY TRIGGER CLAMP

- 135 kg (300 lbs.) clamp force
- Quick change function
- One-hand clamping and spreading
- 81mm throat depth
- Pivoting jaws



Item No.	Max open	EAN 69426292+	Inner	Outer
215611	150 mm (6 in.)	9391 0	6	12
215613	300 mm (12 in.)	9392 7	6	12
215614	450 mm (18 in.)	9393 4	6	12
215615	600 mm (24 in.)	9394 1	6	12
215617	900 mm (36 in.)	9395 8	4	8

DUAL-ACTION TRIGGER CLAMP

- 60 kg (138 lbs.) clamp force
- Quick change function
- One-hand clamping and spreading
- 65 mm throat depth



Item No.	Max open	EAN 69426292+	Inner	Outer
215631	150 mm (6 in.)	3022 9	0	6
215632	300 mm (12 in.)	3932 1	0	6
215633	450 mm (18 in.)	9464 1	0	6
215634	600 mm (24 in.)	9465 8	0	6
215636	900 mm (36 in.)	9485 6	0	6

NYLON CLAMP

- Non-slip soft handle



Item No.	Size	Max open	EAN 69426292+	Inner	Outer
215701	2 pc 80 mm	32 mm	1461 8	6	24
215703	110 mm	46 mm	1462 5	12	48
215704	4 pc 110 mm	46 mm	5123 1	18	54
215705	165 mm	58 mm	1463 2	6	36
215706	3 pc 165 mm	58 mm	5626 7	18	36
215707	225 mm	90 mm	1464 9	6	24



RATCHET CLAMP

- Quick release function



Item No.	Max opening mouth	EAN 69426292+	Inner	Outer
215771	50 mm (2 in.)	3473 9	6	24
215772	100 mm (4 in.)	5432 4	6	24

PIPE CLAMP

- Works with steel pipes
- Soft jaws included
- H style base prevents clamps from tipping over



Item No.	Size	EAN 69426292+	Inner	Outer
215803	1/2 in. (12.7 mm)	1699 5	3	12
215805	3/4 in. (19.05 mm)	1465 6	3	12

CORNER CLAMP

- Clamp various sized work pieces with 2 spindles



Item No.	Size	EAN 69426292+	Inner	Outer
215851	75 mm (3 in.)	2752 6	6	24

BAND CLAMP

- Used in cabinet work, furniture assembly, and framing
- Ideal for use with various shaped work pieces
- Pass through joints



Item No.	Size	EAN 69426292+	Inner	Outer
215901	4 m (13 ft.)	3472 2	0	12

CORNER & VISE CLAMP

- Used in cabinet work, furniture assembly, and framing
- Clamp different thicknesses
- Pass through joints



Item No.	Size	EAN 69426292+	Inner	Outer
215907		7201 4	12	24

BENCH VISE WITH SWIVEL BASE

- Replaceable hardened jaw
- Swivel base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216004	100 mm (4 in.)	2980 3	0	2
216005	125 mm (5 in.)	2981 0	0	2
216006	150 mm (6 in.)	2982 7	0	1

BENCH VISE WITH FIXED BASE

- Replaceable hardened jaw
- Fixed base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216033	75 mm (3 in.)	5217 7	0	2
216034	100 mm (4 in.)	5218 4	0	2
216035	125 mm (5 in.)	5219 1	0	1
216036	150 mm (6 in.)	5220 7	0	1
216038	200 mm (8 in.)	5221 4	0	1

HEAVY-DUTY BENCH VISE WITH FIXED BASE

- Extra weight provides more stability
- Replaceable hardened jaw
- Fixed base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216053	75 mm (3 in.)	5222 1	0	2
216054	100 mm (4 in.)	5223 8	0	2
216055	125 mm (5 in.)	5224 5	0	1
216056	150 mm (6 in.)	5225 2	0	1
216058	200 mm (8 in.)	5226 9	0	1

HOME VISE

- Replaceable hardened jaw
- Swivel base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216093	90 mm (3-1/2 in.)	3449 4	0	4

TABLE VISE WITH SWIVEL BASE


- Replaceable hardened jaw
- Swivel base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216203	60 mm (2-1/2 in.)	3450 0	0	10

MULTI-ANGLE VISE

- Ideal for holding small parts
- Portable, quickly Clamps to surface
- Tabletop 360° rotates and swivels vise tilts 45°



Item No.	Size	EAN 69426292+	Inner	Outer
216211		7202 1	0	12

DRILL VISE

- Replaceable hardened jaw



Item No.	Size	EAN 69426292+	Inner	Outer
216404	100 mm (4 in.)	2983 4	0	8

WOOD WORKING VISE

- Cast iron base



Item No.	Size	EAN 69426292+	Inner	Outer
216447	150 mm (6 in.)	3451 7	0	6

RIVET GUN

- Heavy-duty
- 2.4 mm (3/32 in.), 3.2 mm (1/8 in.), 4.0 mm (5/32 in.) & 4.8 mm (3/16 in.)
- Suit for aluminum rivet



Item No.	Size	EAN 69426292+	Inner	Outer
217001	250 mm (10 in.)	0853 2	6	12

FLEX HEAD RIVET GUN

- 360° rotating head for working in tight space
- 2.4 mm (3/32 in.), 3.2 mm (1/8 in.), 4.0 mm (5/32 in.) & 4.8 mm (3/16 in.)
- Suit for aluminum rivet



Item No.	Size	EAN 69426292+	Inner	Outer
217022		2610 9	4	8

HEAVY-DUTY RIVET GUN

- Single pull action for fast, repetitive applications
- 3.2 mm (1/8 in.), 4.0 mm (5/32 in.), 4.8 mm (3/16 in.), 6.0 mm (15/64 in.) & 6.4 mm (1/4 in.)
- Suit for aluminum rivet



Item No.	Size	EAN 69426292+	Inner	Outer
217025		3356 5	0	6

LONG-ARM RIVET GUN

- Industrial compound action riveter with high leverage long tubular handle
- 2.4 mm (3/32 in.), 3.2 mm (1/8 in.), 4.0 mm (5/32 in.) & 4.8 mm (3/16 in.)
- Suit for aluminum rivet



Item No.	Size	EAN 69426292+	Inner	Outer
217029		3357 2	0	10

100 PC RIVET SET

- Grip range 0.8-3 mm
- Aluminum



Item No.	D	L	EAN 69426292+	Inner	Outer
217051	2.4 mm (3/32 in.)	6.4 mm (1/4 in.)	3938 3	20	120
217053	3.2 mm (1/8 in.)	6.4 mm (1/4 in.)	3939 0	20	120
217055	4.0 mm (5/32 in.)	6.4 mm (1/4 in.)	3940 6	12	72
217057	4.8 mm (3/16 in.)	6.4 mm (1/4 in.)	3941 3	12	72

EYELET PLIERS

- Use with 4 mm eyelet
- Ergonomic large handle
- 50 eyelets included



Item No.	Size	EAN	Inner	Outer
217201	50 pc 4 mm replace eyelets	1466 3	6	36
217210	50 pc 4 mm replace eyelets	8793 3	12	144

EYELET PLIERS

- Use with 6 mm eyelet
- 50 pc 6 mm eyelets included



Item No.	Size	EAN	Inner	Outer
217203	50 pc 6 mm replace eyelets	8664 6	6	36
217211	50 pc 6 mm replace eyelets	8690 5	54	216

PUNCH PLIERS

- 6 punch size 2.5, 3, 3.5, 4, 4.5 & 5 mm
- Ergonomic large handle



Item No.	Size	EAN	Inner	Outer
217401		1467 0	6	24

STAPLE GUN

- Use with 11.3 mm wide x 4, 6, 8 mm long light duty staples
- Supplied with 100 pc staples



Item No.	Size	EAN	Inner	Outer
218003		1468 7	6	12

STAPLE GUN

- Use with 11.3 mm wide x 4, 6, 8 mm long light duty staples
- Supplied with 200 pc staples



Item No.	Size	EAN	Inner	Outer
218005		7032 4	6	12

HEAVY-DUTY STAPLE GUN


- Use with 11.3 mm & 10.6 mm wide x 4-14 mm long heavy-duty staples
- Supplied with 600 pc staples



Item No.	Size	EAN	Inner	Outer
218011	3-in-1	1469 4	6	12

HEAVY-DUTY STAPLE GUN

- High/low power adjustment
- Use with 11.3 mm & 10.6 mm wide x 4-14 mm long heavy-duty staples
- Supplier with 600 pc staples
- With belt clip



Item No.	Size	EAN	Inner	Outer
218013		7033 1	6	12

11.3 mm HEAVY-DUTY STAPLES

- Fits 218011, 218013
- 11.3 mm wide staples



Item No.	Size	EAN	Inner	Outer
218101	1000 pc 6 mm (1/4 in.)	3358 9	12	144
218103	1000 pc 8 mm (5/16 in.)	3359 6	12	72
218105	1000 pc 10 mm (3/8 in.)	3360 2	12	72
218107	1000 pc 12 mm (1/2 in.)	3361 9	12	72
218109	1000 pc 14 mm (9/16 in.)	3362 6	12	72

11.3 mm LIGHT-DUTY STAPLES

- Fits 218003, 218005
- 11.3 mm wide staples



Item No.	Size	EAN	Inner	Outer
218121	1000 pc 6 mm (1/4 in.)	3363 3	12	144
218123	1000 pc 8 mm (5/16 in.)	3364 0	12	72

BRAD NAILS



Item No.	Size	EAN	Inner	Outer
218147	1000 pc 12 mm (1/2 in.)	3367 1	12	144
218151	1000 pc 16 mm (5/8 in.)	3368 8	12	144

10.6 mm HEAVY-DUTY STAPLES

- Fits 218011, 218013
- 10.6 mm wide staples



Item No.	Size	EAN	Inner	Outer
218161	1000 pc 6 mm	0298 1	12	144
218162	1000 pc 8 mm	2292 7	12	72
218163	1000 pc 10 mm	2293 4	12	72
218164	1000 pc 12 mm	2295 8	12	72
218165	1000 pc 14 mm	2296 5	12	72



MACHINIST HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
220011	25 mm	0646 0	6	24
220013	30 mm	0647 7	6	12
220015	35 mm	0648 4	6	12
220017	40 mm	0649 1	6	12
220019	45 mm	0650 7	4	8
220021	50 mm	0651 4	2	6

JOINER HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
220031	16 mm	0652 1	6	36
220033	20 mm	0653 8	6	36
220035	25 mm	0654 5	6	24
220037	30 mm	0655 2	6	12
220039	35 mm	0656 9	6	12

ELECTRICIAN HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
220051	18 mm	0657 6	6	36

MACHINIST HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
220103	200 g	0658 3	6	36
220105	300 g	0659 0	6	24
220107	400 g	0660 6	6	24
220109	500 g	0661 3	6	12
220111	600 g	0662 0	6	12
220113	800 g	0663 7	4	12
220115	1000 g	0664 4	4	8

STONE HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
220531	1000 g	0665 1	4	8
220533	1250 g	0666 8	4	8
220535	1500 g	0667 5	4	8

DRILLING HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
220631	0.9 kg (2 lbs.)	0668 2	4	8
220635	1.36 kg (3 lbs.)	0670 5	4	8
220637	1.8 kg (4 lbs.)	0671 2	4	8

CLAW HAMMER

- Fully polished forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
221001	225 g (8 oz.)	0672 9	6	24
221003	340 g (12 oz.)	0673 6	6	24
221005	450 g (16 oz.)	0674 3	6	12
221007	570 g (20 oz.)	0675 0	6	12

CLAW HAMMER

- Forged hammer head with magnetic nail holder
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
221031	700 g	0678 1	6	12

CLAW HAMMER

- Fully polished forged one-piece construction
- Non-slip bi-material soft grip



Item No.	Size	EAN	Inner	Outer
221051	450 g (16 oz.)	0679 8	6	12
221053	570 g (20 oz.)	0680 4	6	12

RIP CLAW HAMMER

- Fully polished forged one-piece construction
- Non-slip bi-material soft grip



Item No.	Size	EAN	Inner	Outer
221055	680 g (24 oz.)	0681 1	6	12

MAX-IMPACT CLAW HAMMER

- Max-impact technology enables a faster swing and greater impact
- Precision balanced head for user comfort and control
- Magnetic nail start feature enables one-handed nailing operation
- Fully forged one piece for a lifetime of use
- Non-slip bi-material soft handle



Item No.	Size	EAN	Inner	Outer
221057	450 g (16 oz.)	69426292+ 7780 4	6	12

CLAW HAMMER

- Fully polished forged hammer head
- Tubular handle with non-slip bi-material soft grip



Item No.	Size	EAN	Inner	Outer
221071	225 g (8 oz.)	0682 8	6	36
221073	450 g (16 oz.)	0683 5	6	12
221075	570 g (20 oz.)	0684 2	6	12

CLAW HAMMER

- Fully polished forged hammer head
- Hickory handle



Item No.	Size	EAN	Inner	Outer
221201	225 g (8 oz.)	0685 9	6	24
221203	450 g (16 oz.)	0686 6	6	12
221205	570 g (20 oz.)	0687 3	6	12

CLAW HAMMER

- Fully polished forged hammer head
- Wood handle



Item No.	Size	EAN	Inner	Outer
221209	225 g (8 oz.)	3998 7	6	24
221211	340 g (12 oz.)	3999 4	6	24
221213	450 g (16 oz.)	3847 8	6	12
221215	570 g (20 oz.)	3848 5	6	12

BALL PEIN HAMMER

- Fully polished forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
222003	225 g (8 oz.)	0689 7	6	24
222005	340 g (12 oz.)	0690 3	6	24
222007	450 g (16 oz.)	0691 0	6	12
222009	680 g (24 oz.)	0692 7	6	12
222011	910 g (32 oz.)	0693 4	4	8
222013	1200 g (40 oz.)	0694 1	4	8

BALL PEIN HAMMER

- Fully polished forged hammer head
- Hickory handle



Item No.	Size	EAN	Inner	Outer
222103	225 g (8 oz.)	3369 5	6	24
222107	450 g (16 oz.)	3371 8	6	12
222111	910 g (32 oz.)	3373 2	4	8

SLEDGE HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
222551	0.9 kg (2 lbs.)	0696 5	4	8
222557	1.8 kg (4 lbs.)	0699 6	4	8

SLEDGE HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
222559	2.7 kg (6 lbs.)	0700 9	0	2
222561	3.6 kg (8 lbs.)	0701 6	0	2
222563	4.5 kg (10 lbs.)	0702 3	0	2
222565	5.4 kg (12 lbs.)	0703 0	0	2

CROSS PEIN HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
222701	0.9 kg (2 lbs.)	2782 3	4	8
222703	1.36 kg (3 lbs.)	2783 0	4	8
222705	1.8 kg (4 lbs.)	2784 7	4	8

CROSS PEIN HAMMER

- Hickory handle



Item No.	Size	EAN	Inner	Outer
222751	110 g (4 oz.)	8387 4	6	48

WARRINGTON HAMMER

- Hickory handle



Item No.	Size	EAN	Inner	Outer
222753	225 g (8 oz.)	8388 1	6	24

RUBBER Mallet

- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
223001	65 mm (24 oz.), black	0708 5	6	12
223003	65 mm (24 oz.), white	0709 2	6	12
223005	45 mm (8 oz.), black	2746 5	6	24
223007	58 mm (16 oz.), black	2747 2	6	24

DEAD BLOW HAMMER

- Soft face
- Prevents rebound



Item No.	Size	EAN	Inner	Outer
223037	1360 g (3 lbs.)	8385 0	6	12

2-WAY RUBBER Mallet

- Exchangeable PU heads
- Hickory handle



Item No.	Size	EAN	Inner	Outer
223101	35 mm	0710 8	6	24
223102	Spare head-black	4191 1	24	96
223103	Spare head-orange	4192 8	24	96

TACK HAMMER

- Hickory handle



Item No.	Size	EAN	Inner	Outer
223203	142 g (5 oz.)	3849 2	12	48

AXE

- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
224001	600 g	0711 5	6	12

MULTI-PURPOSE HATCHET

- Tubular handle
- Non-slip bi-material soft grip



Item No.	Size	EAN	Inner	Outer
224101	600 g	0713 9	6	12

ROOFING HAMMER

- Tubular handle
- Non-slip bi-material soft grip



Item No.	Size	EAN	Inner	Outer
224103	600 g	0714 6	6	12

TYPE R MASON'S HAMMER

- Tubular handle
- Non-slip bi-material soft grip



Item No.	Size	EAN	Inner	Outer
224105	600 g	0715 3	6	12

TYPE R MASON'S HAMMER

- Forged hammer head
- Wood handle



Item No.	Size	EAN	Inner	Outer
224106	600 g	5856 8	6	24

TYPE B MASON'S HAMMER

- Tubular handle
- Non-slip bi-material soft grip



Item No.	Size	EAN	Inner	Outer
224107	600 g	0716 0	6	12

GO-THROUGH BLADE CHISEL

- Chrome vanadium blade for superior performance and edge retention
- Extra-large strike cap withstands repetitive hammer strikes and can be hit from multiple angles
- Non-slip PP/TPR handle for comfortable grip and reinforced toughness
- Professional go-through blade construction



Item No.	Size	EAN	Inner	Outer
225011	6 mm (1/4 in.)	0313 1	6	24
225015	10 mm (3/8 in.)	0314 8	6	24
225017	13 mm (1/2 in.)	0315 5	6	24
225019	16 mm (5/8 in.)	0316 2	6	24
225021	19 mm (3/4 in.)	0317 9	6	24
225023	22 mm (7/8 in.)	0318 6	6	24
225025	25 mm (1 in.)	0319 3	6	24
225029	32 mm (1-1/4 in.)	0320 9	6	24
225031	38 mm (1-1/2 in.)	0321 6	6	24
225053	3 pc (13, 19, 25 mm)	2769 4	6	12



WOOD CHISEL


- Chrome vanadium blade for superior performance and edge retention
- Ergonomic handle for precision and comfort
- Designed to be used with wooden mallet or hand for fine wood working



Item No.	Size	EAN 69426292+	Inner	Outer
225061	6 mm (1/4 in.)	9381 1	6	24
225065	10 mm (3/8 in.)	9382 8	6	24
225067	13 mm (1/2 in.)	9383 5	6	24
225069	16 mm (5/8 in.)	9384 2	6	24
225071	19 mm (3/4 in.)	9385 9	6	24
225073	22 mm (7/8 in.)	9386 6	6	24
225075	25 mm (1 in.)	9387 3	6	24
225079	32 mm (1-1/4 in.)	9388 0	6	24
225081	38 mm (1-1/2 in.)	9389 7	6	24
225093	3 pc (13, 19, 25 mm)	9390 3	6	12

SIDE STRIKE CHISEL

- Side cutting edge, standard wood chisel, serrated cutting edge
- Cr-V blade for superior performance and edge retention
- Extra-large strike cap withstands repetitive hammer strikes and can be hit from multiple angles
- Non-slip PP/TPR handle for comfortable grip and reinforced toughness



Item No.	Size	EAN 69426292+	Inner	Outer
225625	25 mm (1 in.)	3021 2	6	24

COLD CHISEL

Item No.	Size	EAN 69426292+	Inner	Outer
227001	200 x 12 mm (8 x 1/2 in.)	1470 0	12	24
227003	250 x 20 mm (10 x 13/16 in.)	1471 7	12	24
227005	250 x 24 mm (10 x 15/16 in.)	1472 4	12	24
227009	250 x 28 mm (10 x 1-1/8 in.)	1474 8	12	24
227011	250 x 30 mm (10 x 1-3/16 in.)	1475 5	12	24
227013	250 x 50 mm (10 x 2 in.)	1476 2	12	24

RUBBER HOLDER FOR COLD CHISEL

- Ergonomic design
- Soft handle to avoid injuries
- Fits TACTIX cold chisel



Item No.	Size	EAN 69426292+	Inner	Outer
227101		1478 6	0	12

POINT CHISEL

- Drop forged steel



Item No.	Size	EAN 69426292+	Inner	Outer
227015	250 x 16 mm (10 x 5/8 in.)	1477 9	12	24
227017	250 x 18 mm (10 x 11/16 in.)	2839 4	12	24
227027	300 x 18 mm (12 x 11/16 in.)	5027 2	12	24

COLD CHISEL WITH HAND GUARD

- Drop forged steel
- Brick bolster 216 x 102 x 22 mm
- Soft handle to avoid injuries



Item No.	Size	EAN 69426292+	Inner	Outer
227303	216 x 102 x 22 mm	1479 3	6	18

COLD CHISEL WITH HAND GUARD

- Drop forged steel
- Floor chisel 225 x 56 x 19 mm
- Soft handle to avoid injuries



Item No.	Size	EAN 69426292+	Inner	Outer
227323	225 x 56 x 19 mm	1480 9	6	18

6 PC PIN PUNCH SET

- Chrome vanadium steel
- 2, 3, 4, 5, 6, 8 mm (3/32, 1/8, 5/32, 3/16, 1/4, 5/16 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
230011	150 mm (6 in.)	1481 6	6	24

3 PC NAIL SET

- Chrome vanadium steel
- 0.8, 1.6, 2.4 mm (1/32, 1/16, 3/32 in.)
- Soft handle



Item No.	Size	EAN 69426292+	Inner	Outer
230033	3 pc	3475 3	10	60

CENTER PUNCH

- Chrome vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
230085	6 x 100 mm	9031 5	10	60

3 PC CHISEL SET

- Chrome vanadium steel
- 10, 12, 16 mm (3/8, 1/2, 5/8 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
230103	3 pc	3476 0	10	40

12 PC CHISEL AND PUNCH SET

- Drop forged, hardened and tempered
- Center punch: 6, 8 mm (1/4, 5/16 in.)
- Taper punch: 2 mm (3/32 in.)
- Cold chisel: 10, 12, 16 mm (3/8, 1/2, 5/8 in.)
- Pin punch: 2, 3, 4, 5, 6, 8 mm (3/32, 1/8, 5/32, 3/16, 1/4, 5/16 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
230112	12 pc	3477 7	6	12

PRY BAR


- Drop forged steel



Item No.	Size	EAN 69426292+	Inner	Outer
233005	380 mm (15 in.)	1482 3	5	20

WRECKING BAR

- Drop forged steel



Item No.	Size	EAN 69426292+	Inner	Outer
233181	450 mm (18 in.) x 16 mm	3440 1	6	12
233183	600 mm (24 in.) x 18 mm	3441 8	0	6
233185	900 mm (36 in.) x 18 mm	3442 5	0	6

HEAVY-DUTY WRECKING BAR

- Drop forged steel



Item No.	Size	EAN 69426292+	Inner	Outer
233305	600 mm (24 in.) x 29 x 15 mm	1485 4	2	6
233307	750 mm (30 in.) x 29 x 15 mm	1486 1	2	6

TAPE MEASURE

- Impact resistant ABS case



Item No.	Size	EAN 69426292+	Inner	Outer
235083	3 m x 16 mm-MID	0179 3	20	60
235085	5 m x 19 mm-MID	0180 9	20	60
235088	8 m x 25 mm-MID	0181 6	10	30
235183	12 ft. x 5/8 in.	0343 8	20	60
235185	16 ft. x 3/4 in.	0344 5	20	60
235188	26 ft. x 1 in.	0345 2	10	30
235283	3.5 m (12 ft.) x 16 mm (5/8 in.)	0358 2	20	60
235285	5 m (16 ft.) x 19 mm (3/4 in.)	0359 9	20	60
235288	8 m (26 ft.) x 25 mm (1 in.)	0360 5	10	30

TAPE MEASURE

- Impact resistant ABS case
- 3 assorted colors



Item No.	Size	EAN 69426292+	Inner	Outer
235089	8 m x 25 mm	4743 2	15	30

TAPE MEASURE-NYSLIK BLADE™

- NYSLIK BLADE™ nylon coated for increased blade life
- Dual-end-large hook grasps objects from the bottom and top of the tape
- Dual-material, impact-resistant case



Item No.	Size	EAN 69426292+	Inner	Outer
235341	3 m x 16 mm-MID	4812 5	15	30
235343	5 m x 19 mm-MID	4813 2	15	30
235345	8 m x 25 mm-MID	4814 9	12	24
235347	10 m x 25 mm-MID	4815 6	12	24
235361	12 ft. x 5/8 in.	4819 4	15	30
235363	16 ft. x 3/4 in.	4820 0	15	30
235365	26 ft. x 1 in.	4821 7	12	24
235367	33 ft. x 1 in.	4822 4	12	24
235381	3.5 m (12 ft.) x 16 mm	4826 2	15	30
235383	5 m (16 ft.) x 19 mm	4827 9	15	30
235385	8 m (26 ft.) x 25 mm	4828 6	12	24
235387	10 m (33 ft.) x 25 mm	4829 3	12	24

AUTO-LOCK TAPE MEASURE

- Auto-locking blade with ergonomic retraction button
- Dual-end-hook grasps objects from the bottom and top of the tape
- Dual-material, impact-resistant case



Item No.	Size	EAN 69426292+	Inner	Outer
236401	3 m x 16 mm-MID	6067 7	6	36
236403	5 m x 19 mm-MID	6068 4	6	24
236405	8 m x 25 mm-MID	6070 7	6	24
236411	3.5 m (12 ft.) x 16 mm	6071 4	6	36
236413	5 m (16 ft.) x 19 mm	6073 8	6	24
236415	8 m (26 ft.) x 25 mm	6074 5	6	24

TAPE MEASURE

- Pocket size
- Great gift idea



Item No.	Size	EAN 69426292+	Inner	Outer
235292	2 m (6 ft.)	3863 8	12	120

TAPE MEASURE-ULTRA BLADE™


- ULTRA BLADE™ nylon sleeve technology for heavy duty use
- Dual-sided blade printing for maximum visibility
- High-impact bi-material non-slip case
- Extra-large dual sided magnetized hook



Item No.	Size	EAN 69426292+	Inner	Outer
235353	5 m x 27 mm-MID	4816 3	12	24
235355	8 m x 27 mm-MID	4817 0	12	24
235357	10 m x 27 mm-MID	4818 7	12	24
235373	16 ft. x 1-1/16 in.	4823 1	12	24
235375	26 ft. x 1-1/16 in.	4824 8	12	24
235377	33 ft. x 1-1/16 in.	4825 5	12	24
235393	5 m (16 ft.) x 27 mm	4830 9	12	24
235395	8 m (26 ft.) x 27 mm	4831 6	12	24
235397	10 m (33 ft.) x 27 mm	4832 3	12	24

BEVEL

- Stainless steel ruler
- Movable blade helps copy an angle and transfer it onto another surface



Item No.	Size	EAN 69426292+	Inner	Outer
239161	200 mm	1489 2	6	24


WOOD FOLDING RULER



Item No.	Size	EAN 69426292+	Inner	Outer
239241	1 m (39 in.)	6486 6	10	100
239243	2 m (78 in.)	6487 3	10	100
239245	2 m-MID	6488 0	10	100

HI-VIS RAFTER SQUARE


- Dual color for easy reading
- Common/jack, Hip-val, protractor scale, fixed base, inch scale, scribing notched, pivot point
- SAE scale



Item No.	Size	EAN 69426292+	Inner	Outer
239081	7 in. (177 mm)	7156 7	12	24
239083	12 in. (304 mm)	3124 0	12	24

HI-VIS RAFTER SQUARE ALUMINUM

- Metric scale
- Common/jack, Hip-val, protractor scale, fixed base, mm scale, scribing notched, pivot point



Item No.	Size	EAN 69426292+	Inner	Outer
239091	178 mm	9488 7	6	24
239093	300 mm	9491 7	6	24

CORNER RULER-ALUMINUM

- High quality aluminum for durability
- Lightweight



CARPENTER SQUARE-STEEL

- Hardened steel for durability and long life



Item No.	Size	EAN 69426292+	Inner	Outer
239043	300 x 200 mm (12 x 8 in.)	3378 7	12	60
239055	610 X 406 mm (24 x 16 in.)	3379 4	6	24
239057	24 x 16 in.	3380 0	6	24

COMBINATION RULER


- Stainless steel ruler
- Die cast metal handle



Item No.	Size	EAN 69426292+	Inner	Outer
239111	300 mm	1488 5	6	24

RULER-STAINLESS STEEL


- Stainless steel
- Permanently etched graduation



Item No.	Size	EAN 69426292+	Inner	Outer
239211	300 mm	1490 8	10	100
239212	300 mm (12 in.)	2882 0	10	100
239215	600 mm	1491 5	10	60
239216	600 mm (24 in.)	2883 7	10	60
239219	1000 mm	1492 2	10	60
239220	1000 mm (39 in.)	2884 4	10	60

MULTI FUNCTION LEVEL

- 2 vials-0 & 90°
- Metric and SAE scale
- 2 line marker for alignment



MEASURING WHEEL 0-9999 m

- Dual wheels for stability
- Instant zero button
- Telescopic handle
- Storage bag included



Item No.	Size	EAN 69426292+	Inner	Outer
241001	0-9999 m	8099 6	0	6

MEASURING WHEEL 0-999 m

- Instant zero button
- Telescoping handle
- Compact design



Item No.	Size	EAN 69426292+	Inner	Outer
241005	0-999 m	1621 6	0	15

LONG TAPE MEASURE-STEEL BLADE

- Impact resistant bi-material non-slip case
- 0.15 mm thick steel blade



LONG TAPE MEASURE-STEEL BLADE

- 3x gear ratio offers a fast blade rewind speed
- Impact resistant bi-material non-slip case
- 0.15 mm thick steel blade



VERNIER CALIPER

- Inside, outside, depth and step measurements
- Accuracy to 0.02 mm and 1/1000 in.



Item No.	Size	EAN 69426292+	Inner	Outer
245011	150 mm (6 in.) x 0.02 mm (1/1000 in.)	1493 9	6	24

DIGITAL CALIPER

- Inside, outside, depth and step measurements
- Stainless steel construction
- Accuracy to 0.01 mm and 1/1000 in.



Item No.	Size	EAN 69426292+	Inner	Outer
245111	150 mm (6 in.) x 0.01 mm (1/1000 in.)	1494 6	6	24

LONG TAPE MEASURE

- Impact resistant bi-material non-slip case
- Fiberglass blade



LONG TAPE MEASURE

- Impact resistant bi-material non-slip case
- Fiberglass blade
- Soft handle for comfort



EXTERNAL MICROMETER

- Accuracy to 0.01 mm
- Special wrench included for simple zero adjustments



Item No.	Size	EAN 69426292+	Inner	Outer
245311	0-25 mm x 0.01 mm	1495 3	6	24
245411	0-1 in. x 1/1000 in.	1496 0	6	24

LEVEL-I STYLE

- 1 horizontal and 2 vertical vials
- Rugged aluminum I-beam frame for durability
- Shockproof end caps
- Accuracy 1.0 mm/m
- 1.5 mm thickness



Item No.	Size	EAN 69426292+	Inner	Outer
250051	400 mm (15-3/4 in.)	0288 2	0	24
250053	600 mm (23-1/2 in.)	0289 9	0	24
250056	900 mm (35-1/2 in.)	1398 7	0	24
250059	1200 mm (47-1/4 in.)	0292 9	0	12

LEVEL-I STYLE

- 3 vials-0, 45, 90°
- Aluminum I-beam frame



Item No.	Size	EAN 69426292+	Inner	Outer
250110	300 mm (11-3/4 in.)	3862 1	0	24
250112	450 mm (17-3/4 in.)	3858 4	0	24
250113	600 mm (23-1/2 in.)	3859 1	0	24
250116	900 mm (35-1/2 in.)	3860 7	0	24
250119	1200 mm (47-1/4 in.)	3861 4	0	12

LEVEL-BOX STYLE

- 1 horizontal and 2 vertical vials
- Dual side milled aluminum box style frame for durability
- V groove can be used on pipe
- Shockproof end caps
- Accuracy 0.5 mm/m
- 1.7 mm thickness



Item No.	Size	EAN 69426292+	Inner	Outer
251011	400 mm (15-3/4 in.)	0293 6	0	24
251013	600 mm (23-1/2 in.)	0294 3	0	12
251016	900 mm (35-1/2 in.)	1399 4	0	12
251019	1200 mm (47-1/4 in.)	0297 4	0	10

HANDY LEVEL

- Solid acrylic vial
- Shockproof end caps
- With magnet base
- Accutacy 1.0 mm/m



Item No.	Size	EAN 69426292+	Inner	Outer
253007	100 mm (4 in.)	9493 1	6	36

LINE LEVEL


- Plastic construction
- Hooks for level sliding freely



Item No.	Size	EAN 69426292+	Inner	Outer
253011	75 mm (3 in.)	7158 1	20	60

LEVEL-BOX STYLE SIDE VIEW

- Side view function
- 1 horizontal and 2 vertical vials
- Dual side milled
- Shockproof end caps
- Accuracy 0.5 mm/m
- 1.6 mm thickness



Item No.	Size	EAN 69426292+	Inner	Outer
251033	600 mm (23-1/2 in.)	8682 0	0	12

LEVEL-TORPEDO STYLE

- 3 vials-0, 45, 90°
- With magnetic base
- Shockproof end caps
- Accuracy 1.0 mm/m



Item No.	Size	EAN 69426292+	Inner	Outer
253001	225 mm (9 in.)	0306 3	6	36

LEVEL-TORPEDO STYLE

- 3 vials-0, 45, 90°
- With magnetic base
- Accuracy 1.0 mm/m



Item No.	Size	EAN 69426292+	Inner	Outer
253005	225 mm (9 in.)	0307 0	6	36

FOLDING POST LEVEL

- 3 vials-0, 45, 90°
- With magnetic base



Item No.	Size	EAN 69426292+	Inner	Outer
253022		8794 0	6	36

2 PC CHALK LINE SET

- 30 m (100 ft.) Zinc alloy chalk box
- 113 g (4 oz.) blue chalk



Item No.	Size	EAN 69426292+	Inner	Outer
258051	2 pc	1497 7	6	24

3 PC CHALK LINE SET

- 30 m (100 ft.) plastic chalk box
- 113 g (4 oz.) blue chalk
- Oil & water-resistant black marker



Item No.	Size	EAN 69426292+	Inner	Outer
258055	3 pc	1498 4	6	24


CHALK POWDER



Item No.	Size	EAN 69426292+	Inner	Outer
258101	113 g (4 oz)-red	1499 1	10	60
258103	113 g (4 oz)-blue	1500 4	10	60
258105	113 g (4 oz)-yellow	1501 1	10	60

LASER DISTANCE MEASURER 20 m (65 ft.)


- Class 2 laser product
- EN60825-1 • Max output:<1 mw
- λ = 630-670 nm
- Laser Distance Measurements
- Measuring units: m/ft. + in.



Item No.	Size	EAN 69426292+	Inner	Outer
254000	20 m (65 ft.)	7059 1	6	24

LASER DISTANCE MEASURER 20 m (65 ft.)


- Class 2 laser product
- EN60825-1
- Max output:<1 mw
- λ = 630-670 nm
- Distance/Area/Indirect measurements
- Backlit LCD
- Removable belt clip
- Measuring units: m/ft./in./ft. + in.
- Nylon pouch included



Item No.	Size	EAN 69426292+	Inner	Outer
254002	20 m (65 ft.)	8314 0	5	30

COMBINATION POINT AND LINE LASER LEVEL


- Class 2 laser product
- EN60825-1
- Max output:<1 mw
- λ = 630-650 nm
- Horizontal, vertical or diagonal laser lines, as well as point laser
- Working range up to 3 m (laser line) and 20 m (laser point)
- Convenient, flexible wall mount



Item No.	Size	EAN 69426292+	Inner	Outer
254101		8316 4	6	24

LASER DISTANCE MEASURER 50 m (165 ft.)


- Class 2 laser product
- EN60825-1
- Max output:<1 mw
- λ = 630-670 nm
- IP54 water/debris resistance
- Distance/Area/Volume Indirect measurements
- Backlit LCD
- End piece with scale
- Measuring units: m/ft./in./ft. + in.
- Nylon pouch included



Item No.	Size	EAN 69426292+	Inner	Outer
254005	50 m (165 ft.)	8315 7	5	30

SELF-LEVELING CROSS LINE LASER

- Class 2 laser product
- EN 60825-1: 2014 + A11:2021
- Max output:<1 mw
- λ = 635 nm
- Projects horizontal, vertical and cross lines, projects two lines independently or together
- Projection of diagonal lines at any angle thanks to lock function
- Integrated 1/4" thread fits for conventional tripods
- Automatic self-leveling



Item No.	Size	EAN 69426292+	Inner	Outer
254105		8317 1	6	12

1.5 m TRIPOD


- Adjust height from 60-150 cm
- Fits 254101, 254105, 254111



Item No.	Size	EAN 69426292+	Inner	Outer
254191	1.5 m	8321 8	0	6

SELF-LEVELING 360 DEGREE LINE LASER

- Class 2 laser product
- EN 60825-1: 2014 + A11:2021
- Max output:<1 mw
- λ = 635 nm
- Projects 360-degree horizontal, vertical and cross lines, projects two lines independently or together
- Projection of diagonal lines at any angle thanks to lock function
- Integrated 1/4" thread fits for conventional tripods
- Automatic self-leveling



Item No.	Size	EAN 69426292+	Inner	Outer
254111		8319 5	6	12

SNAP-OFF KNIFE

- Zinc alloy and stainless steel construction with soft grip
- Quick change blade function
- Removable blade separator for fast and safe removal of dulled segments
- 3 pc SK2 blades included

Item No.	Size	EAN	Inner	Outer
260001	9 mm	69426292+	6	36
260011	18 mm	0275 2	6	36

SNAP-OFF KNIFE

- Zinc alloy body
- 1 pc SK5 blade included

Item No.	Size	EAN	Inner	Outer
260005	9 mm	69426292+	6	36

SNAP-OFF KNIFE

- Zinc alloy body with non-slip soft grip
- 3 pc SK5 blades included

Item No.	Size	EAN	Inner	Outer
260021	25 mm	0277 6	6	24

SNAP-OFF KNIFE

- Stainless steel
- 1 pc SK5 blade included

Item No.	Size	EAN	Inner	Outer
260031	9 mm	5809 4	12	72

SNAP-OFF KNIFE

- 1 pc SK5 blades included

Item No.	Size	EAN	Inner	Outer
260035	9 mm	5810 0	6	36
260036	18 mm	5811 7	6	36

SNAP-OFF KNIFE

- Non-slip soft grip
- 3 pc SK2 blades included

Item No.	Size	EAN	Inner	Outer
260038	9 mm	5963 3	6	36
260039	18 mm	5964 0	6	36

SNAP-OFF KNIFE BLADE

- SK2
- With dispenser

Item No.	Size	EAN	Inner	Outer
260511	10 pc 9 mm	0278 3	10	60
260513	10 pc 18 mm	0279 0	10	60

SNAP-OFF KNIFE BLADE

- SK5
- With dispenser

Item No.	Size	EAN	Inner	Outer
260515	10 pc 25 mm	0280 6	10	60

SNAP-OFF KNIFE W OPENER

- 1 pc SK2 blade included

Item No.	Size	EAN	Inner	Outer
260043	18 mm	5814 8	6	36

UTILITY KNIFE-RETRACTABLE

- Zinc alloy handle
- Retractable blade
- 3 pc SK2 blades included

Item No.	Size	EAN	Inner	Outer
261003	150 mm (6 in.)	0282 0	6	24

UTILITY KNIFE-HEAVY DUTY

- Heavy duty Zinc alloy handle with non-slip soft grip
- Retractable and quick-change blade

Item No.	Size	EAN	Inner	Outer
261007	165 mm (6-1/2 in.)	0952 2	6	24

UTILITY KNIFE

- Zinc alloy handle
- Self-retracting blade

Item No.	Size	EAN	Inner	Outer
261015		3381 7	6	36

SAFETY UTILITY KNIFE

- Unique auto retractable function allows blade to retract automatically when surface contact is lost for safety
- Large D-handle with non-slip soft grip for hand protection
- 5 pc SK5 blades included

Item No.	Size	EAN	Inner	Outer
261051		3015 1	6	24

DUAL-FUNCTION FOLDING/UTILITY KNIFE

- Dual-function: Retractable utility knife and folding knife
- 10 pc SK2 blades included
- Aluminum body
- With belt clip

Item No.	Size	EAN	Inner	Outer
261125		2621 5	12	24

FOLDING UTILITY KNIFE

- 10 pc SK2 blades included
- With belt clip

Item No.	Size	EAN	Inner	Outer
261201		3002 1	12	24

HEAVY-DUTY FOLDING UTILITY KNIFE

- Quick change blade
- 3 pc SK2 blades included
- Wire stripper function
- With belt clip

Item No.	Size	EAN	Inner	Outer
261215		5823 0	6	24

FOLDING KNIFE

- With belt clip

Item No.	Size	EAN	Inner	Outer
261203		3099 1	12	24

RETRACTABLE UTILITY KNIFE

- Patented retractable design
- Safety locking mechanism
- 5 pc SK5 blades included

Item No.	Size	EAN	Inner	Outer
261223		3004 5	6	24

5 PC UTILITY KNIFE BLADE

- SK5
- With dispenser

Item No.	Size	EAN	Inner	Outer
261501	5 pc	0955 3	10	100

10 PC UTILITY KNIFE BLADE

- SK2
- With dispenser

Item No.	Size	EAN	Inner	Outer
261503	10 pc	0956 0	10	60

35 PC HOBBY KNIFE SET

Item No.	Size	EAN	Inner	Outer
263015	35 pc	1701 5	0	10

16 PC HOBBY KNIFE SET

Item No.	Size	EAN	Inner	Outer
263017	16 pc	6842 0	6	24

PULL SAW

- Flexible SK5 blade, 24 tooth/25 points per inch, hardened triple ground teeth for precision cuts
- Pull-action only cuts for maximum precision
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
265001	165 mm (6-1/2 in.)	0192 2	6	24

PULL SAW

- Flexible SK5 blade, 10 tooth/11 points per inch, hardened triple ground teeth for precision cuts
- Pull-action only cuts for maximum precision
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
265003	380 mm (15 in.)	0193 9	6	24

RAZOR SAW


- SK5 blade, 45 tooth/46 points per inch, hardened double ground teeth for precision cuts
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
265005	115 mm (4-1/2 in.)	0194 6	6	36

HAND SAW-PTFE

- SK5 blade, 8 tooth/9 points per inch, hardened triple ground teeth for fast cutting
- Non-slip bi-material handle
- PTFE coated



Item No.	Size	EAN 69426292+	Inner	Outer
265011	380 mm (15 in.)	0253 0	6	24
265013	500 mm (20 in.)	0254 7	6	24
265015	550 mm (22 in.)	0255 4	6	24

HAND SAW-POLISH

- SK5 blade, 8 tooth/9 points per inch, hardened triple ground teeth for fast cutting
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
265021	380 mm (15 in.)	0263 9	6	24
265022	450 mm (18 in.)	2745 8	6	24
265023	500 mm (20 in.)	0264 6	6	24
265025	550 mm (22 in.)	0265 3	6	24

HAND SAW-POLISH

- 65 Mn blade, 7 tooth/8 points per inch, hardened triple ground teeth for fast cutting
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
265061	380 mm (15 in.)	5113 2	6	24
265063	450 mm (18 in.)	5114 9	6	24
265064	500 mm (20 in.)	5115 6	6	24
265065	550 mm (22 in.)	5116 3	6	24

HAND SAW-POLISH


- 65 Mn blade, 7 tooth/8 points per inch, hardened double ground teeth for fast cutting
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
265071	380 mm (15 in.)	0514 2	6	24
265073	450 mm (18 in.)	0515 9	6	24
265074	500 mm (20 in.)	0516 6	6	24
265075	550 mm (22 in.)	0518 0	6	24

4 PC SAW AND LEVEL SET

- 550 mm (22 in.) hand saw
- 225 mm (9 in.) torpedo level
- 2 pc 175 mm (7 in.) carpenter pencil



Item No.	Size	EAN 69426292+	Inner	Outer
265104	4 pc	3479 1	6	24

HAND SAW

- 7 tooth/8 points per inch, hardened double ground teeth for fast cutting
- Wood handle



Item No.	Size	EAN 69426292+	Inner	Outer
265122	400 mm (16 in.)	3854 6	6	24
265123	450 mm (18 in.)	3855 3	6	24
265125	500 mm (20 in.)	3856 0	6	24
265127	550 mm (22 in.)	3857 7	6	24

BACK SAW-POLISH


- SK5 blade, 13 tooth/14 points per inch, hardened double ground teeth
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
266011	300 mm (12 in.)	0266 0	6	24

WALL BOARD SAW


- Hardened double ground teeth
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
266051	150 mm (6 in.)	1559 2	6	36

HEAVY-DUTY HACKSAW FRAME

- Heavy-duty construction
- Non-slip soft handle
- With bi-metal saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267007	300 mm (12 in.)	2648 2	6	12

MITER SAW

- For accurate cutting of various angles or miters on picture frames
- Max. cutting width clamped at 45°: 110 mm
- Max. cutting width clamped at 90°: 160 mm
- Max. cutting height: 120 mm
- Blade length: 550 mm
- Blade width: 45 mm
- Table length: 395 mm



Item No.	Size	EAN 69426292+	Inner	Outer
266255	550 mm (22 in.)	0256 1	0	4

HIGH TENSION HACKSAW FRAME

- Durable one-piece body for ultra-high tension
- Adjustable tension mechanism
- Non-slip ergonomic soft handle
- With bi-metal saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267005	300 mm (12 in.)	7215 1	6	12

ADJUSTABLE HACKSAW FRAME

- Adjustable to 250 mm (10 in.), 300 mm (12 in.)
- With bi-metal saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267031	300 mm (12 in.)	1561 5	6	24

HEAVY-DUTY HACKSAW FRAME

- Heavy-duty construction
- Non-slip soft handle
- With bi-metal saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267032	300 mm (12 in.)	8863 3	6	12

HACKSAW FRAME

- Non-slip bi-material handle
- With bi-metal saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267053	250 mm (10 in.)	2852 3	6	36

JUNIOR HACKSAW

- With SK4 saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267105	150 mm (6 in.)	8864 0	6	24

JUNIOR HACKSAW

- With SK4 saw blade



Item No.	Size	EAN	Inner	Outer
267111	150 mm (6 in.)	69426292+	1562 2	6 36

INSULATED JUNIOR HACKSAW

- 1000 V insulated



Item No.	Size	EAN	Inner	Outer
267117VD	150 mm (6 in.)	69426292+	9356 9	6 24

COPING SAW

- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
268001	165 mm (6-1/2 in.)	69426292+	1565 3	6 60
268004	4 pc spare blades -14 T, 18 T, 24 T and 24 T wide	5172 9	10	100

FRET SAW

- Non-slip bi-material handle
- Use for fine cutting work in thin materials such as wood, plastics, etc.



Item No.	Size	EAN	Inner	Outer
268011	125 mm (5 in.)	8791 9	6	24
268012	6 pc spare blades 18T	8792 6	10	100

HACKSAW BLADE-BI-METAL

- 300 mm (12 in.)



Item No.	Size	EAN	Inner	Outer
267311	2 pc 18 T	69426292+	1748 0	10 100
267313	2 pc 24 T	1749 7	10	100
267315	2 pc 32 T	1757 2	10	100
267317	6 pc 18 T, 24 T, 32 T	1758 9	10	60

HACKSAW BLADE-HSS

- 300 mm (12 in.)



Item No.	Size	EAN	Inner	Outer
267321	2 pc 18 T	69426292+	1750 3	10 100
267323	2 pc 24 T	1751 0	10	100

HACKSAW BLADE-BI-METAL

- 250 mm (10 in.)



Item No.	Size	EAN	Inner	Outer
267341	2 pc 24 T	2855 4	10	100

JUNIOR HACKSAW BLADE


- 150 mm (6 in.)
- SK4



Item No.	Size	EAN	Inner	Outer
267401	2 pc 24 T	69426292+	1752 7	10 100
267403	2 pc 32 T	1753 4	10	100

QUICK ACTION MITER BOX

- Patented quick clamp and release design
- Cuts miter on 45°, 90° and 22.5°



Item No.	Size	EAN	Inner	Outer
269001	370 mm (14-1/2 in.)	0859 4	6	12

MITRE BOX



Item No.	Size	EAN	Inner	Outer
269005	300 x 140 x 80 mm	5965 7	6	24

MITRE BOX



Item No.	Size	EAN	Inner	Outer
269006	310 x 170 x 110 mm	2299 6	6	24

BLOCK PLANE

- Die cast body
- Hardened and tempered 25 mm (1 in.) alloy steel blade



Item No.	Size	EAN	Inner	Outer
270003	90 mm (3-1/2 in.)	2773 1	6	36

ADJUSTABLE BLOCK PLANE

- Die cast body
- Hardened and tempered 41 mm (1-5/8 in.) alloy steel blade



Item No.	Size	EAN	Inner	Outer
270007	180 mm (7 in.)	2775 5	6	12

HEAVY-DUTY BLOCK PLANE

- Heavy-duty die cast body
- Hardened and tempered 51 mm (2 in.) alloy steel blade




Item No.	Size	EAN	Inner	Outer
270009	250 mm (10 in.)	2776 2	0	6

SPOKESHAVE-FLAT

- Hardened and tempered 51 mm (2 in.) alloy steel blade
- Die cast body
- Flat type



Item No.	Size	EAN	Inner	Outer
270015	250 mm (10 in.)	3098 4	6	24



HEAVY-DUTY AVIATION SNIP -RIGHT CUT

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
273023	250 mm (10 in.)	69426292+	2298 9	6 24

AVIATION TIN SNIP-STRAIGHT

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
273011	250 mm (10 in.)	0470 1	6	24

AVIATION TIN SNIP-STRAIGHT

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
273027	300 mm (12 in.)	1877 7	6	24

AVIATION TIN SNIP-LEFT CUT

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
273013	250 mm (10 in.)	0471 8	6	24

TIN SNIP

- Non-slip double dipped handle
- Large handle provide superior comfort



Item No.	Size	EAN	Inner	Outer
273111	200 mm (8 in.)	0473 2	6	36
273113	250 mm (10 in.)	0474 9	6	24
273115	300 mm (12 in.)	0475 6	6	12
273117	350 mm (14 in.)	3383 1	6	12

AVIATION TIN SNIP-RIGHT CUT

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
273015	250 mm (10 in.)	0472 5	6	24

CABLE CUTTER

- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
273203	200 mm (8 in.)	7161 1	6	36

CABLE CUTTER

- Crimping function
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
273212	160 mm (6 in.)	7789 7	6	36

CABLE CUTTER

- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
273214	250 mm (10 in.)	7790 3	6	36

HEAVY-DUTY CABLE CUTTER


- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
273218	250 mm (10 in.)	2787 8	6	24

CABLE CUTTER

- Used for cutting copper and aluminum cable
- Cutting Area: 500 mm²
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
273237	900 mm (36 in.)	7046 1	0	2

BOLT CUTTER

- 65 Mn cutting blade
- Non-slip bi-material handle

65MN



Item No.	Size	EAN 69426292+	Inner	Outer
275111	200 mm (8 in.)	0476 3	6	36

BOLT CUTTER

- Cr-Mo cutting blade
- Non-slip bi-material handle



CR-MO

Item No.	Size	EAN 69426292+	Inner	Outer
275113	300 mm (12 in.)	0477 0	6	12
275115	350 mm (14 in.)	0478 7	5	10
275117	450 mm (18 in.)	0479 4	0	6
275119	600 mm (24 in.)	0480 0	0	4
275121	750 mm (30 in.)	0481 7	0	3
275123	900 mm (36 in.)	0482 4	0	2

DRYWALL TAPING KNIFE

- Flexible blue steel blade for easy work
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
280208	203 mm (8 in.)	5083 8	10	60
280210	254 mm (10 in.)	5084 5	10	60
280212	305 mm (12 in.)	5085 2	10	60

FLOORING TROWEL

- Designed for laying concrete
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281040	405 x 115 mm (16 x 4-1/2 in.)	5086 9	6	24

FINISHING TROWEL

- Used for finishing concrete
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281111	280 x 115 mm (11 x 4-1/2 in.)	5087 6	6	24
281113	355 x 100 mm (14 x 4 in.)	6046 2	6	24

FINISHING TROWEL SQUARE NOTCHED

- Ideal for laying floor or wall tile
- Square tooth 6 x 6 mm (1/4 x 1/4 in.)
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281211	280 x 115 mm (11 x 4-1/2 in.)	5088 3	6	24

PLASTERERS HAWK

- Used for holding plaster or mortar during application
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281330	300 mm (12 in.)	5089 0	6	24

RUBBER FLOAT

- Used to smoothly apply grout to floor and wall tile
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281402	240 x 100 mm (9-1/2 x 4 in.)	5090 6	6	24

SPONGE FLOAT

- For applying grout on newly placed tile
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281408	240 x 100 mm (9-1/2 x 4 in.)	5091 3	6	24

POLYURETHANE FLOATS

- Lightweight general purpose float manufactured from rigid polyurethane foam



Item No.	Size	EAN 69426292+	Inner	Outer
281423	280 x 140 mm (11 x 5-1/2 in.)	5511 6	6	24

PLASTERING FLOAT

- Smooth face for plastering



Item No.	Size	EAN 69426292+	Inner	Outer
281432	280 x 130 mm (11 x 5-1/8 in.)	8395 9	6	24



GROOVER TROWEL

- Used to cut joints in concrete before they set
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
282051	170 x 77 mm (6-5/8 x 3 in.)	5092 0	6	36

EDGER TROWEL

- Used to create a curved lip around the concrete surface
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
282061	150 x 75 mm (6 x 3 in.)	5093 7	6	36

POINT TROWEL

- Philadelphia style
- For patching cracks and shaping joints in brick, stone and concrete walls
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283012	150 mm (6 in.)	5094 4	6	36
283014	178 mm (7 in.)	5095 1	6	36

BRICK TROWEL

- Philadelphia style
- For patching cracks and shaping joints
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283022	227 mm (9 in.)	5096 8	6	36
283024	254 mm (10 in.)	5097 5	6	36
283026	277 mm (11 in.)	5098 2	6	36

GAUGING TROWEL

- Used to mix or gauge small quantities of mortar or quick setting plaster
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283033	175 mm (7 in.)	5099 9	6	36

MARGIN TROWEL

- For patch jobs, hard-to-reach areas and spreading thinset on v-cap or bullnose tile
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283063	125 x 50 mm (5 x 2 in.)	5100 2	6	36
283065	200 x 50 mm (8 x 2 in.)	5101 9	6	36

BUCKET TROWEL

- Used to clean buckets
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283073	178 mm (7 in.)	5102 6	6	36

CAULKING TROWEL

- Used to repair mortar joints between rows of bricks and blocks
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283083	10 mm (3/8 in.)	5103 3	6	36
283085	13 mm (1/2 in.)	5104 0	6	36

INSIDE CORNER TROWEL

- Stainless steel
- Used to finish inside corners
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
283094	125 x 100 mm (5 x 4 in.)	69426292+	5105 7	6 36

OUTSIDE CORNER TROWEL

- Stainless steel
- Used to finish outside corners
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
283096	125 x 100 mm (5 x 4 in.)	69426292+	5106 4	6 36

BRICK JOINTER

- Used to finish the mortar joints between bricks



Item No.	Size	EAN	Inner	Outer
283111	13 x 16 mm (1/2 x 5/8 in.)	69426292+	5107 1	10 100

PLUMB BOB

- Removable brass top for easy, centered string installation
- With cotton line



Item No.	Size	EAN	Inner	Outer
283903	200 g (7 oz.)	69426292+	2761 8	6 24
283907	350 g (12 oz.)	69426292+	2763 2	6 24
283909	500 g (18 oz.)	69426292+	2764 9	6 24

STUD CRIMPER

- Secure or crimp metal stud up to 0.8 mm thickness
- Single hand operation
- Aluminum alloy die-casting head makes it compact and lightweight
- Spring loaded with non-slip handle.



Item No.	Size	EAN	Inner	Outer
283151	250 mm (10 in.)	69426292+	8680 6	6 24

15 PC DRYWALL TOOL SET

- 1 pc 250 mm (10 in.) stud crimper
- 1 pc 250 mm (10 in.) aviation tin snip
- 1 pc bit adapter
- 12 pc #2 bits
- Nylon bag included



Item No.	Size	EAN	Inner	Outer
283153	15 pc	69426292+	8685 1	0 6

TIN FOLDING PLIERS

- For bending, seaming and flattening sheet metal
- Jaw width 75 mm (3 in.)



Item No.	Size	EAN	Inner	Outer
283164	75 mm (3 in.)	69426292+	0283 7	6 12



GROUT FINISHING TOOL

- For smooth and consistent joints



Item No.	Size	EAN	Inner	Outer
284001		69426292+	1759 6	10 60

TILE CUTTING PLIERS

- For cutting ceramic wall and thin floor tile of small dimensions
- Tungsten-carbide cutting wheel



Item No.	Size	EAN	Inner	Outer
284013	200 mm (8 in.)	69426292+	1760 2	6 24

HEAVY-DUTY TILE CUTTING PLIERS

- Drop-forged steel with carbide-tipped jaws
- Handle spring and return system
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
284015	200 mm (8 in.)	69426292+	1761 9	6 24

TILE SAW

- Tungsten carbide blade



Item No.	Size	EAN	Inner	Outer
284031	150 mm (6 in.)	69426292+	1762 6	10 60

TILE SAW BLADE

- Tungsten carbide



Item No.	Size	EAN	Inner	Outer
284035	150 mm (6 in.)	69426292+	1763 3	12 144

GROUT SPREADER

- Flexible grout spreader for applying grout to any tile surface



Item No.	Size	EAN	Inner	Outer
284051	200 mm (8 in.)	69426292+	1764 0	10 60

TILE ADHESIVE TROWEL

- U and V style notched edges



Item No.	Size	EAN	Inner	Outer
284071	280 mm (11 in.) x 115 mm (4-1/2 in.)	69426292+	1765 7	0 12

DRYWALL CARRYING HANDLE


- Panel carry helps transport building boards and other flat materials with ease
- Features a 14 in. handle for extra reach and visibility while carrying drywall
- Non-slip soft handle



Item No.	Size	EAN	Inner	Outer
284079		69426292+	8665 3	6 24

TILE SPACERS

- Flexible PE material
- Precision manufactured for accuracy



Item No.	Size	EAN	Inner	Outer
284150	500 pc 1 mm	69426292+	5025 8	6 24
284151	500 pc 1.5 mm	69426292+	5026 5	6 24
284152	500 pc 2 mm	69426292+	1768 8	6 24
284153	350 pc 3 mm	69426292+	1769 5	6 24
284154	250 pc 4 mm	69426292+	1770 1	6 24
284155	250 pc 5 mm	69426292+	1771 8	6 24
284157	200 pc 7 mm	69426292+	1772 5	6 24

TILE CUTTER

- High-leverage construction makes cutting easier and reduces fatigue
- Tungsten carbide cutting wheel
- Max 10 mm cutting thickness



Item No.	Size	EAN	Inner	Outer
284201	400 mm (16 in.)	69426292+	1773 2	0 10
284202	3 pc spare wheels	69426292+	5034 0	0 100

3-IN-1 TILE CUTTER


- Cuts straight, angles, and circles
- Tungsten carbide cutting wheel
- Max 10 mm cutting thickness



Item No.	Size	EAN	Inner	Outer
284203	500 mm (20 in.)	69426292+	2801 1	0 4
284204	1 pc spare wheel	69426292+	5609 0	50 100

TILE SCRIBER

- Tungsten carbide cutting tip



Item No.	Size	EAN	Inner	Outer
284091		69426292+	1766 4	10 60

CARBIDE GROUT SAW


- For cleaning and removing grout joints
- Tungsten carbide cutting tip
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
284103		69426292+	1767 1	6 36

HEAVY-DUTY TILE CUTTER


- Parallel cuts
- Max 12 mm cutting thickness
- Non-slip bi-material grip
- Gauge for straight cutting
- Tungsten carbide cutting wheel



Item No.	Size	EAN	Inner	Outer
284206	600 mm (24 in.)	69426292+	2319 1	0 2

CIRCLE TILE BORER

- Tungsten carbide blade
- With safety guard



Item No.	Size	EAN	Inner	Outer
284215		69426292+ 2803 5	6	24

DIAMOND FILE-HALF ROUND

- Tungsten carbide surface
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
284223	160 mm (6 in.)	69426292+ 2804 2	6	36

SUCTION CUP LIFTER

- Max capacity 40 kg (88 lbs.)
- Safety working load 20 kg (44 lbs.)



Item No.	Size	EAN	Inner	Outer
284301	118 mm (4-3/4 in.)	69426292+ 2805 9	6	12

DUAL SUCTION CUP LIFTER

- Max capacity 80 kg (176 lbs.)
- Safety working load 40 kg (88 lbs.)



Item No.	Size	EAN	Inner	Outer
284302	118 mm (4-3/4 in.)	69426292+ 8662 2	6	24

TILE SHAPE TEMPLATE

- Accurately duplicates internal and external shapes prior to working
- For tiling, flooring, plumbing and carpet laying applications
- Magnet equipped on back



Item No.	Size	EAN	Inner	Outer
284313	125 mm (5 in.)	69426292+ 2806 6	6	24

DUAL ALUMINUM SUCTION CUP LIFTER

- Max capacity 80 kg (176 lbs.)
- Safety working load 40 kg (88 lbs.)



Item No.	Size	EAN	Inner	Outer
284306	118 mm (4-3/4 in.)	69426292+ 8432 1	0	10

TRIPLE ALUMINUM SUCTION CUP LIFTER

- Max capacity 100 kg (220 lbs.)
- Safety working load 50 kg (110 lbs.)



Item No.	Size	EAN	Inner	Outer
284307	118 mm (4-3/4 in.)	69426292+ 8433 8	0	10

GLASS CUTTER

- With 6 tungsten carbide wheels



Item No.	Size	EAN	Inner	Outer
284903	135 mm (5-1/2 in.)	69426292+ 2765 6	10	60

DELUXE GLASS CUTTER

- Diamond cutting tip
- Notched tooth for snapping scored glass



Item No.	Size	EAN	Inner	Outer
284907	180 mm (7 in.)	69426292+ 2766 3	10	60

100 mm (4 in.) PAINTING ROLLER FRAME-THREADED HANDLE

- Threaded end handle
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
293001	100 mm (4 in.)	69426292+ 2826 4	12	48

100 mm (4 in.) PAINTING ROLLER FRAME-TAPERED HANDLE

- Tapered end handle
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
293021	100 mm (4 in.)	69426292+ 2929 2	12	48

100 mm (4 in.) ROLLER COVER ACRYLIC

- Fits 293001, 293021
- 10 mm pile
- Diameter 15 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293401	100 mm (4 in.) acrylic	69426292+ 2932 2	20	60

228 mm (9 in.) PAINTING ROLLER FRAME-THREADED HANDLE

- Threaded end handle
- 5-wire roller cage reduces cover slippage
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
293005	228 x 38 mm (9 x 1-1/2 in.)	69426292+ 2828 8	6	24

180 mm (7 in.) PAINTING ROLLER FRAME-TAPERED HANDLE


- Tapered end handle
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
293023	180 mm (7 in.)	69426292+ 2930 8	6	24

250 mm (10 in.) PAINTING ROLLER FRAME-TAPERED HANDLE

- Tapered end handle
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
293025	250 mm (10 in.)	69426292+ 2931 5	6	24

100 mm (4 in.) ROLLER COVER MICROFIBER


- Gives superior cover, smooth finish with max paint pick up
- Easy to clean
- Fits 293001, 293021
- 10 mm pile
- Diameter 15 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293402	100 mm (4 in.) microfiber	69426292+ 2933 9	20	60

228 mm (9 in.) ROLLER COVER ACRYLIC

- Fits 293005
- 10 mm pile
- Diameter 38 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293441	228 x 38 mm (9 x 1-1/2 in.) acrylic	69426292+ 2935 3	12	36

180 mm (7 in.) ROLLER COVER ACRYLIC


- Fits 293023
- 10 mm pile
- Diameter 44 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293701	180 mm (7 in.) x 44 mm acrylic	69426292+ 2937 7	12	36

250 mm (10 in.) ROLLER COVER ACRYLIC

- Fits 293025
- 10 mm pile
- Diameter 44 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293751	250 mm (10 in.) x 44 mm acrylic	69426292+ 2939 1	12	36

100 mm (4 in.) ROLLER COVER FOAM POLYESTER

- Fits 293001, 293021
- Diameter 15 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293403	100 mm (4 in.) foam polyester	69426292+ 2934 6	20	60

228 mm (9 in.) ROLLER COVER MICROFIBER

- Fits 293005
- 10 mm pile
- Diameter 38 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293442	228 x 38 mm (9 x 1-1/2 in.) microfiber	69426292+ 2936 0	12	36

180 mm (7 in.) ROLLER COVER MICROFIBER

- Fits 293023
- 10 mm pile
- Diameter 44 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293702	180 mm (7 in.) x 44 mm microfiber	69426292+ 2938 4	12	36

250 mm (10 in.) ROLLER COVER MICROFIBER

- Fits 293025
- 10 mm pile
- Diameter 44 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293752	250 mm (10 in.) x 44 mm microfiber	69426292+ 2940 7	12	36

PP CORD DISPENSER

- Polypropylene material
- Can be used as plumb bob



Item No.	Size	EAN	Inner	Outer
289015	152 m (500 ft.)	69426292+	6	48

PAINTING BRUSH

- Synthetic Bristle
- Stainless steel ferrule
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
290801	25 mm (1 in.)	0857 0	12	48
290802	38 mm (1-1/2 in.)	2811 0	12	48
290803	50 mm (2 in.)	2813 4	12	48
290804	63 mm (2-1/2 in.)	2817 2	12	48
290805	75 mm (3 in.)	2824 0	12	48
290806	100 mm (4 in.)	2825 7	12	48

PAINTING BRUSH

- Mixed bristle
- Maple wood handle



Item No.	Size	EAN	Inner	Outer
290901	25 mm (1 in.)	5514 7	36	144
290902	38 mm (1-1/2 in.)	5515 4	36	144
290903	50 mm (2 in.)	5516 1	36	144
290904	63 mm (2-1/2 in.)	5517 8	24	96
290905	75 mm (3 in.)	5518 5	24	96
290906	100 mm (4 in.)	5519 2	12	72

GALVANISED STEEL BUCKET

- General building using
- Φ 33 x Φ 22.5 x 29.8 (H) cm



Item No.	Size	EAN	Inner	Outer
294820	15 L	2305 4	0	10

1.5 L HANDY PAINT BOWL

- Strong magnetic block for holding brush
- 1 pc scraper included
- Adjustable handle
- Floor display pack



Item No.	Size	EAN	Inner	Outer
291301	1.5 L	5905 3	0	48

5 PC TRAY FOR HANDY PAINT BOWL



Item No.	Size	EAN	Inner	Outer
291302	5 pc	6020 2	0	24

HANDY PAINT BOWL ECO

- Strong magnetic block for holding brush



Item No.	Size	EAN	Inner	Outer
291303	0.9 L	4839 2	6	48

PAINTING TRAY 400 x 290 mm

- Suitable for 230 mm paint roller
- Zn-plated



Item No.	Size	EAN	Inner	Outer
294801	400 x 290 mm	2941 4	0	12

PAINTING TRAY 400 x 290 mm

- Suitable for 230 mm paint roller
- Can use with 294801
- PET



Item No.	Size	EAN	Inner	Outer
294802	400 x 290 mm	2942 1	0	60

PAINTING TRAY 400 x 290 mm

- Suitable for 230 mm paint roller
- PP



Item No.	Size	EAN	Inner	Outer
294803	400 x 290 mm	2943 8	0	12

CAULKING GUN

- Suitable for sausage packs and cartridges
- Replacement nozzle
- Aluminum construction



Item No.	Size	EAN	Inner	Outer
298101	225 mm (9 in.)	1653 7	6	24

HEAVY-DUTY CAULKING GUN

- Heavy-duty frame, aluminum alloy trigger
- Tip cutter function
- With seal puncture tool



Item No.	Size	EAN	Inner	Outer
298103	225 mm (9 in.)	8661 5	6	24

CAULKING GUN-SKELETON

- With hex piston rod and quick release lever
- Anti-Drip function



Item No.	Size	EAN	Inner	Outer
298113	225 mm (9 in.)	1687 2	6	24

CAULKING GUN

- Ratchet rotating construction
- Tip cutter function
- With seal puncture tool



Item No.	Size	EAN	Inner	Outer
298117	225 mm (9 in.)	3384 8	6	24

PAINT MIXER

- For stirring paint using a power tool



Item No.	Size	EAN	Inner	Outer
298201	400 x 60 mm	1702 2	6	24
298205	400 x 80 mm	8675 2	6	24
298213	600 x 100 mm	1703 9	6	24

PAINT MIXER

- Helical paddles for faster paint stirring using a power tool



Item No.	Size	EAN	Inner	Outer
298221	290 x 64 mm (1 gallon)	3171 4	12	72
298225	460 x 82 mm (5 gallon)	3172 1	6	48

175 mm (7 in.) CARPENTER PENCIL

- Round flat square side to prevent rolling



Item No.	Size	EAN	Inner	Outer
298401	1 pc	6207 7	50	400
298403	3 pc	2767 0	10	60

8 PC PENCILS WITH SHARPENER SET

- 175 mm (7 in.) carpenter pencil
- Round flat square side to prevent rolling
- With a sharpener



Item No.	Size	EAN	Inner	Outer
298409	8 pc	8663 9	6	36

240 mm PENCIL


- Suitable for different applications



Item No.	Size	EAN	Inner	Outer
298421	yellow for glass	2301 6	50	400
298422	white for woodworking	2302 3	50	400
298423	green for bricklaying	2303 0	50	400
298424	blue for wet surface	2304 7	50	400

EXTENSION SUPPORT ROD



- Very practical to set all materials in height, 1150-2900 mm in height, Max 30 kg
- Adjust the length by snap hook or trigger
- Quick release function (press the block below the trigger)
- Two plastic feet included, both top and bottom feet can be sloped Max 45°



Item No.	Size	EAN	Inner	Outer
298501	1150 to 2900 mm	8676 9	0	10

EXTENSION SUPPORT ROD

- Practical to set materials in height
- Load capacity 60 kg



Item No.	Size	EAN	Inner	Outer
298503	750-1250 mm (30-49 in.)	7034 8	3	6
298505	1600-2900 mm (63-114 in.)	7035 5	3	6

STEEL FILE-FLAT

- Used for rapid removal of metal
- #2 second cut file
- Double cut on sides, single cut on edges
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300000	150 mm (6 in.)	2316 0	6	36
300001	200 mm (8 in.)	0483 1	6	36

STEEL FILE-ROUND

- Used to file circular openings or concave surfaces
- #2 second cut file
- Single cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300003	200 mm (8 in.)	0484 8	6	36

STEEL FILE-HALF ROUND

- Used on concave, convex and flat surfaces
- #2 second cut file
- Double cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300005	200 mm (8 in.)	0485 5	6	36
300012	150 mm (6 in.)	2318 4	6	36

STEEL FILE-SQUARE

- Used on slots, keyways and general surface filing
- #2 second cut file
- Double cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300007	200 mm (8 in.)	0486 2	6	36

STEEL FILE-TRIANGLE

- Used for filing internal angles, clearing out square corners and filing tapes and gutters
- #2 second cut file
- Double cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300009	200 mm (8 in.)	0487 9	6	36
300010	150 mm (6 in.)	4988 7	6	36

STEEL FILE-MILL

- Used for sharpening mill or circular saws
- #2 second cut file
- Single cut on side and edges
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300021	200 mm (8 in.)	4989 4	6	36

STEEL FILE-CHAIN SAW

- Smooth, knurl cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300033	200 mm (8 in.) x 5 mm (3/16 in.)	4994 8	6	36

3 PC STEEL FILE SET

- Include flat, round, half round steel file
- #2 second cut file
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300103	200 mm (8 in.)	3385 5	6	12

WOOD RASP-FLAT

- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301001	200 mm (8 in.)	0488 6	6	36

WOOD RASP-ROUND

- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301003	200 mm (8 in.)	0489 3	6	36

WOOD RASP-HALF ROUND

- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301005	200 mm (8 in.)	0490 9	6	36

3 PC WOOD RASP SET

- Include flat, round, half round wood rasp
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301103	200 mm (8 in.)	3386 2	6	12

6 PC NEEDLE FILE SET

- Include half round, round, equaling, square, flat, triangle
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301256	140 mm (5-1/2 in.)	4917 7	6	36

MULTI-RASP PLANE

- Lightweight & ergonomic ABS handle
- Use 60 x 40 mm blade (301631)



Item No.	Size	EAN 69426292+	Inner	Outer
301601	185 mm (7-1/4 in.)	7203 8	12	36

MULTI-RASP PLANE

- Lightweight & ergonomic ABS handle
- Use 140 x 40 mm blade (301633)



Item No.	Size	EAN 69426292+	Inner	Outer
301603	305 mm (12 in.)	7204 5	12	36

MULTI-RASP PLANE TRI-ANGLE

- Lightweight & ergonomic ABS handle
- Use 140 x 40 mm blade (301633)



Item No.	Size	EAN 69426292+	Inner	Outer
301607	150 mm (6 in.)	7205 2	12	36

MULTI-RASP PLANE TRI-ANGLE

- Lightweight & ergonomic ABS handle
- Use 250 x 40 mm blade (301635)



Item No.	Size	EAN 69426292+	Inner	Outer
301609	270 mm (10-1/2 in.)	7206 9	12	36

MULTI-RASP PLANE

- Aluminum construction
- Use 140 x 40 mm blade (301633)



Item No.	Size	EAN 69426292+	Inner	Outer
301612	150 mm (6 in.)	7207 6	12	36


MULTI-RASP PLANE

- Heavy-duty Zn-alloy construction
- Ergonomic ABS handle
- Use 250 x 40 mm blade (301635)



Item No.	Size	EAN 69426292+	Inner	Outer
301615	300 mm (12 in.)	7208 3	12	36

MULTI-RASP PLANE BLADE



Item No.	Size	EAN 69426292+	Inner	Outer
301631	60 x 40 mm	7209 0	0	60
301633	140 x 40 mm	7210 6	0	60
301635	250 x 40 mm	7211 3	0	60

JOINT KNIFE-FLEXIBLE (PUTTY KNIFE)

- Stainless steel blade
- Non-slip bi-material handle
- Steel hammer end



Item No.	Size	EAN 69426292+	Inner	Outer
305000	25 mm (1 in.)	0809 9	10	60
305001	38 mm (1-1/2 in.)	4518 6	10	60
305002	50 mm (2 in.)	4519 3	10	60
305003	75 mm (3 in.)	4520 9	10	60
305004	100 mm (4 in.)	4521 6	10	60
305005	125 mm (5 in.)	3020 5	10	60
305006	150 mm (6 in.)	4522 3	10	60

SCRAPER PUTTY KNIFE - SITFF

- Non-slip bi-material handle
- Stainless steel blade
- Steel hammer end
- Bevelled edge blade



Item No.	Size	EAN 69426292+	Inner	Outer
305031	38 mm (1-1/2 in.)	4523 0	10	60
305033	75 mm (3 in.)	4524 7	10	60

6-IN-1 PAINTER'S TOOL

- 6 functions: flat and corner scraper, steel hammer end, roller cleaner, paint can opener, putty knife
- Non-slip bi-material handle
- Stainless steel blade
- Bevelled edge blade



Item No.	Size	EAN 69426292+	Inner	Outer
305056	6-in-1	4525 4	10	60

ECONOMIC JOINT KNIFE - FLEXIBLE (PUTTY KNIFE)

- Non-slip bi-material handle
- Carbon steel blade



Item No.	Size	EAN 69426292+	Inner	Outer
305101	38 mm (1-1/2 in.)	5876 6	10	60
305102	50 mm (2 in.)	5877 3	10	60
305103	75 mm (3 in.)	5878 0	10	60
305104	100 mm (4 in.)	5879 7	10	60
305106	150 mm (6 in.)	5880 3	10	60

SCRAPER PUTTY KNIFE - SITFF

- Non-slip bi-material handle
- Carbon steel blade



Item No.	Size	EAN 69426292+	Inner	Outer
305111	38 mm (1-1/2 in.)	5881 0	10	60
305113	75 mm (3 in.)	5882 7	10	60

5-IN-1 ECONOMIC PAINTER'S TOOL

- 5 functions: flat and corner scraper, roller cleaner, paint can opener, putty knife
- Carbon steel blade
- Non-slip bi-material handle
- Bevelled edge blade



Item No.	Size	EAN 69426292+	Inner	Outer
305116	5-in-1	5883 4	10	60

WALL STRIPPER

- Aluminium alloy body
- Overall length 360 mm
- 5 pc blade set included



Item No.	Size	EAN 69426292+	Inner	Outer
305193	100 mm (4 in.)	3110 3	6	24

5 PC BLADE FOR WALL STRIPER

- 100 mm (4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
305195	5 pc	9335 4	10	60

5 WAY SMOOTHING TOOL


- 102 mm (4 in.), 152 mm (6 in.) & 254 mm (10 in.) edges
- Drywall, plaster patching, cement patching, painting shield, wall covering



Item No.	Size	EAN 69426292+	Inner	Outer
305401		3185 1	12	72

PAIL OPENER

- Easy-grip handle, saves time and effort



Item No.	Size	EAN 69426292+	Inner	Outer
305471		3187 5	12	72

SAFETY SCRAPER

- With safety blade guard
- 5 pc blade set included
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
308003		2808 0	10	60

RETRACTABLE SCRAPER

- Retractable blade
- 5 pc blade set included
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
308007		2809 7	10	60

10 PC SCRAPER BLADE

- With dispenser



Item No.	Size	EAN 69426292+	Inner	Outer
308035	10 pc	2837 0	10	100

HAND SANDER

- Use with 1/2 sanding sheet (280 x 115 mm)
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
310151	240 x 80 mm (9-1/2 x 3-1/4 in.)	5029 6	6	24

SANDING BLOCK


- Use with wet and dry sandpaper



Item No.	Size	EAN 69426292+	Inner	Outer
310173	125 x 68 mm (5 x 2-5/8 in.)	4764 7	12	60

3-IN-1 DIAMOND SHARPENER

- Diamond, tungsten steel and ceramic rod sharpening blade. Diamond blade repairs and straightens damaged blades. Tungsten blade restore V-shape. Ceramic rod for clean polish.



Item No.	Size	EAN 69426292+	Inner	Outer
310231	3-in-1	2949 0	10	20

SANDING BLOCK

- Sands flat, contoured, or irregular surfaces
- 60# and 100#



Item No.	Size	EAN 69426292+	Inner	Outer
310191	95 x 70 x 25 mm (3-3/4 x 2-3/4 x 1 in.)	3043 4	10	60

SHARPENING STONE


- Silicon carbide
- 120# and 240#



Item No.	Size	EAN 69426292+	Inner	Outer
310213	150 mm (6 in.)	2785 4	6	24

5-IN-1 DIAMOND SHARPENER


- Diamond slot, tungsten slot, ceramic rod, 400# & 600# sharpener



Item No.	Size	EAN 69426292+	Inner	Outer
310235	5-in-1	3443 2	0	10

FOLDING DIAMOND SHARPENER

- 400# & 600#
- Portable folding design



Item No.	Size	EAN 69426292+	Inner	Outer
310233	2-in-1	2950 6	10	20

3 PC MINI BRUSH SET

- 1 x Nylon bristle, 1 x Brass bristle, 1 x Stainless steel bristle
- Non-slip bi-material handle
- 3 x 13 rows



Item No.	Size	EAN 69426292+	Inner	Outer
315003	3 pc	2833 2	6	36

STRIPPER BRUSH-BRASS

- 175 mm (7 in.)
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
315011	Brass	2834 9	6	36
315013	Stainless steel	2835 6	6	36

WIRE BRUSH WITH SCRAPER

- Stainless steel
- With scraper
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
315021	340 mm (13-1/2 in.)	69426292+	3100 4	6 36

WIRE BRUSH

- Stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
315031	215 mm (8-1/2 in.)	3101 1	6 36	

WIRE BRUSH

- Threaded pole socket fits standard SAE extension poles
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
315037	175 mm (7 in.)	3102 8	12 48	

D-HANDLE BRUSH

- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
315039	210 mm (8-1/4 in.)	3103 5	6 36	

FOLDABLE WORK BENCH

- Portable workbench with 24 holes for work clamping fixings
- 100 kg (220 lbs.) capacity
- Two-piece MDF worktop
- Tabletop printed with ruler and protractor for added convenience
- Maximum clamping width with fixings 240 mm
- Supplied with four plastic clamping fixings



Item No.	Size	EAN	Inner	Outer
330001	640 x 605 x 820 mm	2786 1	0 1	

ROLLING STAND

- Unit size: 495 x 440 x 695 mm (extended to 1100 mm)
- Roller size: 282 mm x Φ 48 mm (Zinc electronic plate)
- Easy lock grip, Rubber foot for anti-slip
- Load capacity: 60 kg



Item No.	Size	EAN	Inner	Outer
330031	695 to 1100 mm	8658 5	0 1	

TELESCOPIC SAW HORSE

- Working heights from 800 to 1300 mm
- Folding size 680 x 160 x 840mm
- Foldable for easy storage and transportation
- Max load capacity 200 kg



Item No.	Size	EAN	Inner	Outer
330043	680 x 580 x 810 -1300 mm	3376 3	0 1	

MULTI FUNCTION
HEAVY-DUTY SAW HORSE

- Product size: W (1085) x D (520~690) x H (618~820) mm
- Fast-open mechanism for straightforward and simple setup
- 590 kg (1300 lb) capacity for single piece

NEW

Item No.	Size	EAN	Inner	Outer
330045	1085 x (520~690) x (618~820) mm	1797 8	0 1	

ANGLE GRINDER STAND

- Dimension: 300 x 300 x 345 mm
- For angle grinder with blade, Max outer diameter 230 mm



Item No.	Size	EAN	Inner	Outer
330081	230 mm	2314 6	0 6	

ANGLE GRINDER STAND

- Dimension: 240 x 190 x 280 mm
- For angle grinder 115-125mm
- Aluminum stand and clamp with iron base



Item No.	Size	EAN	Inner	Outer
330083	115-125 mm	3377 0	0 4	

PIPE WRENCH

- Non-slip dipped handle
- Cast iron body



Item No.	Size	EAN	Inner	Outer
335001	200 mm (8 in.)	0493 0	6 36	
335003	250 mm (10 in.)	0494 7	6 12	
335005	300 mm (12 in.)	0495 4	6 12	
335007	350 mm (14 in.)	0496 1	4 8	
335009	450 mm (18 in.)	0497 8	2 4	
335011	600 mm (24 in.)	0498 5	2 4	
335013	900 mm (36 in.)	0499 2	1 2	

PIPE WRENCH

- Heavy-duty construction
- Cr-Mo head



Item No.	Size	EAN	Inner	Outer
335021	200 mm (8 in.)	0500 5	6 36	
335025	300 mm (12 in.)	0502 9	6 12	
335027	350 mm (14 in.)	0503 6	4 8	
335029	450 mm (18 in.)	0504 3	2 4	
335031	600 mm (24 in.)	0505 0	2 4	

PIPE WRENCH

- High-strength, lightweight aluminum handle



Item No.	Size	EAN	Inner	Outer
335103	250 mm (10 in.)	0508 1	6 12	
335105	300 mm (12 in.)	0509 8	6 12	
335109	450 mm (18 in.)	0511 1	2 4	
335113	900 mm (36 in.)	0513 5	1 2	

PIPE WRENCH-90°

- Chrome-Vanadium steel



Item No.	Size	Max open	EAN	Inner	Outer
335201	1 in.	40 mm	0851 8	6 12	
335202	1-1/2 in.	55 mm	4855 2	6 12	
335203	2 in.	67 mm	0852 5	2 6	

PIPE WRENCH-45°

- Chrome-Vanadium steel



Item No.	Size	Max open	EAN	Inner	Outer
335210	1/2 in.	25 mm	4856 9	6 12	
335211	1 in.	40 mm	0854 9	6 12	
335212	1-1/2 in.	55 mm	4857 6	6 12	
335213	2 in.	67 mm	0855 6	2 6	

BASIN WRENCH

- Chrome-plated, with pivoting reversible jaw
- Up to 32 mm (1-1/4 in.) pipe capacity



Item No.	Size	EAN	Inner	Outer
336002	275 mm (11 in.)	2757 1	6 24	

ADJUSTABLE COMBINATION WRENCH

- Fits spud nuts, slip and lock nuts and basket strainer nuts for various under sink and toilet work
- Adjusts from 25 mm (1 in.) to 75 mm (3 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
336040		2812 7	6	24

FAUCET PULLER

- Removes large and small faucet handles with longer adjustable puller arms



Item No.	Size	EAN 69426292+	Inner	Outer
336070		2814 1	6	48

7 PC FLARING TOOL SET

- Flares all standard sizes of soft copper, brass, aluminum and soft steel tubing
- Self-centering yoke makes 45° flare joints without splitting or cracking



Item No.	Size	EAN 69426292+	Inner	Outer
338015	5, 6, 8, 10, 12, 14, 16 mm	2758 8	6	12
338017	3/16, 1/4, 5/16, 3/8, 7/16, 1/2 & 5/8 in.	2807 3	6	12

3-IN-1 TUBE BENDER

- For air conditioning and refrigeration tubing use
- 6.35 mm (1/4 in.), 7.94 mm (5/16 in.) and 9.52 mm (3/8 in.) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
339013	3-in-1	2818 9	6	24

4 PC TUBE BENDER

- Easily make bends of soft materials
- 6.35 mm (1/4 in.), 9.52 mm (3/8 in.), 12.7 mm (1/2 in.) and 15.87 mm (5/8 in.) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
339060	4 pc	2819 6	6	24

PVC NIPPLE EXTRACTOR


- Removes 12.7 mm (1/2 in.) and 19 mm (3/4 in.) broken risers from fittings



Item No.	Size	EAN 69426292+	Inner	Outer
338003		3168 4	6	60

INNER/OUTER REAMER

- For reaming on both the inside and outside edges of tube and pipe
- 5 mm (3/16 in.) to 38 mm (1-1/2 in.) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
338082		8955 5	6	36

MINI TUBE CUTTER

- Alloy steel blade
- Zinc alloy body



Item No.	Size	EAN 69426292+	Inner	Outer
340008	3-16 mm (1/8 in.-5/8 in.)	2820 2	6	60

TUBE CUTTER

- Alloy steel blade
- Zinc alloy body



Item No.	Size	EAN 69426292+	Inner	Outer
340030	3-30 mm (1/8 in.-1-1/8 in.)	2759 5	6	36
340041	2 pc replace blade	5250 4	10	60

PVC PIPE CUTTER

- One hand ratchet action for quick, clean cuts
- Stainless steel cutting blade



Item No.	Size	EAN 69426292+	Inner	Outer
340201	42 mm (1-5/8 in.)	2760 1	6	24

PVC PIPE CUTTER HEAVY DUTY

- One hand ratchet action for quick and clean cuts
- Aluminum casting body
- Stainless steel cutting blade



Item No.	Size	EAN 69426292+	Inner	Outer
340206	64 mm (2-1/2 in.)	2802 8	6	24

INTERNAL PVC PIPE CUTTER

- Internal PVC pipe cutting
- 32 mm (1-1/4 in.) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
340225	32 mm (1-1/4 in.)	3169 1	6	60

PVC SAW

- Cuts PVC, CPVC, ABS, wood, dry wall and more
- Adjustable saw blade angle



Item No.	Size	EAN 69426292+	Inner	Outer
340513	325 mm (13 in.)	2821 9	6	24

6 PC FAUCET RESEATERS SET


- Long stem to fix faucet leaks in tubs and hard to reach areas
- 10, 12, 13, 14, 15 & 16 mm



Item No.	Size	EAN 69426292+	Inner	Outer
340601	6 pc	2822 6	6	48

GARBAGE DISPOSAL WRENCH

- Safely dislodges garbage disposal shredder plate jams
- Swivel head design provides easy position on the shredder plate



Item No.	Size	EAN 69426292+	Inner	Outer
340603		2823 3	6	24

FAUCET SEAT SPANNER

- Removes replaceable faucet seats
- 150 x 150 mm (6 x 6 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
340617	6-step head	2830 1	12	48

5 PC SHOWER WRENCH SET

- Removes and installs nuts on tub and shower faucet stems to allow washer replacement
- 17 x 22 mm (21/32 x 27/32 in.), 23 x 25 mm (29/32 x 31/32 in.), 26 x 28 mm (1-1/32 x 1-3/32 in.), 29 x 32 mm (1-5/32 x 1-9/32 in.), 34 x 36 mm (1-11/32 x 1-7/16 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
340621	5 pc	2831 8	6	24

6-IN-1 SWAGING TOOL


- Join similar size copper tubing without couplings: just insert tool into copper, brass or aluminum tubing and strike with hammer
- 3/16, 1/4, 5/16, 3/8, 1/2 & 5/8 in. (4.76, 6.35, 7.93, 9.52, 12.7, 15.87 mm) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
340626	6-in-1	3095 3	12	48

DRAIN UNBLOCKER

- Remove blockages fast
- Ideal for kitchen and bathroom sinks and shower traps



Item No.	Size	EAN 69426292+	Inner	Outer
340632	5 m x 6 mm	0753 5	0	10

4 WAY UTILITY KEY

- Suitable for use on gas/electric/water meter cabinets.



Item No.	Size	EAN 69426292+	Inner	Outer
340904		6047 9	10	100

HINGED PIPE VICE

- Foldable, with automatic closing hook, milled and hardened upper and lower support jaw.



Item No.	Size	EAN 69426292+	Inner	Outer
342002	60 mm (2 in.)	2977 3	2	4
342003	90 mm (3 in.)	2978 0	1	2
342004	110 mm (4 in.)	2979 7	1	2

PTFE TAPE

- Provides a strong tight seal for threaded joints
- Easy disassembly



Item No.	Size	EAN 69426292+	Inner	Outer
530422	12 mm x 10 m (1/2 in. x 33 ft.)	2739 7	48	144
530424	19 mm x 10 m (3/4 in. x 33 ft.)	5558 1	48	144

GAS PTFE TAPE

- Provides a strong tight seal for threaded joints
- Easy disassembly



Item No.	Size	EAN 69426292+	Inner	Outer
530430	12 mm x 12 m x 0.1 mm	5908 4	48	144
530431	19 mm x 12 m x 0.15 mm	5909 1	48	144
530432	25 mm x 10 m x 0.15 mm	6239 8	48	144

1/4 in. DR. SOCKET 6PT

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360001	5/32 in.	0979 9	12	72
360002	3/16 in.	0980 5	12	72
360003	7/32 in.	0981 2	12	72
360004	1/4 in.	0982 9	12	72
360005	9/32 in.	0983 6	12	72
360006	5/16 in.	0984 3	12	72
360007	11/32 in.	0985 0	12	72
360008	3/8 in.	0986 7	12	72
360009	7/16 in.	0987 4	12	72
360010	1/2 in.	0988 1	12	72
360021	4 mm	0989 8	12	72
360022	4.5 mm	0990 4	12	72
360023	5 mm	0991 1	12	72
360024	5.5 mm	0992 8	12	72
360025	6 mm	0993 5	12	72
360026	7 mm	0994 2	12	72
360027	8 mm	0995 9	12	72
360028	9 mm	0996 6	12	72
360029	10 mm	0997 3	12	72
360030	11 mm	0998 0	12	72
360031	12 mm	0999 7	12	72
360032	13 mm	1000 9	12	72
360033	14 mm	1001 6	12	72

1/4 in. DR. SOCKET 12PT-SAE

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360041	3/16 in.	1002 3	12	72
360042	7/32 in.	1003 0	12	72
360043	1/4 in.	1004 7	12	72
360044	9/32 in.	1005 4	12	72
360045	5/16 in.	1006 1	12	72
360046	11/32 in.	1007 8	12	72
360047	3/8 in.	1008 5	12	72
360048	7/16 in.	1009 2	12	72
360049	1/2 in.	1010 8	12	72

1/4 in. DR. SOCKET 6PT-DEEP

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360051	3/16 in.	1011 5	12	72
360052	7/32 in.	1012 2	12	72
360053	1/4 in.	1013 9	12	72
360054	9/32 in.	1014 6	12	72
360055	5/16 in.	1015 3	12	72
360056	11/32 in.	1016 0	12	72
360057	3/8 in.	1017 7	12	72
360058	7/16 in.	1018 4	12	72
360059	1/2 in.	1019 1	12	72
360070	4 mm	2673 4	12	72
360071	4.5 mm	2674 1	12	72
360061	5 mm	1020 7	12	72
360072	5.5 mm	2675 8	12	72
360062	6 mm	1021 4	12	72
360063	7 mm	1022 1	12	72
360064	8 mm	1023 8	12	72
360065	9 mm	1024 5	12	72
360066	10 mm	1025 2	12	72
360067	11 mm	1026 9	12	72
360068	12 mm	1027 6	12	72
360069	13 mm	1028 3	12	72

1/4 in. DR. BIT SOCKET-SLOTTED

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360101	Slotted 3 mm	1281 2	12	72
360102	Slotted 4 mm	1282 9	12	72
360103	Slotted 5.5 mm	1283 6	12	72
360104	Slotted 7 mm	1284 3	12	72
360105	Slotted 8 mm	1285 0	12	72

1/4 in. DR. BIT SOCKET-PHILLIPS

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360120	PH #0	1286 7	12	72
360121	PH #1	1287 4	12	72
360122	PH #2	1288 1	12	72
360123	PH #3	1289 8	12	72
360124	PH #4	1290 4	12	72

1/4 in. DR. BIT SOCKET-HEX

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360140	Hex 3 mm	1294 2	12	72
360141	Hex 4 mm	1295 9	12	72
360142	Hex 5 mm	1296 6	12	72
360143	Hex 6 mm	1297 3	12	72
360144	Hex 8 mm	1298 0	12	72
360150	Hex 1/8 in.	1299 7	12	72
360151	Hex 9/64 in.	1300 0	12	72
360152	Hex 5/32 in.	1301 7	12	72
360153	Hex 3/16 in.	1302 4	12	72

1/4 in. DR. BIT SOCKET-TORX

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360160	Torx 8	1303 1	12	72
360161	Torx 10	1304 8	12	72
360162	Torx 15	1305 5	12	72
360163	Torx 20	1306 2	12	72
360164	Torx 25	1307 9	12	72
360165	Torx 27	1308 6	12	72
360166	Torx 30	1309 3	12	72
360167	Torx 40	1310 9	12	72

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

1/4 in. DR. BIT SOCKET-POZI

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360131	Pozi #1	1291 1	12	72
360132	Pozi #2	1292 8	12	72
360133	Pozi #3	1293 5	12	72

3/8 in. DR. SOCKET 6PT

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360501	1/4 in.	1029 0	6	72
360502	5/16 in.	1030 6	6	72
360503	3/8 in.	1031 3	6	72
360504	7/16 in.	1032 0	6	72
360505	1/2 in.	1033 7	6	72
360506	9/16 in.	1034 4	6	72
360507	5/8 in.	1035 1	6	72
360508	11/16 in.	1036 8	6	72
360509	3/4 in.	1037 5	6	72
360510	13/16 in.	1038 2	6	72
360511	7/8 in.	1039 9	6	72
360521	6 mm	1040 5	6	72
360522	7 mm	1041 2	6	72
360523	8 mm	1042 9	6	72
360524	9 mm	1043 6	6	72
360525	10 mm	1044 3	6	72
360526	11 mm	1045 0	6	72
360527	12 mm	1046 7	6	72
360528	13 mm	1047 4	6	72
360529	14 mm	1048 1	6	72
360530	15 mm	1049 8	6	72
360531	16 mm	1050 4	6	72
360532	17 mm	1051 1	6	72
360533	18 mm	1052 8	6	72
360534	19 mm	1053 5	6	72
360535	20 mm	1054 2	6	72
360536	21 mm	1055 9	6	72
360537	22 mm	1056 6	6	72
360538	23 mm	1057 3	6	72
360539	24 mm	1058 0	6	72

3/8 in. DR. SOCKET 12PT

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360540	1/4 in.	4167 6	6	72
360541	5/16 in.	1059 7	6	72
360542	3/8 in.	1060 3	6	72
360543	7/16 in.	1061 0	6	72
360544	1/2 in.	1062 7	6	72
360545	9/16 in.	1063 4	6	72
360546	5/8 in.	1064 1	6	72
360547	11/16 in.	1065 8	6	72
360548	3/4 in.	1066 5	6	72
360549	13/16 in.	1067 2	6	72
360550	7/8 in.	1068 9	6	72
360561	8 mm	1069 6	6	72
360562	9 mm	1070 2	6	72
360563	10 mm	1071 9	6	72
360564	11 mm	1072 6	6	72
360565	12 mm	1073 3	6	72
360566	13 mm	1074 0	6	72
360567	14 mm	1075 7	6	72
360568	15 mm	1076 4	6	72
360569	16 mm	1077 1	6	72
360570	17 mm	1078 8	6	72
360571	18 mm	1079 5	6	72
360572	19 mm	1080 1	6	72

3/8 in. DR. SOCKET 6PT-DEEP

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360580	5/16 in.	4165 2	6	72
360581	3/8 in.	1081 8	6	72
360582	7/16 in.	1082 5	6	72
360583	1/2 in.	1083 2	6	72
360584	9/16 in.	1084 9	6	72
360585	5/8 in.	1085 6	6	96
360586	11/16 in.	1086 3	6	96
360587	3/4 in.	1087 0	6	96
360588	13/16 in.	1088 7	6	72
360589	7/8 in.	4166 9	6	72
360605	8 mm	4626 8	6	72
360606	9 mm	4628 2	6	72
360591	10 mm	1089 4	6	72
360592	11 mm	1090 0	6	72
360593	12 mm	1091 7	6	72
360594	13 mm	1092 4	6	72
360595	14 mm	1093 1	6	72
360596	15 mm	1094 8	6	72
360597	16 mm	1095 5	6	96
360598	17 mm	1096 2	6	96
360599	18 mm	1097 9	6	72
360600	19 mm	1098 6	6	72
360601	20 mm	1099 3	6	72
360602	21 mm	1100 6	6	72
360603	22 mm	1101 3	6	48
360604	23 mm	1102 0	6	48

3/8 in. DR. SOCKET 12PT-DEEP

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360611	5/16 in.	1103 7	6	72
360612	3/8 in.	1104 4	6	72
360613	7/16 in.	1105 1	6	72
360614	1/2 in.	1106 8	6	72
360615	9/16 in.	1107 5	6	72
360616	5/8 in.	1108 2	6	96
360617	11/16 in.	1109 9	6	96
360618	3/4 in.	1110 5	6	96
360619	13/16 in.	1111 2	6	72
360620	7/8 in.	1112 9	6	72

3/8 in. DR. SPARK PLUG SOCKET

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360631	5/8 in.	1113 6	6	72
360632	13/16 in.	1114 3	6	72
360633	16 mm	1115 0	6	72
360634	21 mm	1116 7	6	72

3/8 in. DR. E-SOCKET

- Chrome-Vanadium steel with satin finish
- For Torx head screws

Item No.	Size	Screw Size	EAN 69426292+	Inner	Outer
360641	E6	M5	2445 7	6	72
360642	E7	M6	2446 4	6	72
360643	E8	M6-7	2447 1	6	72
360645	E10	M8	2448 8	6	72
360646	E11	-	2449 5	6	72
360647	E12	M10	2450 1	6	72
360649	E14	M12	2451 8	6	72
360651	E16	M12	2452 5	6	72
360653	E18	M14	2453 2	6	72

1/2 in. DR. SOCKET 6PT

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
361002	5/16 in.	1118 1	6	96
361003	3/8 in.	1119 8	6	96
361004	7/16 in.	1120 4	6	96
361005	1/2 in.	1121 1	6	96
361006	9/16 in.	1122 8	6	96
361007	19/32 in.	1123 5	6	96
361008	5/8 in.	1124 2	6	96
361009	11/16 in.	1125 9	6	96
361010	3/4 in.	1126 6	4	72
361011	25/32 in.	1127 3	4	72
361012	13/16 in.	1128 0	4	72
361013	7/8 in.	1129 7	4	72
361014	15/16 in.	1130 3	4	72
361015	31/32 in.	1131 0	4	72
361016	1 in.	1132 7	4	72
361017	1-1/16 in.	1133 4	4	72
361018	1-1/8 in.	1134 1	4	72
361019	1-3/16 in.	1135 8	4	48
361020	1-1/4 in.	1136 5	4	48
361031	8 mm	1137 2	6	96
361032	9 mm	1138 9	6	96
361033	10 mm	1139 6	6	96
361034	11 mm	1140 2	6	96
361035	12 mm	1141 9	6	96
361036	13 mm	1142 6	6	96
361037	14 mm	1143 3	6	96
361038	15 mm	1144 0	6	96
361039	16 mm	1145 7	6	96
361040	17 mm	1146 4	6	96
361041	18 mm	1147 1	6	96
361042	19 mm	1148 8	6	96
361043	20 mm	1149 5	4	72
361044	21 mm	1150 1	4	72
361045	22 mm	1151 8	4	72
361046	23 mm	1152 5	4	72
361047	24 mm	1153 2	4	72
361048	25 mm	1154 9	4	72
361049	26 mm	1155 6	4	72
361050	27 mm	1156 3	4	72
361051	28 mm	1157 0	4	72
361052	29 mm	1158 7	4	48
361053	30 mm	1159 4	4	48
361054	32 mm	1160 0	4	48

1/2 in. DR. SPARK PLUG SOCKET

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
361191	5/8 in.	1241 6	4	72
361192	13/16 in.	1242 3	4	72
361193	16 mm	1243 0	4	72
361194	21 mm	1244 7	4	72

1/2 in. DR. SOCKET 12PT

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
361072	5/16 in.	1164 8	6	96
361073	3/8 in.	1165 5	6	96
361074	7/16 in.	1166 2	6	96
361075	1/2 in.	1167 9	6	96
361076	9/16 in.	1168 6	6	96
361077	19/32 in.	1169 3	6	96
361078	5/8 in.	1170 9	6	96
361079	11/16 in.	1171 6	6	96
361080	3/4 in.	1172 3	6	96
361081	25/32 in.	1173 0	4	72
361082	13/16 in.	1174 7	4	72
361083	7/8 in.	1175 4	4	72
361084	15/16 in.	1176 1	4	72
361085	31/32 in.	1177 8	4	72
361086	1 in.	1178 5	4	72
361087	1-1/16 in.	1179 2	4	72
361088	1-1/8 in.	1180 9	4	72
361089	1-3/16 in.	1181 5	4	48
361090	1-1/4 in.	1182 2	4	48
361101	8 mm	1183 9	6	96
361102	9 mm	1184 6	6	96
361103	10 mm	1185 3	6	96
361104	11 mm	1186 0	6	96
361105	12 mm	1187 7	6	96
361106	13 mm	1188 4	6	96
361107	14 mm	1189 1	6	96
361108	15 mm	1190 7	6	96
361109	16 mm	1191 4	6	96
361110	17 mm	1192 1	6	96
361111	18 mm	1193 8	6	96
361112	19 mm	1194 5	6	96
361113	20 mm	1195 2	4	72
361114	21 mm	1196 9	4	72
361115	22 mm	1197 6	4	72
361116	23 mm	1198 3	4	72
361117	24 mm	1199 0	4	72
361118	25 mm	1200 3	4	72
361119	26 mm	1201 0	4	72
361120	27 mm	1202 7	4	72
361121	28 mm	1203 4	4	72
361122	29 mm	1204 1	4	48
361123	30 mm	1205 8	4	48
361124	32 mm	1206 5	4	48

1/2 in. DR. E-SOCKET

- Chrome-Vanadium steel with satin finish
- For Torx head screws



Item No.	Size	Screw Size	EAN 69426292+	Inner	Outer
361251	E10	M8	4690 9	6	96
361252	E11	-	4691 6	6	96
361253	E12	M10	4692 3	6	96
361255	E14	M12	4693 0	6	96
361257	E16	M12	4694 7	6	96
361259	E18	M14	4695 4	6	96
361261	E20	M16	4696 1	4	72
361263	E22	-	4697 8	4	72
361265	E24	M18-20	4698 5	4	72

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

1/2 in. DR. SOCKET 12PT-DEEP

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
361141	1/2 in.	1209 6	6	96
361142	9/16 in.	1210 2	6	96
361143	5/8 in.	1211 9	6	96
361144	11/16 in.	1212 6	6	96
361145	3/4 in.	1213 3	6	72
361146	13/16 in.	1214 0	4	72
361147	7/8 in.	1215 7	4	48
361148	15/16 in.	1216 4	4	48
361149	1 in.	1217 1	4	48
361150	1-1/16 in.	1218 8	6	36
361151	1-1/8 in.	1219 5	6	36
361161	10 mm	1220 1	6	96
361162	11 mm	1221 8	6	96
361163	12 mm	1222 5	6	96
361164	13 mm	1223 2	6	96
361165	14 mm	1224 9	6	96
361166	15 mm	1225 6	6	96
361167	16 mm	1226 3	6	96
361168	17 mm	1227 0	6	96
361169	18 mm	1228 7	6	96
361170	19 mm	1229 4	4	72
361171	20 mm	1230 0	4	72
361172	21 mm	1231 7	4	72
361173	22 mm	1232 4	4	48
361174	23 mm	1233 1	4	48
361175	24 mm	1234 8	4	48
361176	25 mm	1235 5	4	48
361177	26 mm	1236 2	6	36
361178	27 mm	1237 9	6	36
361179	28 mm	1238 6	6	36
361180	30 mm	1239 3	6	24
361181	32 mm	1240 9	6	24

1/2 in. DR. SOCKET 6PT-DEEP

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
361203	3/8 in.	4658 9	6	96
361204	7/16 in.	4659 6	6	96
361205	1/2 in.	4660 2	6	96
361206	9/16 in.	4661 9	6	96
361207	5/8 in.	4662 6	6	96
361208	11/16 in.	4663 3	6	96
361209	3/4 in.	4664 0	4	72
361210	13/16 in.	4665 7	4	72
361211	7/8 in.	4666 4	4	48
361212	15/16 in.	4667 1	4	48
361213	1 in.	4668 8	4	48
361214	1-1/16 in.	4669 5	6	36
361215	1-1/8 in.	4670 1	6	36
361221	8 mm	0251 6	6	96
361223	10 mm	4671 8	6	96
361224	11 mm	4672 5	6	96
361225	12 mm	4673 2	6	96
361226	13 mm	4674 9	6	96
361227	14 mm	4675 6	6	96
361228	15 mm	4676 3	6	96
361229	16 mm	4677 0	6	96
361230	17 mm	4678 7	6	96
361231	18 mm	4679 4	6	96
361232	19 mm	4680 0	4	72
361233	20 mm	4681 7	4	72
361234	21 mm	4682 4	4	72
361235	22 mm	4683 1	4	48
361236	23 mm	4684 8	4	48
361237	24 mm	4685 5	4	48
361242	26 mm	6077 6	6	36
361238	27 mm	4686 2	6	36
361239	28 mm	4687 9	6	36
361240	30 mm	4688 6	6	24
361241	32 mm	4689 3	6	24

1/2 in. DR. BIT SOCKET-SLOTTED

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
361301	Slotted 6.5 mm	1340 6	6	72
361302	Slotted 8 mm	1341 3	6	72
361303	Slotted 10 mm	1342 0	6	72
361304	Slotted 12 mm	1343 7	6	72

1/2 in. DR. BIT SOCKET-PHILLIPS

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
361322	PH #2	1344 4	6	72
361323	PH #3	1345 1	6	72
361324	PH #4	1346 8	6	72

1/2 in. DR. BIT SOCKET-POZI

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
361332	Pozi #2	1347 5	6	72
361333	Pozi #3	1348 2	6	72
361334	Pozi #4	1349 9	6	72

1/2 in. DR. BIT SOCKET-HEX

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
361341	Hex 6 mm	1350 5	6	72
361342	Hex 8 mm	1351 2	6	72
361343	Hex 10 mm	1352 9	6	72
361344	Hex 12 mm	1353 6	6	96
361345	Hex 14 mm	1354 3	6	96
361346	Hex 17 mm	1355 0	6	72
361347	Hex 19 mm	1356 7	6	72
361351	Hex 5/16 in.	1357 4	6	72
361352	Hex 3/8 in.	1358 1	6	72
361353	Hex 7/16 in.	1359 8	6	72
361354	Hex 1/2 in.	1360 4	6	72
361355	Hex 9/16 in.	1361 1	6	96
361356	Hex 5/8 in.	1362 8	6	96

3/4 in. DR. SOCKET 6PT-METRIC

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
361501	17 mm	3387 9	6	72
361503	19 mm	3388 6	6	72
361505	21 mm	3389 3	6	72
361506	22 mm	3391 6	6	72
361507	23 mm	3392 3	6	72
361508	24 mm	3393 0	6	72
361509	25 mm	3394 7	6	48
361511	27 mm	3395 4	6	48
361512	28 mm	3396 1	6	48
361513	29 mm	3397 8	6	36
361514	30 mm	3398 5	6	36
361515	31 mm	3399 2	6	36
361516	32 mm	3400 5	6	36
361517	33 mm	3401 2	6	36
361518	34 mm	3402 9	6	36
361519	35 mm	3403 6	6	36
361520	36 mm	3404 3	6	36
361522	38 mm	3406 7	6	36
361524	40 mm	3408 1	6	24
361525	41 mm	3409 8	6	24
361527	43 mm	3410 4	6	24
361528	44 mm	3411 1	6	24
361530	46 mm	3413 5	6	24
361532	48 mm	3415 9	6	12
361534	50 mm	3416 6	6	12

1/4 in. DR. RATCHET HANDLE

- 43 tooth



43T

Item No.	Size	EAN 69426292+	Inner	Outer
362021	135 mm (5-1/4 in.)	0823 5	6	48

1/4 in. DR. RATCHET HANDLE -QUICK RELEASE

- Chrome-Molybdenum steel
- 72 tooth



CR-MO 72T

Item No.	Size	EAN 69426292+	Inner	Outer
362032	130 mm (5-1/8 in.)	1390 1	6	48

1/4 in. DR. SPINNER HANDLE

- Chrome-Vanadium steel
- Non-slip bi-material handle



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362002	152 mm (6 in.)	1246 1	6	48

1/4 in. DR. FLEX HANDLE

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362022	150 mm (6 in.)	0824 2	6	48

1/4 in. DR. SLIDING T-BAR

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362003	116 mm (4-1/2 in.)	1247 8	6	72

1/4 in. DR. EXTENSION BAR

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362004	50 mm (2 in.)	1248 5	6	72
362005	100 mm (4 in.)	1249 2	6	72
362006	150 mm (6 in.)	1250 8	6	72

1/4 in. DR. UNIVERSAL JOINT

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362007	1/4 in. Dr.	1251 5	6	72

1/4 in. DR. ADAPTOR

- Chrome-Vanadium steel

1/4 in. (F) $\bigcirc \Rightarrow \bigcirc$ 3/8 in. (M)



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362008	1/4 in. Dr.	1252 2	6	72

3/8 in. DR. RATCHET HANDLE -QUICK RELEASE

- Chrome-Vanadium steel
- High quality 72 tooth ratchet
- Non-slip bi-material handle



CR-MO 72T

Item No.	Size	EAN 69426292+	Inner	Outer
362131	195 mm (7-1/2 in.)	4871 2	6	36

3/8 in. DR. RATCHET HANDLE -QUICK RELEASE

- Non-slip bi-material handle
- Chrome-Vanadium steel
- 72 tooth



CR-MO 72T

Item No.	Size	EAN 69426292+	Inner	Outer
362101	202 mm (8 in.)	1254 6	6	36

1/4 in. DR. ADAPTOR

- Chrome-Vanadium steel

1/4 in. $\bigcirc \Rightarrow \bigcirc$ 1/4 in.



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362009	1/4 in. Dr.	1253 9	6	72

3/8 in. DR. RATCHET HANDLE -QUICK RELEASE

- Chrome-Molybdenum steel
- 72 tooth



CR-MO 72T

Item No.	Size	EAN 69426292+	Inner	Outer
362123	180 mm (7 in.)	4179 9	6	36

3/8 in. DR. RATCHET HANDLE

- 41 tooth



41T

Item No.	Size	EAN 69426292+	Inner	Outer
362132	190 mm (7-1/2 in.)	1391 8	6	36

3/8 in. DR. FLEX HANDLE

- Chrome-Vanadium steel
- Non-slip bi-material handle



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362102	226 mm (9 in.)	1255 3	6	48

3/8 in. DR. SLIDING T-BAR

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362103	165 mm (6-1/2 in.)	1256 0	6	48

3/8 in. DR. EXTENSION BAR

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362104	75 mm (3 in.)	1257 7	6	96
362105	150 mm (6 in.)	1258 4	6	96
362106	250 mm (10 in.)	1259 1	6	72

3/8 in. DR. FLEX HANDLE

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362112	200 mm (8 in.)	4169 0	6	48

3/8 in. DR. L HANDLE

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362113	200 mm (8 in.)	4973 3	6	36

3/8 in. DR. UNIVERSAL JOINT

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362107	3/8 in. Dr.	1260 7	6	72

3/8 in. DR. ADAPTOR

- Chrome-Vanadium steel

3/8 in. (F) $\bigcirc \Rightarrow \bigcirc$ 1/4 in. (M)



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362108	3/8 in. Dr.	1261 4	6	72

3/8 in. DR. ADAPTOR

- Chrome-Vanadium steel

3/8 in. (F) $\bigcirc \Rightarrow \bigcirc$ 1/2 in. (M)



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362109	3/8 in. Dr.	1262 1	6	72

3/8 in. DR. BIT ADAPTOR

- Chrome-Vanadium steel

3/8 in. $\bigcirc \Rightarrow \bigcirc$ 1/4 in.



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362111	3/8 in. Dr.	1264 5	6	72

1/2 in. DR. RATCHET HANDLE -QUICK RELEASE

- Chrome-Vanadium steel
- High quality 72 tooth ratchet
- Non-slip bi-material handle



CR-MO 72T

Item No.	Size	EAN 69426292+	Inner	Outer
362331	250 mm (10 in.)	4872 9	6	24

1/2 in. DR. RATCHET HANDLE -QUICK RELEASE

- Non-slip bi-material handle
- Chrome-Vanadium steel
- 72 tooth



CR-MO 72T

Item No.	Size	EAN 69426292+	Inner	Outer
362301	254 mm (10 in.)	1265 2	6	24

1/2 in. DR. RATCHET HANDLE -QUICK RELEASE

- 45 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362321	250 mm (10 in.)	4182 9	6	24

1/2 in. DR. RATCHET HANDLE -QUICK RELEASE

- Chrome-Molybdenum steel
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362323	250 mm (10 in.)	4183 6	6	24

1/2 in. DR. RATCHET HANDLE

- 45 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362332	240 mm (9-1/2 in.)	1392 5	6	24

1/2 in. DR. EXTENDING RATCHET HANDLE

- Extend from 290 mm to 430 mm
- Non-slip bi-material handle
- Chrome-Vanadium steel
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362335	290 - 430 mm	3097 7	6	18

1/2 in. DR. FLEX HANDLE


- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
362302	294 mm (11-1/2 in.)	1266 9	6	24
362316	460 mm (18 in.)	5831 5	4	16

1/2 in. DR. FLEX HANDLE

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362311	384 mm (15 in.)	4130 0	4	16
362312	250 mm (10 in.)	9044 5	6	24
362313	460 mm (18 in.)	4131 7	4	16
362315	600 mm (24 in.)	6088 2	4	16

1/2 in. DR. L HANDLE

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362314	250 mm (10 in.)	4974 0	6	24

1/2 in. DR. SLIDING T-BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362303	252 mm (10 in.)	1267 6	6	36

1/2 in. DR. EXTENSION BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362309	75 mm (3 in.)	3425 8	6	48
362304	125 mm (5 in.)	1268 3	6	48
362305	250 mm (10 in.)	1269 0	6	36

1/2 in. DR. UNIVERSAL JOINT

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362306	1/2 in. Dr.	1270 6	6	72

1/2 in. DR. ADAPTOR

- Chrome-Vanadium steel

1/2 in. (F) $\rightarrow$ 3/8 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
362307	1/2 in. Dr.	1271 3	6	72

1/2 in. DR. ADAPTOR

- Chrome-Vanadium steel

1/2 in. (F) $\rightarrow$ 3/4 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
362308	1/2 in. Dr.	2248 4	6	36

3/4 in. DR. RATCHET HANDLE

- Chrome-Vanadium steel
- 43 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362401	500 mm (19-3/4 in.)	3457 9	2	8

3/4 in. DR. FLEX HANDLE

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362403	51 cm (20 in.)	3458 6	2	8

3/4 in. DR. SLIDING T-BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362405	51 cm (20 in.)	3459 3	2	8

3/4 in. DR. EXTENSION BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362407	100 mm (4 in.)	3460 9	6	36
362409	200 mm (8 in.)	3461 6	6	24
362411	400 mm (16 in.)	3462 3	3	12

3/4 in. DR. UNIVERSAL JOINT

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362413	3/4 in. DR.	2246 0	6	36

3/4 in. DR. ADAPTOR

- Chrome-Vanadium steel

3/4 in. (F) $\rightarrow$ 1/2 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
362415	3/4 in. DR.	2247 7	6	36

1/2 in. DR. INSULATED RATCHET HANDLE

- VDE/GS certified
- 1000 V insulated
- Chrome-Molybdenum steel
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362351VD	240 mm	9365 1	0	6

1/2 in. DR. INSULATED T-HANDLE

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362353VD		9366 8	6	12

1/2 in. DR. INSULATED EXTENSION BAR


- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362355VD	125 mm (5 in.)	9367 5	6	12

1/2 in. DR. INSULATED SOCKET 6PT


- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
361273VD	10 mm	9357 6	6	12
361275VD	12 mm	9358 3	6	12
361276VD	13 mm	9359 0	6	12
361277VD	14 mm	9360 6	6	12
361280VD	17 mm	9361 3	6	12
361282VD	19 mm	9362 0	6	12
361285VD	22 mm	9363 7	6	12
361287VD	24 mm	9364 4	6	12

3/4 in. DR. IMPACT SOCKET 6PT

- Chrome-Molybdenum steel with black phosphate finish
- Dual hole design can be used with retaining ring and pin for security



Item No.	Size	EAN 69426292+	Inner	Outer
363001	17 mm	6849 9	8	48
363003	19 mm	6850 5	8	48
363005	21 mm	6851 2	8	48
363006	22 mm	6852 9	8	48
363007	23 mm	6853 6	8	48
363008	24 mm	6854 3	8	48
363009	25 mm	6855 0	8	48
363010	26 mm	6856 7	8	48
363011	27 mm	6857 4	8	48
363012	28 mm	6858 1	4	32
363013	29 mm	6859 8	4	32
363014	30 mm	6860 4	4	32
363016	32 mm	6862 8	4	32
363017	33 mm	6863 5	4	32
363018	34 mm	6864 2	4	32
363019	35 mm	6865 9	4	32
363020	36 mm	6866 6	4	32
363022	38 mm	6867 3	4	32
363024	40 mm	6868 0	2	16
363025	41 mm	6869 7	2	16
363026	42 mm	6870 3	2	16
363028	44 mm	6871 0	2	16
363029	45 mm	6872 7	2	16
363030	46 mm	6873 4	2	16
363032	48 mm	6874 1	2	16
363034	50 mm	6875 8	2	16

3/4 in. DR. IMPACT SOCKET 12PT

- Chrome-Molybdenum steel with black phosphate finish



Item No.	Size	EAN 69426292+	Inner	Outer
363051	3/4 in.	6876 5	8	48
363052	13/16 in.	6877 2	8	48
363053	7/8 in.	6878 9	8	48
363054	15/16 in.	6879 6	8	48
363055	1 in.	6880 2	8	48
363056	1-1/16 in.	6881 9	8	48
363057	1-1/8 in.	6882 6	4	32
363058	1-3/16 in.	6883 3	4	32
363059	1-1/4 in.	6884 0	4	32
363060	1-5/16 in.	6885 7	4	32
363061	1-3/8 in.	6886 4	4	32
363062	1-7/16 in.	6887 1	4	32
363063	1-1/2 in.	6888 8	4	32
363065	1-5/8 in.	6889 5	2	16
363066	1-11/16 in.	6890 1	2	16
363067	1-3/4 in.	6891 8	2	16
363068	1-13/16 in.	6892 5	2	16
363069	1-7/8 in.	6893 2	2	16
363071	2 in.	6894 9	2	16
363073	2-1/8 in.	6895 6	2	16
363074	2-3/16 in.	6896 3	2	16
363075	2-3/8 in.	6897 0	2	16
363077	2-3/4 in.	6898 7	2	16

3/4 in. DR. IMPACT SOCKET 6PT-DEEP

- Chrome-Molybdenum steel with black phosphate finish



Item No.	Size	EAN 69426292+	Inner	Outer
363080	17 mm	6922 9	6	24
363081	18 mm	6923 6	6	24
363082	19 mm	6924 3	6	24
363083	20 mm	6925 0	6	24
363084	21 mm	6926 7	6	24
363085	22 mm	6927 4	6	24
363086	23 mm	6928 1	6	24
363087	24 mm	6929 8	6	24
363088	25 mm	6930 4	6	24
363089	26 mm	6931 1	6	24
363090	27 mm	6932 8	6	24
363091	28 mm	6933 5	6	24
363092	29 mm	6934 2	6	24
363093	30 mm	6935 9	6	24
363095	32 mm	6936 6	6	24
363096	33 mm	6937 3	6	24
363097	34 mm	6938 0	6	24
363098	35 mm	6939 7	6	24
363099	36 mm	6940 3	6	24
363101	38 mm	6941 0	6	24
363103	40 mm	6942 7	6	24
363104	41 mm	6943 4	6	24
363105	42 mm	6944 1	4	16
363107	44 mm	6945 8	4	16
363108	45 mm	6946 5	4	16
363109	46 mm	6947 2	4	16
363111	48 mm	6948 9	4	16
363113	50 mm	6949 6	4	16
363133	1-1/16 in.	6950 2	6	24
363134	1-1/8 in.	6951 9	6	24
363135	1-3/16 in.	6952 6	6	24
363136	1-1/4 in.	6953 3	6	24
363137	1-5/16 in.	6954 0	6	24
363138	1-3/8 in.	6955 7	6	24
363139	1-7/16 in.	6956 4	6	24
363140	1-1/2 in.	6957 1	6	24
363141	1-9/16 in.	6958 8	6	24
363142	1-5/8 in.	6959 5	6	24
363143	1-11/16 in.	6960 1	6	24
363144	1-3/4 in.	6961 8	4	16
363145	1-13/16 in.	6962 5	4	16
363146	1-7/8 in.	6963 2	4	16
363147	1-15/16 in.	6964 9	4	16

1/2 in. DR. IMPACT EXTENSION BAR

- Chrome-Vanadium steel with black phosphate finish



Item No.	Size	EAN 69426292+	Inner	Outer
363703	75 mm (3 in.)	4343 4	12	36
363705	125 mm (5 in.)	4344 1	12	36
363707	250 mm (10 in.)	4345 8	12	24

1/2 in. DR. IMPACT UNIVERSAL JOINT

- Chrome-Vanadium steel with black phosphate finish



Item No.	Size	EAN 69426292+	Inner	Outer
363709	1/2 in. Dr.	4346 5	12	48

1/2 in. DR. IMPACT SOCKET 6PT

- Chrome-Vanadium steel with black phosphate finish



Item No.	Size	EAN 69426292+	Inner	Outer
363350	5/16 in.	4545 2	6	96
363351	3/8 in.	4289 5	6	96
363353	7/16 in.	4290 1	6	96
363355	1/2 in.	4291 8	6	96
363357	9/16 in.	4292 5	6	96
363359	5/8 in.	4293 2	6	96
363361	11/16 in.	4294 9	6	72
363363	3/4 in.	4295 6	6	72
363365	13/16 in.	4296 3	6	72
363367	7/8 in.	4297 0	6	72
363369	15/16 in.	4298 7	6	72
363371	1 in.	4299 4	6	72
363373	1-1/16 in.	4546 9	6	48
363375	1-1/8 in.	4547 6	6	48
363377	1-3/16 in.	4548 3	6	48
363379	1-1/4 in.	4549 0	6	48
363403	8 mm	4300 7	6	96
363405	9 mm	4301 4	6	96
363407	10 mm	4302 1	6	96
363409	11 mm	4303 8	6	96
363411	12 mm	4304 5	6	96
363413	13 mm	4305 2	6	96
363415	14 mm	4306 9	6	96
363417	15 mm	4307 6	6	96
363419	16 mm	4308 3	6	96
363421	17 mm	4309 0	6	96
363423	18 mm	4310 6	6	96
363425	19 mm	4311 3	6	96
363427	20 mm	4312 0	6	72
363429	21 mm	4313 7	6	72
363431	22 mm	4314 4	6	72
363433	23 mm	4315 1	6	72
363435	24 mm	4316 8	6	72
363437	25 mm	4317 5	6	72
363439	26 mm	4318 2	6	72
363441	27 mm	4319 9	6	72
363442	28 mm	4550 6	6	72
363443	29 mm	4320 5	6	48
363445	30 mm	4321 2	6	48
363447	32 mm	4322 9	6	48

1/2 in. DR. IMPACT ADAPTOR

- Chrome-Vanadium steel with black phosphate finish

1/2 in. (F) 3/8 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
363711	1/2 in. Dr.	4347 2	12	72

1/2 in. DR. IMPACT ADAPTOR

- Chrome-Vanadium steel with black phosphate finish

1/2 in. (F) 3/4 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
363715	1/2 in. Dr.	4348 9	12	72

1/2 in. DR. IMPACT SOCKET 6PT-DEEP

- Chrome-Vanadium steel with black phosphate finish



Item No.	Size	EAN 69426292+	Inner	Outer
363603	8 mm	4323 6	6	72
363604	9 mm	4551 3	6	72
363605	10 mm	4324 3	6	72
363607	11 mm	4325 0	6	72
363609	12 mm	4326 7	6	72
363611	13 mm	4327 4	6	72
363613	14 mm	4328 1	6	72
363615	15 mm	4329 8	6	72
363617	16 mm	4330 4	6	72
363619	17 mm	4331 1	6	72
363621	18 mm	4332 8	6	72
363623	19 mm	4333 5	4	72
363624	20 mm	4552 0	6	48
363625	21 mm	4334 2	6	48
363627	22 mm	4335 9	6	48
363629	23 mm	4336 6	6	48
363631	24 mm	4337 3	6	48
363632	25 mm	4553 7	6	36
363633	26 mm	4338 0	6	36
363635	27 mm	4339 7	6	36
363636	28 mm	4554 4	6	24
363637	29 mm	4340 3	6	24
363639	30 mm	4341 0	6	24
363641	32 mm	4342 7	6	24
363663	5/16 in.	4748 7	6	72
363664	3/8 in.	4749 4	6	72
363665	7/16 in.	4750 0	6	72
363666	1/2 in.	4751 7	6	72
363667	9/16 in.	4752 4	6	72
363668	5/8 in.	4753 1	6	72
363669	11/16 in.	4754 8	6	72
363670	3/4 in.	4755 5	6	72
363671	13/16 in.	4756 2	6	48
363672	7/8 in.	4757 9	6	48
363673	15/16 in.	4758 6	6	48
363674	1 in.	4759 3	6	36
363675	1-1/16 in.	4760 9	6	36
363676	1-1/8 in.	4761 6	6	24
363677	1-3/16 in.	4762 3	6	24
363678	1-1/4 in.	4763 0	6	24

7 PC 3/8 in. DR. DEEP IMPACT SOCKET SET

- Chrome-Vanadium steel with black phosphate finish
- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
363787	7 pc	7125 3	6	12

7 PC 1/2 in. DR. DEEP IMPACT SOCKET SET

- Chrome-Vanadium steel with black phosphate finish
- 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
363807	7 pc	5354 9	6	12

10 PC 1/2 in. DR. IMPACT SOCKET SET

- Chrome-Vanadium steel with black phosphate finish
- 10, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm



Item No.	Size	EAN 69426292+	Inner	Outer
363820	10 pc	9045 2	0	6

3 PC 1/2 in. DR. IMPACT WHEEL NUT SOCKET

- Inner/outer nylon sleeve to prevent damage to shells and nuts
- Chrome-Molybdenum steel
- 17, 19, 21 mm



Item No.	Size	EAN 69426292+	Inner	Outer
363803	3 pc	7073 7	0	12

12 PC 1/2 in. DR. DEEP IMPACT SOCKET SET METRIC

- Chrome-Vanadium steel with black phosphate finish
- 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27 mm



Item No.	Size	EAN 69426292+	Inner	Outer
363901	12 pc Metric	0123 6	0	6

12 PC 1/2 in. DR. DEEP IMPACT SOCKET SET SAE

- Chrome-Vanadium steel with black phosphate finish
- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16 in.



Item No.	Size	EAN 69426292+	Inner	Outer
363902	12 pc SAE	0237 0	0	6

34 PC 1/4 in. DR. SOCKET SET

- 10 pc 1 in. bits: #1 & #2; 3/16 & 1/4 in.; T-10, T-15, T-20, T-25, T-27 & T-30
- 9 pc 1/4 in. Dr. sockets: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 & 1/2 in.
- 9 pc 1/4 in. Dr. deep sockets: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 & 1/2 in.
- 2 pc 1/4 in. Dr. x 2 in. & 6 in. extension bar
- 1 pc 1/4 in. Dr. universal joint
- 1 pc 1/4 in. Dr. couple adaptor
- 1 pc 1/4 in. Dr. spinner handle
- 1 pc 1/4 in. Dr. ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365007	SAE	0517 3	0	5

33 PC 3/8 in. DR. SOCKET SET

- 18 pc 3/8 in. Dr. sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 & 24 mm
- 9 pc 3/8 in. Dr. deep well sockets: 6, 8, 10, 11, 13, 14, 15, 17 & 19 mm
- 1 pc 3/8 in. Dr. x 3 in. (75 mm) extension bar
- 1 pc 3/8 in. Dr. x 6 in. (150 mm) extension bar
- 1 pc 3/8 in. Dr. x 16 mm spark plug socket
- 1 pc 3/8 in. Dr. x 21 mm spark plug socket
- 1 pc 3/8 in. Dr. universal joint
- 1 pc 3/8 in. Dr. ratchet handle



Item No.	Size	EAN	Inner	Outer
365011	Metric	69426292+	0	5

18 PC 1/2 in. DR. SOCKET SET

- 14 pc 1/2 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 16, 17, 19, 22, 24, 27, 30 & 32 mm
- 1 pc 1/2 in. Dr. x 125 mm extension bar
- 1 pc 1/2 in. Dr. flexible handle
- 1 pc 1/2 in. Dr. universal joint
- 1 pc 1/2 in. Dr. ratchet handle



Item No.	Size	EAN	Inner	Outer
365015	Metric	69426292+	0	5

34 PC 1/4 in. DR. SOCKET SET

- 10 pc 1 in. bits: #1, #2 & #3; 4 mm & 5.5 mm; 3, 4 & 5 mm; #1 & #2
- 9 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 10, 11, 12 & 13 mm
- 9 pc 1/4 in. Dr. deep well sockets: 4, 5, 6, 7, 8, 10, 11, 12 & 13 mm
- 2 pc 1/4 in. Dr. x 50 mm & 150 mm extension bar
- 1 pc 1/4 in. Dr. universal joint • 1 pc 1/4 in. Dr. bit holder
- 1 pc 1/4 in. Dr. spinner handle
- 1 pc 1/4 in. Dr. ratchet handle



Item No.	Size	EAN	Inner	Outer
365019	Metric	69426292+	0	5

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

39 PC 1/4 in. & 3/8 in. DR. SOCKET SET

- 11 pc 1/4 in. Dr. sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 & 13 mm
- 7 pc 1/4 in. Dr. sockets: 3/16, 1/4, 9/32, 5/16, 3/8, 7/16 & 1/2 in.
- 9 pc 3/8 in. Dr. sockets: 9, 10, 11, 12, 13, 14, 15, 17 & 19 mm
- 7 pc 3/8 in. Dr. sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4 in.
- 1 pc 3/8 in. Dr. 3 in. (75 mm) extension bar
- 1 pc 3/8 in. Dr. x 5/8 in. (16 mm) spark plug socket
- 1 pc 3/8 in.(F) x 1/4 in.(M) adapter
- 1 pc 1/4 in. Dr. spinner handle
- 1 pc 3/8 in. Dr. ratchet handle



Item No.	Size	EAN	Inner	Outer
365025	Metric & SAE	69426292+	0	5

41 PC 1/4 in. & 3/8 in. DR. SOCKET SET

- 12 pc 3/8 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 & 22 mm
- 20 pc 1 in. S2 bits: #1, #2 & #3; 4, 5.5 & 6.5 mm; #1, #2 & #3; #1, #2 & #3; 3 & 6 mm; T-10, T-15, T-20, T-25 & T-30; bit/socket adapter
- 2 pc 3/8 in. Dr. x 3 in. (75 mm) & 6 in. (150 mm) extension bar • 1 pc 1/4 in. Dr. spinner handle
- 2 pc 3/8 in. Dr. x 16 & 21 mm spark plug socket
- 1 pc 3/8 in.(M) x 1/4 in.(F) bit holder • 1 pc 1/4 in.(M) x 1/4 in.(F) bit holder • 1 pc 3/8 in. Dr. universal joint
- 1 pc 3/8 in. Dr. ratchet handle



Item No.	Size	EAN	Inner	Outer
365029	Metric	69426292+	0	5

77 PC TOOL SET

- 30 pc bit set: #1 x 2, #2 x 3 & #3; 4, 4.5, 5.5, 6, 6.5 & 8 mm; #1 x 2, #2 x 3, #3; 3 mm x 2, 4 mm x 2, 5 & 6 mm; T-10, T-15, T-20, T-25, T-30 & T-40
- 12 pc 1/2 in. Dr. sockets: 10, 11, 13, 14, 15, 16, 17, 18, 19, 21, 22 & 24 mm
- 1 pc 1/2 in. Dr. ratchet handle
- 1 pc 1/2 in. Dr. 125 mm extension
- 9 pc 1/4 in. Dr. sockets: 5, 6, 7, 8, 9, 10, 11, 12 & 13 mm
- 1 pc 1/4 in. Dr. 100 mm extension
- 1 pc 1/4 in. Dr. socket bit holder
- 1 pc 1/4 in. Dr. spinner handle
- 9 pc combination wrenches: 8, 9, 10, 11, 12, 13, 14, 17 & 19 mm
- 9 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm
- 1 pc 250 mm water pump pliers
- 1 pc 200 mm adjustable wrench



Item No.	Size	EAN	Inner	Outer
365046	Metric	69426292+	0	3

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

23 PC 1/2 in. DR. SOCKET SET

- 19 pc 1/2 in. Dr. socket set: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30 & 32 mm
- 1 pc 1/2 in. Dr. universal joint
- 1 pc 1/2 in. Dr. 125 mm extension
- 1 pc 1/2 in. Dr. 250 mm extension
- 1 pc 1/2 in. Dr. ratchet handle



Item No.	Size	EAN	Inner	Outer
365042	Metric	69426292+	0	5

73 PC 1/4 in. & 1/2 in. DR. SOCKET SET

- 12 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 & 13 mm
- 5 pc 1/4 in. Dr. deep sockets: 6, 7, 8, 9 & 10 mm
- 16 pc 1/2 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30 & 32 mm
- 4 pc 1/2 in. Dr. deep sockets: 10, 11, 14 & 17 mm
- 20 pc bits: #1, #2, #3; 4, 5.5, 6.5 mm; #1, #2, #3; T-10, T-15, T-20, T-25, T-30, Bit/socket adaptor
- 4 pc hex key set: 1.3, 1.5, 2 & 2.5 mm
- 2 pc 1/4 & 1/2 in. Dr. ratchet handle
- 2 pc 1/4 in. & 1/2 in. Dr. universal joint
- 2 pc 1/4 in. & 1/2 in. Dr. sliding T-bar
- 1 pc 1/4 in. Dr. spinner handle
- 1 pc 1/4 in. Dr. 50 mm extension bar
- 1 pc 1/4 in. Dr. socket bit holder
- 1 pc 1/2 in. Dr. 125 mm extension bar
- 2 pc 1/2 in. Dr. spark plug sockets: 16 & 21 mm



Item No.	Size	EAN	Inner	Outer
365055	Metric	69426292+	0	4

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

37 PC 1/4 in. DR. SOCKET SET

- 21 pc 1 in. CR-V bits: #1, #2 & #3; 3, 4, 5 & 6 mm; #1, #2 & #3; 3, 4, 5 & 6 mm; T-10, T-15, T-20, T-25, T-27, T-30 & T-40
- 10 pc 1/4 in. Dr. sockets: 5.5, 6, 7, 8, 9, 10, 11, 12, 13 & 14 mm
- 2 pc 1/4 in. Dr. 50 mm & 100 mm extension
- 1 pc 1/4 in. Dr. spinner handle • 1 pc 1/4 in. Dr. ratchet handle
- 1 pc 1/4 in. Dr. universal joint • 1 pc 1/4 in. socket bit holder



Item No.	Size	EAN	Inner	Outer
365052	Metric	69426292+	0	10

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

59 PC 1/4 & 3/8 in. DR. SOCKET SET

- 20 pc 1 in. bits: #1, #2, #3; 4, 5.5, 6.5 mm; #1, #2, #3; 3, 6 mm; T-10, T-15, T-20, T-25, T-30; bit/socket adapter
- 18 pc 1/4 in. Dr. 6PT sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm; 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 16 pc 3/8 in. Dr. 12PT sockets: 12, 13, 14, 15, 16, 17, 18, 19 mm; 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 1 pc 3/8 in. Dr. x 5/8 in. spark plug socket
- 1 pc 3/8 in. (F) x 1/4 in. (M) adapter
- 1 pc 3/8 in. Dr. ratchet handle
- 1 pc 3/8 in. Dr. x 3 in. extension bar
- 1 pc magnetic bit driver



Item No.	Size	EAN	Inner	Outer
365065	Metric & SAE	69426292+	0	5

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

37 PC 1/4 in. DR. SOCKET SET

- 21 pc 1 in. CR-V bits: #0, #1, #2 x 2 & #3; 5/32, 3/16 & 1/4 in.; T-10, T-15, T-20, T-25 & T-30; #1, #2 & #3; #1, #2 & #3; 1/8 & 1/4 in.
- 10 pc 1/4 in. Dr. sockets: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 & 9/16 in.
- 2 pc 1/4 in. Dr. 2 in. & 4 in. extension
- 1 pc 1/4 in. Dr. spinner handle • 1 pc 1/4 in. Dr. ratchet handle
- 1 pc 1/4 in. Dr. universal joint • 1 pc 1/4 in. socket bit holder



Item No.	Size	EAN	Inner	Outer
365062	SAE	69426292+	0	10

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

85 PC 1/4 in. & 1/2 in. DR. SOCKET SET

- 12 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 10 pc 1/4 in. Dr. deep sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 13 pc 1/2 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32 mm
- 2 pc 1/4 in. Dr. extension bars 50 & 100 mm
- 1/4 in. Dr. sliding T-bar • 1/4 in. Dr. universal joint
- 1/4 in. Dr. bit holder • 1/4 in. Dr. spinner handle
- 3/8 in. (F) x 1/2 in. (M) 3-way adapter
- 20 pc bits: #1, #2, #3; 4, 5.5, 6.5 mm; #1, #2, #3; 3, 6 mm; T-10, T-15, T-20, T-25, T-30, Bit/socket adaptor
- 3 pc 5/16 in. bits T-45, T-50, T-55
- 2 pc 1/2 in. Dr. extension bars 125 & 250 mm
- 1/2 in. Dr. universal joint • 1/2 in. Dr. x 5/16 in. bit holder
- 1/2 in. Dr. spark plug socket 21 mm
- 3 pc hex keys 1.5, 2, 2.5 mm
- 2 pc ratchet handles 1/4 & 1/2 in. Dr.
- 4 pc double flexible socket wrenches: 8 x 9, 10 x 11, 12 x 13, 14 x 15 mm
- 6 pc combination wrenches: 8, 10, 12, 13, 14, 17 mm



Item No.	Size	EAN	Inner	Outer
365072	Metric	69426292+	0	4

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

43 PC 1/4 in. DR. SOCKET SET

- 28 pc bits:
 - ⊕ #1 x 2, #2 x 2 & #3 x 2;
 - ⊖ 3, 4, 5 & 6 mm; ⊕ #1, #2 & #3;
 - ⊖ 3, 4, 5 & 6 mm; ⊖ #0, #1 & #2;
 - ⊕ T-8, T-10, T-15, T-20, T-25, T-27 & T-30
- 10 pc 1/4 in. Dr. sockets: 5.5, 6, 7, 8, 9, 10, 11, 12, 13 & 14 mm
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. ratchet handle
- 2 pc 1/4 in. Dr. extension bar 50 & 100 mm
- Bit/socket adaptor



CR-V

Item No.	Size	EAN	Inner	Outer
365060	Metric	69426292+	5185 9	6 12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

110 PC 1/4 in., 3/8 in. & 1/2 in. DR. SOCKET SET

- 20 pc bits: ⊕ #1, #2, #3, ⊕ #1, #2, #3, ⊖ 3, 6 mm, ⊖ 4, 5.5, 6.5 mm, ⊖ #1, #2, #3, ⊕ T-10, T-15, T-20, T-25, T-30, Bit/socket adaptor
- 16 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm; 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4 in.
- 4 pc double open wrenches: 10 x 11 mm; 12 x 14 mm; 3/8 x 7/16 in.; 1/2 x 9/16 in.
- 17 pc 1/4 in. Dr. 6PT sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm; 3/16, 7/32, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 10 pc 1/4 in. Dr. 6PT deep sockets: 6, 7, 8, 9, 10 mm; 3/16, 7/32, 1/4, 5/16, 3/8 in.
- 19 pc 3/8 in. Dr. 12PT sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 10 pc 3/8 in. Dr. 12PT deep sockets: 11, 12, 13, 14, 15 mm; 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 8 pc 1/2 in. Dr. 12PT sockets: 15, 17, 18, 19 mm; 9/16, 5/8, 11/16, 3/4 in.
- 1 pc 1/4 in. Dr. ratchet handle
- 1 pc 1/4 in. Dr. x 2 in. extension bar
- 1 pc 3/8 in. Dr. ratchet handle
- 1 pc 3/8 in. Dr. x 3 in. extension bar
- 1 pc 3/8 in. (F) x 1/2 in. (M) adapter
- 1 pc magnetic bit driver



CR-V

Item No.	Size	EAN	Inner	Outer
365067	Metric & SAE	69426292+	4219 2	0 4

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

154 PC 1/4 in., 3/8 in. & 1/2 in. DR. SOCKET SET

- 11 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 mm
- 12 pc 3/8 in. Dr. sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 11 pc 1/2 in. Dr. sockets: 14, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
- 9 pc 1/4 in. Dr. deep sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 10 pc 3/8 in. Dr. deep sockets: 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm
- 9 pc 1/2 in. Dr. deep sockets: 12, 13, 14, 15, 17, 18, 19, 21, 22 mm
- 4 pc 1/2 in. Dr. impact sockets: 17, 19, 21, 23 mm
- 3 pc ratchet handles 1/4 in. & 3/8 in. & 1/2 in. Dr.
- 1/4 in. Dr. spinner handle
- 8 pc 3/8 in. Dr. E-sockets: E8, E10, E11, E12, E14, E16, E18, E20
- 20 pc bits:
 - ⊕ #1, #2, #3, ⊕ #1, #2, #3, ⊖ 3, 6 mm, ⊖ 4, 5.5, 6.5 mm, ⊖ #1, #2, #3, ⊕ T-10, T-15, T-20, T-25, T-30, bit/socket adaptor
- 7 pc 3/8 in. Dr. TORX Tamper socket bits:
 - ⊕ T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 6 pc extension bars: 1/4 in. Dr. x 50 mm (2 in.) & 100 mm (4 in.), 3/8 in. Dr. x 75 mm (3 in.) & 250 mm (10 in.), 1/2 in. Dr. x 125 mm (5 in.) & 250 mm (10 in.)
- 1 pc 1/4 in. Dr. bit holder
- 3 pc universal joints 1/4 in. & 3/8 in. & 1/2 in. Dr.
- 2 pc 3/8 in. Dr. spark plug sockets 16 & 21 mm
- 1 pc 3/8 in. (F) X 1/4 in. (M) 3-way adapter
- 1 pc 3/8 in. (F) x 1/2 in. (M) 3-way adapter
- 1 pc 1/2 in. (F) x 3/8 in. (M) 3-way adapter
- 10 pc combination wrenches: 8, 9, 10, 11, 12, 13, 14, 17, 18, 19 mm
- 3 pc ratchet wrenches: 12, 13, 14 mm
- 9 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 4 pc screwdrivers:
 - ⊖ 6.5 x 38 mm, 6.5 x 100 mm, ⊕ #2 x 38 mm, #2 x 100 mm
- 6 pc 3/8 in. Dr. socket bits:
 - ⊖ 5.5, 6.5 mm, ⊕ #1, #2, ⊕ #1, #2
- 1 pc 200 mm (8 in.) slip joint pliers
- 1 pc 160 mm (6 in.) long nose pliers



CR-V

Item No.	Size	EAN	Inner	Outer
365075	Metric	69426292+	8463 5	0 2

143 PC 1/4 in., 3/8 in. & 1/2 in. DR. SOCKET SET

- 20 pc 1/4 in. Dr. 6PT sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in.
- 16 pc 3/8 in. Dr. 12PT sockets: 9, 10, 12, 13, 14, 15, 17, 19 mm, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 10 pc 3/8 in. Dr. 6PT deep socketst: 12, 13, 14, 15, 17 mm, 7/16, 1/2, 9/16, 11/16, 3/4 in.
- 2 pc 3/8 in. Dr. spark plug sockets 5/8 in. & 13/16 in.
- 10 pc 1/2 in. Dr. 12PT sockets: 15, 17, 18, 19, 21 mm, 1/2, 9/16, 5/8, 3/4, 7/8 in.
- 1 pc 3/8 in. (F) x 1/4 in. (M) adapter
- 18 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 in.
- 40 pc bits:
 - ⊕ #0 x 2, #1 x 2, #2 x 2, #3 x 2;
 - ⊖ 3, 4, 5.5 x 2, 6.5 x 2, 8 mm;
 - ⊕ T-10, T-15, T-20, T-25, T-27, T-30, T-40;
 - ⊕ #1, #2, #3; ⊖ #1, #2, #3;
 - ⊖ 3, 4, 5, 6, 7 mm, 3/32, 1/8, 5/32, 3/16, 1/4 in., bit/socket adapter (2)
- 12 pc combination wrenches: 8, 10, 12, 13, 14, 15 mm, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 3 pc ratchet handle 1/4 in. & 3/8 in. & 1/2 in. Dr.
- 4 pc extension bars: 1/4 in. Dr. x 50 mm (2 in.); 3/8 in. Dr. x 75 mm (3 in.) & 150 mm (6 in.)
- 1/2 in. Dr. x 75 mm (3 in.) • 1 pc magnetic bit driver
- 4 pc screwdrivers: ⊖ 5.5 x 100 mm, 6.5 x 100 mm, ⊕ #1 x 75 mm, #2 x 100 mm
- 1 pc 200 mm (8 in.) long nose pliers
- 1 pc 160 mm (6 in.) diagonal piers



CR-V

Item No.	Size	EAN	Inner	Outer
365321	Metric & SAE	69426292+	8471 0	0 2

143 PC 1/4 in., 3/8 in. & 1/2 in. DR. SOCKET SET



CR-V

Item No.	Size	EAN	Inner	Outer
365321WB	Metric & SAE	69426292+	7054 6	0 2

24 PC 1/2 in. DR. SOCKET SET

- 12 pc 1/2 in. Dr. sockets: 10, 11, 12, 13, 14 mm, 3/8, 5/8, 7/16, 1/2, 9/16, 11/16, 3/4 in.
- 8 pc combination wrenches: 10, 11, 12, 13, 14, 15, 17, 19 mm
- 2 pc 1/2 in. Dr. extension bar 125 & 250 mm
- 1/2 in. Dr. spark plug socket 16 mm
- 1/2 in. Dr. ratchet handle



CR-V

Item No.	Size	EAN	Inner	Outer
365241	Metric & SAE	69426292+	8465 9	0 6

22 PC 1/2 in. DR. SOCKET SET

- 17 pc 1/2 in. Dr. sockets: 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30 mm
- 2 pc 1/2 in. Dr. extension bar 125 & 250 mm
- 1/2 in. Dr. ratchet handle • 1/2 in. Dr. universal joint
- 1/2 in. Dr. sliding T-bar



CR-V

Item No.	Size	EAN	Inner	Outer
365242	Metric	69426292+	8466 6	0 6

28 PC 1/2 in. DR. SOCKET SET

- 1/2 in. Dr. sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32 mm
- 2 pc 1/2 in. Dr. extension bar 125 & 250 mm
- 1/2 in. Dr. sliding T-bar • 1/2 in. Dr. universal joint
- 1/2 in. Dr. speeded • 1/2 in. Dr. flex handle
- 1/2 in. Dr. ratchet handle



CR-V

Item No.	Size	EAN	Inner	Outer
365243	Metric	69426292+	8467 3	0 4



70 PC SOCKET & TOOL SET

- 16 pc 1/4 in. Dr. sockets: 5, 6, 7, 8, 9, 10, 11, 12 mm, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 in.
- 16 pc 3/8 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 17, 19 mm, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 in.
- 8 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
- 12 pc combination wrenches: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 in., 10, 12, 13, 14, 15, 17 mm
- 2 pc ratchet handle 1/4 in. & 3/8 in. Dr.
- 2 pc extension bar 3/8 in. Dr. x 75 mm, 1/4 in. Dr. x 50 mm
- 1 pc 3/8 in (F) to 1/4 in (M) adapter
- 1 pc magnetic bit driver
- 12 pc bits



CR-V

Item No.	Size	EAN	Inner	Outer
365261	Metric & SAE	69426292+	1629 2	0 4

70 PC SOCKET & TOOL SET



CR-V

Item No.	Size	EAN	Inner	Outer
365261WB	Metric & SAE	69426292+	7053 9	0 4

46 PC 1/4 in. DR. SOCKET SET

- 13 pc socket: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 21 pc bit socket: ⊕ #1, #2, #3; ⊖ 4, 5.5, 7 mm; ⊕ #1, #2, #3; ⊖ 3, 4, 5, 6, 7, 8 mm; ⊖ T-10, T-15, T-20, T-25, T-30, T-40
- 4 pc hex key wrenches: 1.27, 1.5, 2, 2.5
- 1 pc universal joint • 1 pc sliding T-bar 115 mm
- 1 pc ratchet handle • 1 pc bit/socket adaptor
- 2 pc extension bar 50 mm & 100 mm
- 1 pc flexible extension bar 150 mm
- 1 pc spinner handle 150 mm



CR-V

Item No.	Size	EAN	Inner	Outer
365405	Metric	69426292+	8683 7	6 12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

94 PC 1/4 & 1/2 in. DR. SOCKET SET

- 18 pc 1/2 in. Dr. socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- 4 pc 1/2 in. Dr. deep socket: 14, 15, 17, 19 mm
- 2 pc 1/2 in. Dr. extension bar 125 mm & 250 mm
- 2 pc 1/2 in. Dr. spark plug socket 16, 21 mm
- 1 pc 1/2 in. Dr. universal joint • 1 pc 5/16 in. bits holder
- 1 pc 1/2 in. Dr. ratchet handle
- 1 pc 1/2 in. Dr. 3-way adaptor
- 15 pc 5/16 in. bits: ⊕ #3, #4; ⊖ 8, 10, 12 mm; ⊕ #3, #4; ⊖ 8, 10, 12, 14 mm; ⊕ T-40, T-45, T-50, T-55
- 13 pc 1/4 in. Dr. socket: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 8 pc 1/4 in. Dr. deep socket: 6, 7, 8, 9, 10, 11, 12, 13 mm
- 1 pc 1/4 in. Dr. universal joint
- 2 pc 1/4 in. Dr. extension bar: 50, 100 mm
- 1 pc 1/4 in. Dr. ratchet handle
- 1 pc 1/4 in. Dr. sliding T-bar 115 mm
- 1 pc 1/4 in. Dr. flexible extension bar 150 mm
- 1 pc 1/4 in. Dr. spinner handle
- 3 pc hex key 1.5, 2, 2.5 mm
- 1 pc 1/4 in. hex bit/socket adaptor
- 17 pc bits socket: ⊕ #1, #2; ⊖ 4, 5.5, 7 mm; ⊕ #1, #2; ⊖ 3, 4, 5, 6 mm; ⊕ T-8, T-10, T-15, T-20, T-25, T-30



CR-V

Item No.	Size	EAN	Inner	Outer
365413	Metric	69426292+	8684 4	0 4

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.



254 PC 1/4 in., 3/8 in. & 1/2 in. SOCKET SET

- 23 pc 1/4 in. Dr. socket set:
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in.
- 10 pc 1/4 in. Dr. socket set:
3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in.
- 21 pc 1/4 in. Dr. deep socket set:
4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in.
- 28 pc 3/8 in. Dr. socket set:
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm
1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 in.
- 15 pc 3/8 in. Dr. socket set:
8, 9, 10, 11, 12, 13, 14 mm
1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 in.
- 14 pc 3/8 in. Dr. deep socket set:
12, 13, 14, 15, 16, 17, 18 mm
3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 5 pc 3/8 in. Dr. socket set: 1/4, 5/16, 3/8, 7/16, 1/2 in.
- 10 pc 1/2 in. Dr. socket set:
15, 16, 17, 18, 19 mm; 3/4, 13/16, 7/8, 15/16, 1 in.
- 4 pc extension bar:
1/4 in. Dr. x 75 mm (3 in.) ; 3/8 in. Dr. x 75 mm (3 in.)
3/8 in. Dr. x 150 mm (6 in.) ; 1/2 in. Dr. x 75 mm (3 in.)
- 1 pc 3/8 in. Dr. spark plug socket: 5/8 in.
- 12 pc nut sets: 5, 6, 8, 10, 11 mm
7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 in.
- 3 pc 1/4 in. Dr. torx socket bits: T-15, T-20, T-25
- 4 pc 3/8 in. Dr. torx socket bits: T-30, T-40, T-45, T-50
- 1 pc magnetic tip handle



- 36 pc S2 bit set:
⊕ #0, #1 x 3, #2 x 3, #3 x 2
⊖ 3, 4, 5.5 x 2, 6.5 x 2, 8 mm
○ 3, 4, 5, 6, 7 mm; 3/32, 1/8, 5/32, 3/16, 1/4 in.
⊙ T-10, T-15, T-20, T-25, T-27, T-30, T-40
⊙ #1, #2, #3
- 2 pc adaptor
- 3 pc ratchet handle: 1/4, 3/8, 1/2 in. drive
- 40 pc hex key set:
SAE (S)-0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 in.
(L)-5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 in.
METRIC (S)-1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8 mm
(L)-1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6 mm
- 12 pc ratchet wrench set: 10, 12, 13, 14, 15, 17 mm
5/16, 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 10 pc mini combination wrench:
5/32, 3/16, 13/64, 7/32, 15/64, 1/4, 9/32, 5/16, 3/8, 7/16 in.

Item No.	Size	EAN 69426292+	Inner	Outer
365354	Metric & SAE	9017 9	0	1

10 PC 3/8 in. DR. SOCKET METRIC

- Chrome-Vanadium steel
- 8 pc sockets: 10, 11, 12, 13, 14, 16, 17, 19 mm
- 1 pc 75 mm (3 in.) extension bar
- 1 pc ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365223	10 pc	8199 3	6	24

9 PC 3/8 in. DR. SOCKET SAE

- Chrome-Vanadium steel
- 7 pc sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 1 pc 75 mm (3 in.) extension bar
- 1 pc ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365224	9 pc	8200 6	6	24

12 PC 1/2 in. DR. SOCKET METRIC

- Chrome-Vanadium steel
- 10 pc sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 1 pc 75 mm (3 in.) extension bar
- 1 pc ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365225	12 pc	8201 3	6	12

12 PC 1/2 in. DR. SOCKET SAE

- Chrome-Vanadium steel
- 10 pc sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 in.
- 1 pc 75 mm (3 in.) extension bar
- 1 pc ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365226	12 pc	8202 0	6	12

10 PC 1/4 in. DR. SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365101	SAE: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 & 9/16 in.	0530 2	6	24
365103	Metric: 5, 6, 7, 8, 9, 10, 11, 12, 13 & 14 mm	0531 9	6	24

10 PC 3/8 in. DR. SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365105	SAE: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 & 7/8 in.	0532 6	6	24
365107	Metric: 10, 11, 12, 13, 14, 15, 16, 17, 19 & 22 mm	0533 3	6	24

10 PC 1/2 in. DR. SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365109	SAE: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 & 15/16 in.	0534 0	6	24
365111	Metric: 10, 11, 12, 13, 14, 15, 17, 19, 22 & 24 mm	0535 7	6	24

7 PC 3/8 in. DR. DEEP SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365113	SAE: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4 in.	0536 4	6	24
365115	Metric: 10, 12, 13, 14, 15, 17 & 19 mm	0537 1	6	24

7 PC 1/2 in. DR. DEEP SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365117	SAE: 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 & 7/8 in.	0538 8	6	12
365119	Metric: 13, 14, 15, 17, 18, 19 & 22 mm	0539 5	6	12

9 PC 1/4 in. DR. DEEP SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365123	Metric: 4, 5, 6, 7, 8, 10, 11, 12 & 13 mm	3454 8	6	24

9 PC 1/4 in. & 3/8 in. DR. TORX BIT SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365151	1/4 in. DR. T-10, 15, 20, 25, 27; 3/8 in. DR. T-30, 40, 45, 50	4160 7	6	24

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

7 PC 3/8 in. DR. HEX BIT SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365153	3, 4, 5, 6, 7, 8, 10 mm	4161 4	6	24

3 PC EXTENSION BAR SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365171	1/4 in. Dr. 50, 100, 150 mm (2, 4, 6 in.)	4170 6	6	60
365173	3/8 in. Dr. 75, 150, 250 mm (3, 6, 10 in.)	4171 3	6	36
365175	1/2 in. Dr. 75, 125, 250 mm (3, 5, 10 in.)	4172 0	6	24

3 PC UNIVERSAL JOINT SET

- 1/4, 3/8 & 1/2 in. DR.



Item No.	Size	EAN 69426292+	Inner	Outer
365177	3 pc	4173 7	6	36

4 PC ADAPTER SET

- 1/4 in. (F) x 3/8 in. (M), 3/8 in. (F) x 1/4 in. (M), 3/8 in. (F) x 1/2 in. (M), 1/2 in. (F) x 3/8 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
365179	4 pc	4174 4	6	36


SOCKET RAIL




Item No.	Size	EAN 69426292+	Inner	Outer
365181	1/4 in. DR. 14 clips-red	4175 1	6	60
365183	3/8 in. DR. 14 clips-yellow	4176 8	6	60
365185	1/2 in. DR. 12 clips-blue	4177 5	6	60

EVA TOOL SETS & INSERT TRAYS SYSTEM

- Protect & organize your tools
- Dual-color EVA foam
- Compatible with TACTIX chests and cabinets



Suitable for 326023, 326024



Suitable for 326432, 326434, 326436, 326438



4 PC PLIERS SET

- 200 mm (8 in.) long nose pliers;
- 160 mm (6 in.) diagonal pliers;
- 190 mm (7-1/2 in.) linesman pliers;
- 250 mm (10 in.) box joint pliers



#1

Item No.	Size	EAN	Inner	Outer
369201	#1-397 x 178 mm	69426292+ 0346 9	0	4

4 PC CIRCLIP PLIERS SET

- Straight exterior
- Straight interior
- Bent exterior
- Bent interior
- Tip Dia 1.8mm



#1

Item No.	Size	EAN	Inner	Outer
369202	#1-397 x 178 mm	69426292+ 6531 3	0	4

10 PC SCREWDRIVER SET

- 3 x 75, 5.5 x 100, 6.5 x 38, 6.5 x 100, 8 x 150 mm;
- #0 x 75, #1 x 100, #2 x 38, #2 x 100, #3 x 150 mm



#1

Item No.	Size	EAN	Inner	Outer
369203	#1-397 x 178 mm	69426292+ 6532 0	0	4

20 PC 1/4 in. DR. SOCKET SET

- 13 pc 1/4 in. Dr. socket: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm;
- 2 pc 1/4 in. Dr. extension bar 75 & 150mm;
- 1/4 in. Dr. socket bit holder; • 1/4 in. Dr. universal joint;
- 1/4 in. Dr. sliding T-bar; • 1/4 in. Dr. ratchet handle;
- 1/4 in. Dr. spinner handle



#1

Item No.	Size	EAN	Inner	Outer
369204	#1-397 x 178 mm	69426292+ 6533 7	0	4

22 PC 1/2 in. DR. SOCKET SET

- 17 pc 1/2 in. Dr. socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32mm;
- 2 pc 1/2 in. Dr. extension bar 125 & 250 mm;
- 1/2 in. Dr. ratchet handle; • 1/2 in. Dr. universal joint;
- 3/8 in. (F) x 1/2 in. (M) 3-way adapter




#1

Item No.	Size	EAN	Inner	Outer
369205	#1-397 x 178 mm	69426292+ 6534 4	0	4

16 PC COMBINATION WRENCH SET

- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm



#1

Item No.	Size	EAN	Inner	Outer
369206	#1-397 x 178 mm	69426292+ 2770	0	4

2 PC HAMMER SET

- 300 g machinist hammer;
- 35 mm 2-way soft face mallet



#1

Item No.	Size	EAN	Inner	Outer
369207	#1-397 x 178 mm	69426292+ 2771 7	0	4

8 PC DOUBLE RING WRENCH SET

- 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22 mm



#1

Item No.	Size	EAN	Inner	Outer
369208	#1-397 x 178 mm	69426292+ 1633 9	0	4

EMPTY FOAM INSERTS



#1



#2

Item No.	Size	EAN	Inner	Outer
369380	#1-397 x 178 mm	69426292+ 1635 3	0	16
369381	#2-397 x 123 mm	69426292+ 1636 0	0	16

COMBINATION WRENCH SAE & METRIC

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
370003	6 mm	0540 1	6	72
370005	7 mm	0541 8	6	72
370007	8 mm	0542 5	6	72
370009	9 mm	0543 2	6	72
370011	10 mm	0544 9	6	72
370013	11 mm	0545 6	6	72
370015	12 mm	0546 3	6	72
370017	13 mm	0547 0	6	72
370019	14 mm	0548 7	6	72
370021	15 mm	0549 4	6	72
370023	16 mm	0550 0	6	72
370025	17 mm	0551 7	6	72
370027	18 mm	0552 4	6	72
370029	19 mm	0553 1	6	48
370031	20 mm	0554 8	6	48
370033	21 mm	0555 5	6	48
370035	22 mm	0556 2	6	48
370037	23 mm	0557 9	6	48
370039	24 mm	0558 6	6	36
370041	25 mm	0559 3	6	36
370043	26 mm	0560 9	6	36
370045	27 mm	0561 6	6	24
370047	28 mm	0562 3	6	24
370049	29 mm	0563 0	6	12
370051	30 mm	0564 7	6	12
370053	32 mm	0565 4	6	12
370103	1/4 in.	0566 1	6	72
370105	5/16 in.	0567 8	6	72
370107	3/8 in.	0568 5	6	72
370109	7/16 in.	0569 2	6	72
370111	1/2 in.	0570 8	6	72
370113	9/16 in.	0571 5	6	72
370115	5/8 in.	0572 2	6	72
370117	11/16 in.	0573 9	6	48
370119	3/4 in.	0574 6	6	48
370121	13/16 in.	0575 3	6	48
370123	7/8 in.	0576 0	6	48
370125	15/16 in.	0577 7	6	36
370127	1 in.	0578 4	6	36
370129	1-1/16 in.	0579 1	6	24
370131	1-1/8 in.	0580 7	6	24
370133	1-1/4 in.	0581 4	6	12

JUMBO COMBINATION WRENCH SAE & METRIC

- Carbon steel



Item No.	Size	EAN 69426292+	Inner	Outer
370054	33 mm	5391 4	6	12
370055	34 mm	5392 1	6	12
370056	35 mm	5393 8	6	12
370057	36 mm	5394 5	6	12
370058	37 mm	5395 2	6	12
370059	38 mm	5396 9	6	12
370062	41 mm	5397 6	3	6
370063	42 mm	5398 3	3	6
370064	43 mm	5399 0	3	6
370065	44 mm	5400 3	3	6
370066	45 mm	5401 0	3	6
370067	46 mm	5402 7	3	6
370068	48 mm	5403 4	3	6
370070	50 mm	5404 1	3	6
370075	55 mm	5405 8	2	4
370080	60 mm	5406 5	2	4
370085	65 mm	5407 2	2	4
370134	1-5/16 in.	5174 3	6	12
370135	1-3/8 in.	5175 0	6	12
370136	1-7/16 in.	5176 7	6	12
370137	1-1/2 in.	4357 1	6	12
370139	1-5/8 in.	5177 4	3	6
370143	1-3/4 in.	5178 1	3	6
370145	1-7/8 in.	5179 8	3	6
370147	2 in.	5180 4	3	6
370151	2-1/8 in.	5181 1	2	4
370155	2-1/4 in.	5182 8	2	4
370159	2-3/8 in.	5183 5	2	4
370163	2-1/2 in.	5184 2	2	4



9 PC COMBINATION WRENCH SET-METRIC

- Chrome-Vanadium steel with satin finish
- 6, 8, 9, 10, 12, 13, 14, 17 & 19 mm



Item No.	Size	EAN 69426292+	Inner	Outer
370501	9 pc	1279 9	6	18

9 PC COMBINATION WRENCH SET-SAE

- Chrome-Vanadium steel with satin finish
- 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
370503	9 pc	1280 5	6	18

5 PC COMBINATION WRENCH SET-METRIC

- Chrome-Vanadium steel with satin finish
- 8, 10, 12, 14 & 17 mm



Item No.	Size	EAN 69426292+	Inner	Outer
370511	5 pc	1502 8	6	24

5 PC COMBINATION WRENCH SET-METRIC

- Chrome-Vanadium steel with satin finish
- 8, 10, 13, 15 & 17 mm



Item No.	Size	EAN 69426292+	Inner	Outer
370512	5 pc	6126 1	6	24

5 PC COMBINATION WRENCH SET-SAE

- Chrome-Vanadium steel with satin finish
- 3/8, 7/16, 1/2, 9/16 & 5/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
370513	5 pc	1503 5	6	24

14 PC COMBINATION WRENCH SET

- Chrome-Vanadium steel with satin finish
- 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm
- Nylon tool roll included



Item No.	Size	EAN 69426292+	Inner	Outer
370534	14 pc	4351 9	0	6

14 PC COMBINATION WRENCH SET

- Chrome-Vanadium steel with satin finish
- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4 in.
- Nylon tool roll included



Item No.	Size	EAN 69426292+	Inner	Outer
370535	14 pc	5063 0	0	6

23 PC COMBINATION WRENCH SET

- Chrome-Vanadium steel with satin finish
- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32 mm
- Nylon tool roll included



Item No.	Size	EAN 69426292+	Inner	Outer
370536	23 pc	4352 6	0	4

INSULATED OPEN END WRENCH

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
370708VD	8 mm	9368 2	6	12
370710VD	10 mm	9369 9	6	12
370712VD	12 mm	9370 5	6	12
370713VD	13 mm	9371 2	6	12
370714VD	14 mm	9372 9	6	12
370715VD	15 mm	9373 6	6	12
370717VD	17 mm	9374 3	6	12
370719VD	19 mm	9375 0	6	12

RATCHET WRENCH

- Chrome-Vanadium steel with satin finish
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371003	8 mm	0582 1	6	48
371005	9 mm	0583 8	6	48
371007	10 mm	0584 5	6	48
371009	11 mm	0585 2	6	48
371011	12 mm	0586 9	6	48
371013	13 mm	0587 6	6	48
371015	14 mm	0588 3	6	48
371017	15 mm	0589 0	6	48
371019	16 mm	0590 6	6	48
371021	17 mm	0591 3	6	48
371023	18 mm	0592 0	6	48
371025	19 mm	0593 7	6	48
371103	5/16 in.	0594 4	6	48
371105	3/8 in.	0595 1	6	48
371107	7/16 in.	0596 8	6	48
371109	1/2 in.	0597 5	6	48
371111	9/16 in.	0598 2	6	48
371113	5/8 in.	0599 9	6	48
371115	11/16 in.	0600 2	6	48
371117	3/4 in.	0601 9	6	48

5 PC RATCHET WRENCH SET METRIC

- Chrome-Vanadium steel with satin finish
- Metric: 8, 10, 13, 15 & 17 mm
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371064	5 pc	9352 1	6	24

5 PC RATCHET WRENCH SET

- Chrome-Vanadium steel with satin finish
- Metric: 8, 10, 11, 12 & 14 mm
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371065	5 pc	2696 3	6	24

5 PC RATCHET WRENCH SET

- Chrome-Vanadium steel with satin finish
- SAE: 5/16, 3/8, 7/16, 1/2 & 9/16 in.
- 72 tooth




Item No.	Size	EAN 69426292+	Inner	Outer
371165	5 pc	2698 7	6	24

7 PC FLEX RATCHET WRENCH SET

- Chrome-Vanadium steel with satin finish
- 8, 9, 10, 11, 13, 17, 19 mm
- Flex head
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371267	7 pc	4288 8	6	12



FLEX RATCHET WRENCH

- Chrome-Vanadium steel with satin finish
- Flex head • 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371208	8 mm	4707 4	6	48
371209	9 mm	4708 1	6	48
371210	10 mm	4709 8	6	48
371211	11 mm	4710 4	6	48
371212	12 mm	4711 1	6	48
371213	13 mm	4712 8	6	48
371214	14 mm	4713 5	6	48
371215	15 mm	4714 2	6	48
371216	16 mm	4715 9	6	48
371217	17 mm	4716 6	6	48
371218	18 mm	4717 3	6	48
371219	19 mm	4718 0	6	48
371222	22 mm	4719 7	6	48
371224	24 mm	4720 3	6	24

2 PC 4-IN-1 DUAL HEAD FLEX RATCHET WRENCH

- Chrome-Vanadium steel with satin finish
- Flex head • 72 tooth
- Small: 8, 10, 12, 13 mm ; Big: 16, 17, 18, 19 mm




Item No.	Size	EAN 69426292+	Inner	Outer
371301	2 pc	5282 5	6	24

DOUBLE FLEX SOCKET WRENCH

- Chrome-Vanadium steel with satin finish

CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
371903	8 x 9 mm	3981 9	6	72
371905	10 x 11 mm	3982 6	6	72
371907	12 x 13 mm	3983 3	6	72
371909	14 x 15 mm	3984 0	6	72
371911	16 x 17 mm	3985 7	6	72
371913	18 x 19 mm	3986 4	6	48




L-TYPE SOCKET WRENCH

- Chrome-Vanadium steel with satin finish
- 12-point short head and 6-point long head

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
373101	6 mm	2904 9	10	60
373103	7 mm	2905 6	10	60
373105	8 mm	2906 3	10	60
373107	9 mm	2907 0	10	60
373109	10 mm	2908 7	10	60
373111	11 mm	2909 4	10	60
373113	12 mm	2910 0	10	60
373115	13 mm	2911 7	10	60
373117	14 mm	2912 4	10	60
373119	15 mm	2913 1	10	60
373121	16 mm	2914 8	10	60
373123	17 mm	2915 5	6	36
373125	18 mm	2916 2	6	36
373127	19 mm	2917 9	6	36
373129	20 mm	2918 6	6	24
373131	21 mm	2919 3	6	24
373133	22 mm	2920 9	6	24
373135	23 mm	2921 6	6	12
373137	24 mm	2922 3	6	12
373139	25 mm	2923 0	6	12
373141	26 mm	2924 7	6	12
373143	27 mm	2925 4	6	12
373145	28 mm	2926 1	6	12
373147	30 mm	2927 8	6	12
373149	32 mm	2928 5	0	6



DOUBLE OPEN WRENCH

- Chrome-Vanadium steel with satin finish

CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
372003	6 x 7 mm	1504 2	6	72
372005	8 x 9 mm	1505 9	6	72
372007	10 x 11 mm	1506 6	6	72
372009	12 x 13 mm	1507 3	6	72
372011	14 x 15 mm	1508 0	6	72
372013	16 x 17 mm	1509 7	6	72
372015	18 x 19 mm	1510 3	6	48
372017	20 x 22 mm	1511 0	6	48
372018	21 x 23 mm	5042 5	6	48
372019	24 x 26 mm	1512 7	6	36
372020	25 x 28 mm	5043 2	6	24
372024	30 x 32 mm	5045 6	6	12

5 PC DOUBLE OPEN WRENCH SET-METRIC

- Chrome-Vanadium steel with satin finish
- 6 x 7, 8 x 9, 10 x 11, 12 x 13 & 14 x 15 mm

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
372405	5 pc	2867 7	6	24

8 PC DOUBLE OPEN WRENCH SET

- Chrome-Vanadium steel with satin finish
- 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19 & 20 x 22 mm

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
372408	8 pc	1552 3	0	10

5 PC L-TYPE SOCKET WRENCH SET

- Chrome-Vanadium steel with satin finish
- 12-point short head and 6-point long head
- 8, 10, 12, 13 & 17 mm

CR-V




Item No.	Size	EAN 69426292+	Inner	Outer
373165	5 pc	3027 4	4	16

DOUBLE RING WRENCH

- Chrome-Vanadium steel with satin finish

CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
372503	6 x 7 mm	1514 1	6	72
372505	8 x 9 mm	1515 8	6	72
372507	10 x 11 mm	1516 5	6	72
372509	12 x 13 mm	1517 2	6	72
372511	14 x 15 mm	1518 9	6	72
372513	16 x 17 mm	1519 6	6	72
372515	18 x 19 mm	1520 2	6	48
372517	20 x 22 mm	1521 9	6	48
372519	21 x 23 mm	1522 6	6	48
372521	24 x 27 mm	1523 3	6	36
372522	24 x 26 mm	5046 3	6	36
372524	25 x 28 mm	5047 0	6	24
372526	27 x 29 mm	5048 7	6	12
372528	30 x 32 mm	5049 4	6	12



7 PC DOUBLE RING WRENCH SET

- Chrome-Vanadium steel with satin finish
- 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 21 x 23 mm
- Nylon tool roll included

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
372907	7 pc	4355 7	0	8

8 PC DOUBLE RING WRENCH SET

- Chrome-Vanadium steel with satin finish
- 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19 & 20 x 22 mm

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
372908	8 pc	1553 0	0	10

FLARE NUT WRENCH

- Chrome-Vanadium steel with satin finish

CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
373005	9 x 11 mm	5807 0	6	72
373006	10 x 12 mm	7771 2	6	72
373007	13 x 14 mm	7773 6	6	72

6 PC TUBE WRENCH SET

- 8 x 9, 10 x 11, 12 x 13, 14 x 15, 17 x 19 mm

Item No.	Size	EAN 69426292+	Inner	Outer
373246	6 pc	8392 8	6	24

T-TYPE SOCKET WRENCH

Item No.	Size	EAN 69426292+	Inner	Outer
373258	8 mm	8269 3	6	24
373259	9 mm	8270 9	6	24
373260	10 mm	8271 6	6	24
373261	11 mm	8272 3	6	24
373262	12 mm	8273 0	6	24
373263	13 mm	8274 7	6	24
373264	14 mm	8275 4	6	24
373265	15 mm	8276 1	6	24
373266	16 mm	8277 8	6	24
373267	17 mm	8278 5	6	24
373268	18 mm	8279 2	6	24
373269	19 mm	8280 8	6	24

LUG NUT WRENCH

- 17 x 19 x 21 x 22 mm (11/16 x 3/4 x 13/16 x 7/8 in.)

Item No.	Size	EAN 69426292+	Inner	Outer
373307	500 mm (20 in.)	3426 5	0	10

8 PC 3/8 in. DR. CROWFOOT WRENCH SET

- Chrome-Vanadium steel with satin finish
- 10, 11, 13, 14, 15, 18, 19, 22 mm

Item No.	Size	EAN 69426292+	Inner	Outer
373318	8 pc	6086 8	6	24

SPARK PLUG WRENCH

Item No.	Size	EAN 69426292+	Inner	Outer
373341	14 mm	8391 1	6	24

FILTER PLIERS

- Max open capacity: 60 to 120 mm (2-3/8 to 4-3/4 in.)

Item No.	Size	EAN 69426292+	Inner	Outer
373482	300 mm (12 in.)	5136 1	6	24

STRAP FILTER WRENCH

- Use with 1/2 in. DR. ratchet

Item No.	Size	EAN 69426292+	Inner	Outer
373503		3427 2	6	24



OIL FILTER WRENCH

Item No.	Size	EAN 69426292+	Inner	Outer
373486	60 to 73 mm (2-3/8 to 2-7/8 in.)	7775 0	6	36
373487	85 to 95 mm (3-3/8 to 3-3/4 in.)	7779 8	6	36

11 PC BRAKE PISTON WIND BACK TOOL SET


- Allow easy return of the brake piston into the caliper providing clearance for replacement brake pads
- Fits most vehicles



Item No.	Size	EAN 69426292+	Inner	Outer
373601	11 pc	5806 3	0	6

RUBBER STRAP WRENCH

- Capacity 150 mm (6 in.) dia.



Item No.	Size	EAN	Inner	Outer
373507	150 mm (6 in.)	69426292+	7058 4	6 24

1/2 in. DR. TORQUE WRENCH METRIC & SAE

- 42 - 210 N.m (31 - 154.9 ft. lb)
- Rapid adjustment to required torque setting



Item No.	Size	EAN	Inner	Outer
375007	1/2 in. Dr.	69426292+	3429 6	0 8



TIE DOWN CAMBUCKLE

- Rubber covered cam buckle
- Working load limit 125 kg (275 lbs.)
- Breaking strength 250 kg (550 lbs.)
- S-hook



Item No.	Size	EAN	Inner	Outer
376001	3 m x 25 mm (10 ft. x 1 in.)	2395 5	10	20
376002	2 pc 3 m x 25 mm (10 ft. x 1 in.)	2396 2	3	6
376004	4 pc 3 m x 25 mm (10 ft. x 1 in.)	2397 9	3	6

RATCHET TIE DOWN

- Rubber covered cam buckle
- Working load limit 250 kg (550 lbs.)
- Breaking strength 500 kg (1100 lbs.)
- S-hook



Item No.	Size	EAN	Inner	Outer
376021	3 m x 25 mm (10 ft. x 1 in.)	2398 6	10	20
376022	2 pc 3 m x 25 mm (10 ft. x 1 in.)	2399 3	3	6
376024	4 pc 3 m x 25 mm (10 ft. x 1 in.)	2400 6	3	6

RATCHET TIE DOWN

- Rubber covered handle for comfort
- Working load limit 300 kg (660 lbs.)
- Breaking strength 600 kg (1320 lbs.)
- S-hook



Item No.	Size	EAN	Inner	Outer
376031	5 m x 25 mm (16 ft. x 1 in.)	2401 3	6	12
376032	2 pc 5 m x 25 mm (16 ft. x 1 in.)	2402 0	3	6
376034	4 pc 5 m x 25 mm (16 ft. x 1 in.)	2403 7	3	6

RATCHET TIE DOWN

- Heavy duty handle for comfort
- Working load limit 1000 kg (2200 lbs.)
- Breaking strength 2000 kg (4400 lbs.)
- Double J-hook



Item No.	Size	EAN	Inner	Outer
376041	5 m x 38 mm (16 ft. x 1-1/2 in.)	2404 4	6	12
376042	2 pc 5 m x 38 mm (16 ft. x 1-1/2 in.)	2405 1	3	6

RATCHET TIE DOWN HEAVY DUTY

- Heavy duty handle for comfort
- Working load limit 2000 kg (4400 lbs.)
- Breaking strength 4000 kg (8800 lbs.)
- Double J-hook



Item No.	Size	EAN	Inner	Outer
376061	10 m x 50 mm (33 ft. x 2 in.)	2406 8	3	6

TOW STRAP

- Working load limit 2000 kg (4400 lbs.)
- Breaking strength 4000 kg (8800 lbs.)
- EYE hook



Item No.	Size	EAN	Inner	Outer
376206	6 m x 50 mm (20 ft. x 2 in.)	1631 5	4	8

2 PC BUNGEE CORD

- Working load limit 7 kg (15 lbs.)
- Breaking strength 14 kg (30 lbs.)



Item No.	Size	EAN	Inner	Outer
376401	60 cm x 8 mm (2 ft. x 5/16 in.)	2218 7	12	72
376402	80 cm x 8 mm (2-5/8 ft. x 5/16 in.)	2355 9	12	72
376403	100 cm x 8 mm (3-9/32 ft. x 5/16 in.)	7212 0	12	72

8 ARM BUNNGEE CORD

- Working load limit 7 kg (15 lbs.)
- Breaking strength 14 kg (30 lbs.)



Item No.	Size	EAN	Inner	Outer
376418	60 cm x 8 mm (2 ft. x 5/16 in.)	8303 4	12	72

20 PC BUNNGEE CORD


- 4 pc 25 cm x 4 mm
- 4 pc 45 cm x 8 mm
- 4 pc 50 cm x 8 mm
- 4 pc 60 cm x 8 mm
- 4 pc 75 cm x 8 mm



Item No.	Size	EAN	Inner	Outer
376420	20 pc	8389 8	0	6

BOOSTER CABLE

- Heavy-duty copper coated aluminum (CCA) cables
- With fully insulated clamps



Item No.	Size	Max capacity	EAN	Inner	Outer
380016	3 m x 16 mm ²	220 A	5022 7	0	8
380025	3.5 m x 25 mm ²	350 A	5023 4	0	6
380035	4.5 m x 35 mm ²	480 A	5024 1	0	4

LEVER GREASE GUN

- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 1 pc straight pipe included
- Working pressure 4500 PSI
- Max pressure 8500 PSI



Item No.	Size	EAN	Inner	Outer
381002	500 cc (14 oz.)	2799 1	0	12

HIGH-GRADE LEVER GREASE GUN

- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 1 pc straight pipe included
- Working pressure 4500 PSI
- Max pressure 8500 PSI



Item No.	Size	EAN	Inner	Outer
381006	500 cc (14 oz.)	1524 0	0	12

ALUMINIUM GREASE GUN

- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 1 pc straight pipe included
- Working pressure 4500 PSI
- Max pressure 9000 PSI
- Lightweight



Item No.	Size	EAN	Inner	Outer
381010	500 cc (14 oz.)	6185 8	0	12

PISTOL-TYPE GREASE GUN

- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 1 pc straight pipe included
- Working pressure 4500 PSI
- Max pressure 8500 PSI



Item No.	Size	EAN	Inner	Outer
381014	500 cc (14 oz.)	6280 0	0	12

MINI GREASE GUN

- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 2 pc straight pipe included
- Working pressure 2000 PSI
- Max pressure 4000 PSI



Item No.	Size	EAN	Inner	Outer
381018	120 cc (3 oz.)	6360 9	4	12

OIL CAN RIGID HOSE



Item No.	Size	EAN	Inner	Outer
382503	250 ml	2791 5	10	60
382505	400 ml	2796 0	10	60

OIL CAN FLEX HOSE



Item No.	Size	EAN	Inner	Outer
382513	250 ml	2797 7	10	60
382515	400 ml	2798 4	10	60



FUNNEL



Item No.	Size	EAN 69426292+	Inner	Outer
382601	14 cm	1566 0	0	24

FUNNEL



Item No.	Size	EAN 69426292+	Inner	Outer
382602	22 cm	7048 5	0	13

4 PC FUNNEL SET

- 50, 75, 95, 115 mm



Item No.	Size	EAN 69426292+	Inner	Outer
382604	4 pc	6974 8	0	25

2-IN-1 FUNNEL



Item No.	Size	EAN 69426292+	Inner	Outer
382605	2-in-1	7051 5	0	18

PULLER 2-ARM

- Chrome-Vanadium steel
- For external and internal pulling



Item No.	A	B	EAN 69426292+	Outer
383001	75 mm (3 in.)	60 mm (2-3/8 in.)	7011 9	10
383002	100 mm (4 in.)	100 mm (4 in.)	7012 6	10
383003	150 mm (6 in.)	160 mm (6-5/16 in.)	7013 3	6
383004	200 mm (8 in.)	260 mm (10-1/4 in.)	7014 0	4

PULLER 3-ARM

- Chrome-Vanadium steel
- For external and internal pulling



Item No.	A	B	EAN 69426292+	Outer
383011	75 mm (3 in.)	60 mm (2-3/8 in.)	7015 7	10
383012	100 mm (4 in.)	100 mm (4 in.)	7016 4	10
383013	150 mm (6 in.)	160 mm (6-5/16 in.)	7017 1	6
383014	200 mm (8 in.)	260 mm (10-1/4 in.)	7018 8	3

4 CASTER CREEPER

- Heavy duty powder coated steel frame
- Shielded 63 mm (2-1/2 in.) swivel casters allow easy 360-degree movement



Item No.	Size	EAN 69426292+	Inner	Outer
385004	910 x 425 x 120 mm (36 x 16-3/4 x 4-3/4 in.)	5355 6	0	1

6 CASTER CREEPER


- Lever action headrest adjusts to 3 positions
- Heavy duty powder coated steel frame
- Shielded 63 mm (2-1/2 in.) swivel casters allow easy 360-degree movement



Item No.	Size	EAN 69426292+	Inner	Outer
385006	1010 x 425 x 125 mm (40 x 16-3/4 x 5 in.)	5356 3	0	1

5 CASTER WORK SEAT

- Pneumatic adjust height
- Loading capacity max 115 kg (250 lbs.)
- Shielded 63 mm (2-1/2 in.) swivel casters allow easy 360-degree movement



Item No.	Size	EAN 69426292+	Inner	Outer
385030		7774 3	0	4

CHAIN BLOCK

- Heavy duty construction



Item No.	Size	EAN 69426292+	Inner	Outer
385301	0.5T x 3 M	5357 0	0	1
385302	1T x 3 M	5358 7	0	1
385304	2T x 3 M	5359 4	0	1
385306	3T x 3 M	5360 0	0	1
385308	5T x 3 M	5361 7	0	1

BLOCK LEVER

- Heavy duty construction



Item No.	Size	EAN 69426292+	Inner	Outer
385351	0.75T x 1.5 M	5362 4	0	1
385353	1.5T x 1.5 M	5363 1	0	1
385355	3T x 1.5 M	5364 8	0	1
385358	6T x 1.5 M	5365 5	0	1

WIRE ROPE WINCH

- 1 pc handle
- 1 pc winch
- 1 pc wire



Item No.	Size	EAN 69426292+	Inner	Outer
385384	1.6T x 20 M	5366 2	0	5
385386	3.2T x 20 M	5367 9	0	5

FEELER GAUGE 15 BLADE

- 90 mm (3.5 in.) leaf is 12 mm (1/2 in.) wide.
- 75 mm (3 in.) ruler.

Metric (mm)	SAE (inch)	Metric (mm)	SAE (inch)
0.05	0.002	0.33	0.013
0.08	0.003	0.35	0.014
0.10	0.004	0.40	0.016
0.13	0.005	0.45	0.018
0.15	0.006	0.50	0.020
0.20	0.008	0.55	0.022
0.28	0.011	0.63	0.025
0.30	0.012		



Item No.	Size	EAN 69426292+	Inner	Outer
386115	15 blade	2788 5	10	60

FEELER GAUGE 26 BLADE

- 90 mm (3.5 in.) leaf is 12 mm (1/2 in.) wide.

Metric (mm)	SAE (inch)	Metric (mm)	SAE (inch)
0.04	0.0015	0.33	0.013
0.05	0.002	0.35	0.014
0.06	0.0025	0.38	0.015
0.08	0.003	0.40	0.016
0.10	0.004	0.43	0.017
0.13	0.005	0.45	0.018
0.15	0.006	0.48	0.019
0.18	0.007	0.50	0.020
0.20	0.008	0.53	0.021
0.23	0.009	0.55	0.022
0.25	0.010	0.58	0.023
0.28	0.011	0.60	0.024
0.30	0.012	0.63	0.025



Item No.	Size	EAN 69426292+	Inner	Outer
386126	26 blade	3028 1	10	60

HIGH PRESSURE TIRE GAUGE

- Angled chuck for easy use
- With pocket clip



Item No.	Size	EAN 69426292+	Inner	Outer
386135	10-120 PSI (1.0-8.0 kg/cm²)	3430 2	12	120

MAGNETIC TRAY

- Stainless steel



Item No.	Size	EAN 69426292+	Inner	Outer
386201	240 mm (9-3/8 in.) x140 mm (5-1/2 in.)	2789 2	6	24

MAGNETIC TRAY

- Stainless steel



Item No.	Size	EAN 69426292+	Inner	Outer
386203	150 mm (6 in.)	2838 7	6	24

MAGNETIC BAR



Item No.	Size	EAN 69426292+	Inner	Outer
386225	50 cm (20 in.)	5168 2	0	24

5 PC SCREW EXTRACTOR


- #1 (3.1-6.3 mm),
- #2 (6.3-7.9 mm),
- #3 (7.9-11.1 mm),
- #4 (11.1-14.2 mm),
- #5 (14.2-19.0 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
386405	5 pc	7145 1	10	60

NUT SPLITTER

- For splitting worn or jammed nuts



Item No.	Size	EAN 69426292+	Inner	Outer
386501	11 - 22 mm (7/16 - 7/8 in.)	0873 0	6	24

19 PC CAR TRIM REMOVAL TOOL SET


- For removal & manipulation of interior trims, door panels, and other applications



Item No.	Size	EAN 69426292+	Inner	Outer
389019	19 pc	1626 1	0	12

WIRE STRIPPER

- Single stranded cable: strips 0.5-2.0 mm diameter (#12-#24 AWG), cuts 0.32-1.6 mm diameter (#14-#28 AWG)
- Also strips and cuts wide cable and ribbon cable



	(DIA.) Ø mm	0.5-2.0	0.32-1.6
	(SECTION) mm² AWG NO.	0.2-3.3 #12-#24	0.08-2.0 #14-#28
	(SECTION) mm² AWG NO.	0.2-5.5 #10-#24	0.08-3.5 #12-#28
	(SECTION) mm² AWG NO.	0.2-0.5 #20-#24	0.08-8 #8-#28

Item No.	Size	EAN 69426292+	Inner	Outer
400001		1525 7	6	24

WIRE STRIPPER AUTOMATIC

- Strips 1.0, 1.6, 2.0, 2.6, 3.2 mm diameter cable
- Automatic clamping action and length gauge ensures stripped ends are uniform.

1.0	1.6	2.0	2.6	3.2 mm
0.039	1/16	5/64	3/32	1/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
400011		1526 4	6	24

AUTOMATIC WIRE STRIPPER

- Wire stripping: 0.2-6.0 mm² (#10-#24 AWG)
- Wire crimping: insulated & non-insulated terminals 0.5-6.0 mm² (#10-#22 AWG)
- Wire cutter



Cutting Crimping

Item No.	Size	EAN 69426292+	Inner	Outer
400015		4199 7	6	24

CABLE STRIPPER

- Self locking adjustable cutting depth
- Suitable for 8-28 mm dia cables



Item No.	Size	EAN 69426292+	Inner	Outer
400030	8-28 mm	9037 7	6	24

WIRE STRIPPER

- Stripping cable range: 0.8-2.6 mm (#10-#20 AWG)
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
401001	165 mm (6-1/2 in.)	1527 1	6	24

CRIMPING PLIER

- Crimping insulated terminals 26-14, 12-10, 22-10
- Cut bolts size: 6-32, 8-32, 10-32, 10-24, 4-40
- Wire stripping AWG #8-#26
- Wire cutting function



Item No.	Size	EAN 69426292+	Inner	Outer
401009	215 mm (8-1/2 in.)	1530 1	6	24

3-IN-1 CRIMPING TOOL

- Ratchet function
- Crimps modular connectors in 8P-RJ45 and 6P-RJ11/12 formats
- Cuts and strips formal network and telephone cable.



Item No.	Size	EAN 69426292+	Inner	Outer
401013	3-in-1	9353 8	6	24

TERMINAL CRIMPING TOOL

- Ratchet function
- Crimping insulated terminals: red 0.5-1 mm² (#18-#20 AWG), blue 1.5-2.5 mm² (#14-#16 AWG), yellow 4-6 mm² (#10-#12 AWG).



Item No.	Size	EAN 69426292+	Inner	Outer
401035		9354 5	6	24

INSULATED CABLE KNIFE

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
401802	180 mm (7 in.)	5381 5	6	48

INSULATED DISMANTLING KNIFE

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
401803VD	180 mm (7 in.)	9346 0	6	48

DIGITAL MULTIMETER

- AC Voltage: 200 V/600 V $\pm$ (1.2% + 10)
- DC Voltage: 200 mV/2 V/20 V/200 V $\pm$ (0.5% + 2), 600 V $\pm$ (0.8% + 3)
- DC Current: 20 μ A/200 μ A/2 mA/20 mA $\pm$ (1.0% + 2), 200 mA $\pm$ (1.5% + 2), 10 A $\pm$ (3% + 2)
- Resistance: 200 Ω $\pm$ (0.8% + 3), 2 k Ω /20 k Ω /200 k Ω $\pm$ (0.8% + 2), 2 M Ω $\pm$ (1.0% + 2)
- Diode test
- Data hold



Item No.	Size	EAN 69426292+	Inner	Outer
403001		2857 8	6	24

DIGITAL MULTIMETER

- AC Voltage: 2 V/20 V/200 V $\pm$ (0.8% + 4), 600 V $\pm$ (1.2% + 3)
- AC Current: 2 mA/20 mA $\pm$ (1.2% + 3), 200 mA $\pm$ (2.0% + 3), 10 A $\pm$ (3.0% + 7)
- DC Voltage: 200 mV $\pm$ (0.5% + 2), 2 V/20 V/200 V $\pm$ (0.5% + 3), 600 V $\pm$ (0.8% + 2)
- DC Current: 200 μ A/2 mA/20 mA $\pm$ (0.8% + 2), 200 mA $\pm$ (1.2% + 2), 10 A $\pm$ (2.0% + 5)
- Resistance: 200 Ω $\pm$ (0.8% + 3), 2 k Ω /20 k Ω /200 k Ω /2 M Ω $\pm$ (0.8% + 2), 20 M Ω $\pm$ (1.0% + 2)
- Continuity test with buzzer
- Low battery Indication
- Polarity indication
- Diode test
- Data hold



Item No.	Size	EAN 69426292+	Inner	Outer
403005		2858 5	6	24

2-IN-1 DIGITAL MULTIMETER

- AC Voltage: 200 mV/2 V/20 V/200 V $\pm$ (0.8% + 3), 600 V $\pm$ (1.0% + 3)
- AC Current: 200 μ A/2 mA/20 mA/200 mA $\pm$ (1.5% + 5), 2 A/10 A $\pm$ (3.0% + 10)
- DC Voltage: 200 mV/2 V/20 V/200 V /600 V $\pm$ (0.7% + 2)
- DC Current: 200 μ A/2 mA/20 mA /200 mA $\pm$ (1.2% + 3), 2 A/10 A $\pm$ (2.0% + 10)
- Resistance: 200 Ω $\pm$ (1.0% + 3), 2 k Ω /20 k Ω /200 k Ω /2 M Ω $\pm$ (1.0% + 1), 20 M Ω $\pm$ (1.0% + 5)
- No Contact AC Voltage Detector
- Continuity test with buzzer
- Auto Range
- Auto Power Off
- Diode Test
- Data Hold
- Battery test



Item No.	Size	EAN 69426292+	Inner	Outer
403021		2859 2	6	24

DIGITAL MULTIMETER

- AC Voltage: 0.1 mV-600 V $\pm$ (1.0% + 3)
- AC Current: 0.1 μ A-10 A $\pm$ (1.8% + 5)
- DC Voltage: 0.1 mV-600 V $\pm$ (0.5% + 3)
- DC Current: 0.1 μ A-10 A $\pm$ (1.5% + 3)
- Resistance: 0.1 Ω -40 M Ω $\pm$ (0.5% + 2)
- Capacitance: 0.01 nF-100 μ F $\pm$ (3.0% + 5)
- Frequency: 0.01 Hz-100 KHz $\pm$ (0.1% + 3)
- Temperature: -55 $^{\circ}$ C-1000 $^{\circ}$ C $\pm$ (2.0% + 3)
- Data hold
- Manual ranging and auto range mode
- Battery saver
- Relative measurement mode
- Diode test
- Continuity check with buzzer
- Frequency and duty cycle measurement



Item No.	Size	EAN 69426292+	Inner	Outer
403035		2860 8	6	24

AC CLAMP METER

- AC Voltage: 1000 V $\pm$ (1.2% + 5)
- AC Current: 20 A/200 A $\pm$ (2.0% + 5), 1000 A $\pm$ (2.5% + 7)
- DC Voltage: 1000 V $\pm$ (1.0% + 2)
- Resistance :200 Ω /2 k Ω $\pm$ (1.0% + 3)
- Continuity test with buzzer
- Diode test
- Date hold
- Back light



Item No.	Size	EAN 69426292+	Inner	Outer
403057		2862 2	6	24

INFRARED THERMOMETER

- Temperature range: -35-380 °C (-31-716 °F)
- Accuracy + / -2%
- Resolution 0.1 °C (0.1 °F)
- Response time: 800 ms
- Distance to spot ratio 10:1
- Backlit LCD display



Item No.	Size	EAN	Inner	Outer
405503	10 W EU PLUG	69426292+	0	10

STUD DETECTOR

- Three detecting mode: AC wire, studs and metal
- Auto-calibration
- Sound alarm and LED indicator
- Detecting depth: metal 38 mm, AC wire 50 mm, stud 19 mm



Item No.	Size	EAN	Inner	Outer
405602	3-in-1	69426292+	5	20

VOLTAGE DETECTOR


- VDE/GS & CE certified
- 125-250 V



Item No.	Size	EAN	Inner	Outer
405001	140 mm (5-1/2 in.)	69426292+	10	60

INSPECTION CAMERA

- 2.4 in. color LCD monitor
- 4 position image rotation
- Camera resolution 640 x 480
- 1 m cable
- IP67 (camera probe only)



Item No.	Size	EAN	Inner	Outer
405552	10 W EU PLUG	69426292+	0	10

3-IN-1 STUD DETECTOR

- Backlit LCD display
- Three detection modes: AC wire 50 mm (2 in.), metal 38 mm (1-1/2 in.), wood joists 19 mm (3/4 in.)



Item No.	Size	EAN	Inner	Outer
405603	3-in-1	69426292+	5	20

VOLTAGE DETECTOR

- VDE/GS & CE certified
- 125-250 V



Item No.	Size	EAN	Inner	Outer
405005	190 mm (7-1/2 in.)	69426292+	10	60

HEAT GUN 2000 W EU PLUG

- EU plug, 220-240 V, 50 Hz
- Power 2000 W
- 2 temperature set: 440 & 600 °C
- 2 air flow ranges: 250 & 550 l/min.



Item No.	Size	EAN	Inner	Outer
406301EU	2000 W EU plug	8073 6	0	10

VOLTAGE DETECTOR

- CE certified
- 6-12-24 V



Item No.	Size	EAN	Inner	Outer
405021	140 mm (5-1/2 in.)	1535 6	10	60

GLUE GUN 10 W EU PLUG

- 230 V EU plug
- Cord length 1 m
- 2 pc 7.2 x 100 mm glue included



Item No.	Size	EAN	Inner	Outer
406001EU	10 W EU PLUG	69426292+	12	48

GLUE GUN 40 W EU PLUG

- 230 V EU plug
- Cord length 1 m
- 2 pc 11.2 x 100 mm glue included



Item No.	Size	EAN	Inner	Outer
406004EU	40 W EU PLUG	69426292+	12	48

GLUE GUN 80 W EU PLUG

- 230 V EU plug
- Cord length 1 m
- 2 pc 11.2 x 100 mm glue included



Item No.	Size	EAN	Inner	Outer
406008EU	80 W EU PLUG	7082 9	12	48

GLUE GUN 10 W US PLUG

- 120 V US plug
- Cord length 1.5 m
- 2 pc 7.2 x 100 mm glue included



Item No.	Size	EAN	Inner	Outer
406001US	10 W US PLUG	7077 5	12	48

GLUE GUN 40 W US PLUG

- 120 V US plug
- Cord length 1.5 m
- 2 pc 11.2 x 100 mm glue included



Item No.	Size	EAN	Inner	Outer
406004US	40 W US PLUG	7078 2	12	48

GLUE GUN 60 W US PLUG

- 120 V US plug
- Cord length 1.5 m
- 2 pc 11.2 x 100 mm glue included



Item No.	Size	EAN	Inner	Outer
406008US	60 W US PLUG	7079 9	12	48



GLUE STICK



Item No.	Size	EAN	Inner	Outer
406101	12 pc 11.2 x 100 mm	7083 6	12	72
406113	12 pc 7.2 x 100 mm	7084 3	12	72

NYLON CABLE TIE -BLACK



Item No.	Size	EAN	Inner	Outer
408011	100 pc 100 mm (4 in.) x 2.5 mm	1536 3	10	100
408015	100 pc 150 mm (6 in.) x 3.6 mm	1538 7	10	100
408019	100 pc 200 mm (8 in.) x 3.6 mm	1540 0	10	100
408023	100 pc 250 mm (10 in.) x 3.6 mm	1542 4	10	100
408027	100 pc 300 mm (12 in.) x 4.7 mm	1544 8	10	60
408031	100 pc 350 mm (14 in.) x 4.7 mm	1546 2	10	60

NYLON CABLE TIE -WHITE



Item No.	Size	EAN	Inner	Outer
408013	100 pc 100 mm (4 in.) x 2.5 mm	1537 0	10	100
408017	100 pc 150 mm (6 in.) x 3.6 mm	1539 4	10	100
408021	100 pc 200 mm (8 in.) x 3.6 mm	1541 7	10	100
408025	100 pc 250 mm (10 in.) x 3.6 mm	1543 1	10	100
408029	100 pc 300 mm (12 in.) x 4.7 mm	1545 5	10	60
408033	100 pc 350 mm (14 in.) x 4.7 mm	1547 9	10	60

SOLDERING IRON BS PLUG

• 230~240 V BS PLUG • Cord length 1.2 m



Item No.	Size	EAN	Inner	Outer
406502BS	25 W	69426292+ 8417 8	10	60

SOLDERING IRON EU PLUG

• 230~240 V EU plug • Cord length 1.2 m



Item No.	Size	EAN	Inner	Outer
406502EU	25 W	69426292+ 7092 8	10	60
406503EU	30 W	7093 5	10	60
406504EU	40 W	7094 2	10	60
406506EU	60 W	7095 9	10	60
406508EU	80 W	7096 6	10	60
406510EU	100 W	7097 3	10	60

SOLDERING IRON US PLUG

• 120 V US plug • Cord length 1.2 m



Item No.	Size	EAN	Inner	Outer
406502US	25 W	7085 0	10	60
406503US	30 W	7086 7	10	60
406504US	40 W	7087 4	10	60
406506US	60 W	7088 1	10	60
406508US	80 W	7089 8	10	60
406510US	100 W	7090 4	10	60

SOLDERING GUN 100 W EU PLUG

• 230 V EU plug • Cord length 1.5 m



Item No.	Size	EAN	Inner	Outer
406710EU	100 W EU PLUG	69426292+ 7098 0	6	36

SOLDERING GUN 100 W US PLUG

• 120 V US plug • Cord length 1.5 m



Item No.	Size	EAN	Inner	Outer
406710US	100 W US PLUG	69426292+ 7091 1	6	36

SOLDER IRON STAND



Item No.	Size	EAN	Inner	Outer
406905		69426292+ 7101 7	6	36

SOLDER WICK 20 g (0.7 oz.)



• Lead-Free



Item No.	Size	EAN	Inner	Outer
406901	20 g (0.7 oz.)	69426292+ 7099 7	10	60

SOLDER WICK 100 g (3.5 oz.)

• Lead-Free



Item No.	Size	EAN	Inner	Outer
406903	100 g (3.5 oz.)	69426292+ 7100 0	10	60

SOLDER SUCKER

• Removes surplus molten solder




Item No.	Size	EAN	Inner	Outer
406907		69426292+ 7102 4	10	60

SOLDER PASTE 20 g (0.7 oz.)



Item No.	Size	EAN	Inner	Outer
406909	20 g (0.7 oz.)	69426292+ 7103 1	10	60





Only tools bearing this test mark can be called insulated tools approved by the German VDE Center.

VDE insulation:
insulated up to 1000 V acc. to
EN /IEC 60900



INSULATED LONG NOSE PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
201003	200 mm (8 in.)	69426292+	6	24

INSULATED COMBINATION PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
201011	200 mm (8 in.)	69426292+	6	24

3 PC INSULATED PLIERS SET

- 160 mm (6 in.) diagonal pliers
- 160 mm (6 in.) long nose pliers
- 200 mm (8 in.) combination pliers
- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN	Inner	Outer
201083	3 pc	69426292+	6	12

INSULATED DIAGONAL PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
201005	160 mm (6 in.)	69426292+	6	24

INSULATED BENT NOSE PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
201017	160 mm (6 in.)	69426292+	6	24

INSULATED COMBINATION PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
201063	230 mm (9 in.)	69426292+	6	24

INSULATED WIRE STRIPPER

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle





Item No.	Size	EAN	Inner	Outer
201025	160 mm (6 in.)	69426292+	6	24

INSULATED ADJUSTABLE WRENCH

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle




Item No.	Size	EAN	Inner	Outer
210142VD	200 mm (8 in.)	9330 9	6	24
210143VD	250 mm (10 in.)	9331 6	6	24



INSULATED SCREWDRIVER SLOTTED

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN	Inner	Outer
205500	2.5 x 75 mm	69426292+	6	60
205501	3 x 75 mm	1450 2	6	60
205503	4 x 100 mm	1451 9	6	60
205505	5.5 x 125 mm	1452 6	6	60
205509	8.0 x 175 mm	3001 4	6	60

INSULATED SCREWDRIVER PHILLIPS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN	Inner	Outer
205511	#0 x 60 mm	1453 3	6	60
205513	#1 x 80 mm	1454 0	6	60
205515	#2 x 100 mm	1455 7	6	60

INSULATED SCREWDRIVER POZI

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN	Inner	Outer
205523	#1 x 80 mm	69426292+	6	60

12 PC INSULATED INTERCHANGEABLE SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- Interchangeable shank
- Include 1 pc VDE handle, 10 pc S2 steel interchangeable VDE shank
- 2.0, 2.5, 3.0, 3.5, 4.0, 5.5, 6.5 mm
- #0, #1, #2
- 1 pc VDE tester 125-250 V
- Nylon pouch included



Item No.	Size	EAN	Inner	Outer
205605VD	12 pc	9322 4	6	24

6 PC INSULATED SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- 3 x 75 mm, 4 x 100 mm & 5.5 x 125 mm
- #0 x 60 mm, #1 x 80 mm & #2 x 100 mm



Item No.	Size	EAN	Inner	Outer
205601	6 pc	1459 5	6	24

7 PC INSULATED PRECISION SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- S2 steel
- Include 1.5, 1.8, 2.0, 2.5, 3.0 mm
- #00, #0
- Plastic storage case included



Item No.	Size	EAN	Inner	Outer
205793VD	7 pc	9323 1	6	24

INSULATED JUNIOR HACKSAW

- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
267117VD	150 mm (6 in.)	9356 9	6	24

INSULATED OPEN END WRENCH

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
370708VD	8 mm	9368 2	6	12
370710VD	10 mm	9369 9	6	12
370712VD	12 mm	9370 5	6	12
370713VD	13 mm	9371 2	6	12
370714VD	14 mm	9372 9	6	12
370715VD	15 mm	9373 6	6	12
370717VD	17 mm	9374 3	6	12
370719VD	19 mm	9375 0	6	12

1/2 in. DR. INSULATED SOCKET
6PT

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
361273VD	10 mm	9357 6	6	12
361275VD	12 mm	9358 3	6	12
361276VD	13 mm	9359 0	6	12
361277VD	14 mm	9360 6	6	12
361280VD	17 mm	9361 3	6	12
361282VD	19 mm	9362 0	6	12
361285VD	22 mm	9363 7	6	12
361287VD	24 mm	9364 4	6	12

1/2 in. DR. INSULATED RATCHET
HANDLE

- VDE/GS certified
- 1000 V insulated
- Chrome-Molybdenum steel
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362351VD	240 mm	9365 1	0	6

1/2 in. DR. INSULATED T-HANDLE

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
362353VD		9366 8	6	12

1/2 in. DR. INSULATED EXTENSION
BAR

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
362355VD	125 mm (5 in.)	9367 5	6	12

INSULATED ELECTRICIAN
SCISSORS

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
473022VD	160 mm (6-1/4 in.)	9347 7	6	24

INSULATED CABLE KNIFE

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
401802	180 mm (7 in.)	5381 5	6	48

INSULATED DISMANTLING KNIFE

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
401803VD	180 mm (7 in.)	9346 0	6	48

VOLTAGE DETECTOR

- VDE/GS & CE certified
- 125-250 V



Item No.	Size	EAN 69426292+	Inner	Outer
405001	140 mm (5-1/2 in.)	1531 8	10	60

VOLTAGE DETECTOR


- VDE/GS & CE certified
- 125-250 V



Item No.	Size	EAN 69426292+	Inner	Outer
405005	190 mm (7-1/2 in.)	1532 5	10	60

MULTI-TOOL 15-IN-1


- Long nose pliers, regular pliers, wire cutter, knife, small slot screwdriver, reamer, can opener, bottle opener, mini slot screwdriver, wire stripper, wood saw, medium slot screwdriver, PH screwdriver, nail file, big slot screwdriver
- Nylon pouch included



Item No.	Size	EAN 69426292+	Inner	Outer
471005	15-in-1	2615 4	6	24

MINI MULTI-TOOL 17-IN-1

- Long nose pliers, regular pliers, wire cutter, knife, saw knife, key ring, PH screwdriver, bottle opener, medium slot screwdriver, wire stripper, can opener, mini slot screwdriver, reamer, metal file, nail file, nail cleaner, small slot screwdriver
- Nylon pouch included



Item No.	Size	EAN 69426292+	Inner	Outer
471015	17-in-1	2616 1	6	36

SCISSORS

- Stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
473001	175 mm (7 in.)	1567 7	6	24

SCISSORS

- Stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
473005	275 mm (10-3/4 in.)	1568 4	6	24

SCISSORS

- Stainless steel
- Serrated blade for gripping materials
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
473021	145 mm (5-11/16 in.)	1569 1	6	24

INSULATED ELECTRICIAN
SCISSORS

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
473022VD	160 mm (6-1/4 in.)	9347 7	6	24

SCISSORS

- Stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
473031	180 mm (7 in.)	1570 7	6	24

2 PC SCISSORS SET

- Stainless steel
- Non-slip bi-material handle
- 140 mm (5-1/2 in.) & 275 mm (10-3/4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
473039	2 pc	1571 4	6	24

MULTI FUNCTION SCISSORS

- Scissors, small knife, nut cracker, cable cutter, wire cutter, fish scale remover, bottle opener, jar opener, peeler, slotted screwdriver
- 3.5 mm thickness stainless steel blade
- Ergonomic large non-slip handle



Item No.	Size	EAN 69426292+	Inner	Outer
473055	220 mm (8-3/4 in.)	4940 5	6	24

HUNTING KNIFE

- Stainless steel blade
- Nylon pouch included
- Blade length 127 mm (5 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
475051	240 mm (9-1/2 in.)	1574 5	6	24

FOLDING KNIFE

- Stainless steel blade
- Safety locking function
- One hand operation with ball bearing system
- Aluminum handle with belt clip
- Blade length 85 mm (3-1/2 in.)
- Seat belt cutter & glass breaker



FOLDING KNIFE

- Stainless steel blade
- One hand operation
- Safety locking function
- Color wood handle with belt clip
- Blade length 76 mm (3 in.)



Item No.	Size	EAN	Inner	Outer
475201	178 mm (7 in.)	69426292+ 1581 3	6	24

FOLDING KNIFE

- Stainless steel blade
- One hand operation
- Safety locking function
- Nylon pouch included
- Blade length 83 mm (3-1/4 in.)



Item No.	Size	EAN	Inner	Outer
475227	200 mm (8 in.)	69426292+ 4881 1	6	48



FOLDING KNIFE

- Stainless steel
- Blade length 50 mm (2 in.)
- Safety locking function
- Color wood handle



Item No.	Size	EAN	Inner	Outer
475210	115 mm (4-1/2 in.)	69426292+ 9038 4	6	24

DOUBLE EDGE SERRATED KNIFE

- Mirror polishing stainless steel blade
- Non-slip bi-material handle
- Nylon pouch included
- Blade length 285 mm (11-1/4 in.)
- For cutting mineral wool insulation



Item No.	Size	EAN	Inner	Outer
475501	415 mm (16-3/8 in.)	69426292+ 4918 4	6	36

FOLDING KNIFE

- Stainless steel blade
- One hand operation
- Safety locking function
- Aluminum handle with belt clip
- Blade length 95 mm (3-3/4 in.)



Item No.	Size	EAN	Inner	Outer
475115	230 mm (9 in.)	69426292+ 1577 6	6	24

FOLDING KNIFE

- Stainless steel
- Blade length 80 mm (3-1/8 in.)
- Safety locking function
- Color wood handle



Item No.	Size	EAN	Inner	Outer
475211	185 mm (7-1/4 in.)	69426292+ 9041 4	6	24

SQUARE PADLOCK

- Brass body with stainless steel shell
- Hardened shackle
- With 3 keys



Item No.	Size	EAN	Inner	Outer
500307	70 mm (2-3/4 in.)	69426292+ 1714 5	6	24

FOLDING KNIFE

- Stainless steel blade
- One hand operation
- Safety locking function
- Aluminum handle with belt clip
- Blade length 83 mm (3-1/4 in.)



Item No.	Size	EAN	Inner	Outer
475119	203 mm (8 in.)	69426292+ 1580 6	6	24

DUAL FUNCTION FOLDING KNIFE

- Regular knife and utility knife
- Stainless steel blade
- 5 pc utility knife blades included
- One hand operation
- Safety locking function



Item No.	Size	EAN	Inner	Outer
475226	240 mm (9-1/2 in.)	69426292+ 4880 4	6	48

LUGGAGE COMBINATION PADLOCK



- Solid brass body
- 3 number combination



Item No.	Size	EAN	Inner	Outer
506104	21 mm (13/16 in.)	69426292+ 3937 6	12	144
506105	40 mm (1-5/8 in.)	69426292+ 1717 6	6	36

PADLOCK

- Solid brass body
- Hardened shackle



Size	A	B	C	D	Pin
25mm	24	13.9	12.7	4.3	4
30mm	27	16.1	15	5	4
40mm	33	21.8	20.7	6.3	5
50mm	39	25	26	8	6
60mm	45	32	31	10	6
70mm	51	37.1	39	11	6
40mm Long	33	51.8	40	6.3	5
50mm Long	39	56	50	8	6



Item No.	Size	QTY	EAN	Inner	Outer
500003	25 mm (1 in.)	1 pc	69426292+ 1705 3	10	60
500005	30 mm (1-3/16 in.)	1 pc	69426292+ 1706 0	10	60
500005.2	30 mm (1-3/16 in.)	2 pc key alike	69426292+ 7024 9	10	60
500007	40 mm (1-5/8 in.)	1 pc	69426292+ 1707 7	10	60
500007.2	40 mm (1-5/8 in.)	2 pc key alike	69426292+ 7025 6	6	36
500007.3	40 mm (1-5/8 in.)	3 pc key alike	69426292+ 7026 3	6	36
500009	50 mm (2 in.)	1 pc	69426292+ 1708 4	6	36
500009.2	50 mm (2 in.)	2 pc key alike	69426292+ 7027 0	6	24
500009.3	50 mm (2 in.)	3 pc key alike	69426292+ 7028 7	6	12
500011	60 mm (2-3/8 in.)	1 pc	69426292+ 7029 4	6	36
500011.2	60 mm (2-3/8 in.)	2 pc key alike	69426292+ 7030 0	6	12
500013	70 mm (2-3/4 in.)	1 pc	69426292+ 7031 7	6	24
500021	40 mm (1-5/8 in.) long shackle	1 pc	69426292+ 1709 1	6	36
500023	50 mm (2 in.) long shackle	1 pc	69426292+ 1710 7	6	36



LED ALUMINUM TORCH

- High quality aluminum body
- Batteries not included



Item No.	Size	EAN	Inner	Outer
510012	2 x C, 7 LEDs	69426292+ 1690 2	6	24

ALUMINIUM LED TORCH 2 X D

- Anodized aluminum body
- Three mode: High-Low-Strobe-OFF
- Batteries not included



CABLE LOCK

- With 2 keys




Item No.	Size	EAN	Inner	Outer
508008	800 mm (32 in.) x 15 mm	69426292+ 1720 6	6	24

WIRE LOCK

- With 2 keys




Item No.	Size	EAN	Inner	Outer
508108	800 mm (32 in.) x 6 mm	69426292+ 1721 3	10	60



Item No.	Size	EAN	Inner	Outer
510041	2 x D	69426292+ 5947 3	6	24

ALUMINIUM LED TORCH 2 X AA

- Anodized aluminum body
- Three mode: High-Low-Strobe-OFF
- Batteries not included



Item No.	Size	EAN	Inner	Outer
510047	2 x AA	69426292+ 5948 0	6	24

PACKING TAPE WITH DISPENSER

- 48 mm x 20 m (1.88 in. x 21.8 yds)
- Super strength
- Moisture resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530002	super clear	2705 2	24	144

PACKING TAPE

- 48 mm x 50 m (1.88 in. x 54.6 yds)
- Super strength
- Moisture resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530004	clear	2706 9	0	96
530005	super clear	4979 5	0	96

2 PC PACKING TAPE
WITH DISPENSER

- Super strength
- Moisture resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530006	2 pc 48 mm x 50 m (1.88 in. x 54.6 yds)	2707 6	0	48

PACKING TAPE WITH DISPENSER

- Super strength
- Moisture resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530008	48 mm x 50 m (1.88 in. x 54.6 yds)	2708 3	0	24

ELECTRICAL TAPE

- Water resistant and flame retardant
- Working temperature 10-80 °C (50-176 °F)
- Max: 600 V



Item No.	Size	EAN 69426292+	Inner	Outer
530050	19 mm x 18 m (3/4 in. x 60 ft.)	2710 6	20	120

5 PC ELECTRICAL TAPE

- Water resistant and flame retardant
- Working temperature 10-80 °C (50-176 °F)
- Max: 600 V



Item No.	Size	EAN 69426292+	Inner	Outer
530052	5 pc 19 mm x 18 m (3/4 in. x 60 ft.)	2711 3	6	24

DUCT TAPE-BLACK

- Aggressive rubber-based adhesive
- Easily tear by hand
- Made of fabric laminated with polyethylene film



Item No.	Size	EAN 69426292+	Inner	Outer
530154	48 mm x 55 m (1.88 in. x 60.1 yds)	2725 0	0	24

MASKING TAPE 14 DAYS

- Removes easily without leaving residue up to 14 days
- Ideal for indoor and outdoor paint jobs
- UV-resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530112	24 mm x 55 m (0.94 in. x 60.1 yds)	2720 5	0	72
530114	36 mm x 55 m (1.42 in. x 60.1 yds)	2721 2	0	48
530116	48 mm x 55 m (1.88 in. x 60.1 yds)	2722 9	0	36

MASKING TAPE

- Removes easily without leaving residue for short time
- Ideal for home use



Item No.	Size	EAN 69426292+	Inner	Outer
530098	18 mm x 55 m (0.70 in. x 60.1 yds)	4983 2	0	96
530100	24 mm x 55 m (0.94 in. x 60.1 yds)	2714 4	0	72
530102	36 mm x 55 m (1.42 in. x 60.1 yds)	2715 1	0	48
530104	48 mm x 55 m (1.88 in. x 60.1 yds)	2716 8	0	36

MASKING TAPE 3 DAYS

- Removes easily without leaving residue up to 3 days
- Ideal for indoor paint jobs



Item No.	Size	EAN 69426292+	Inner	Outer
530106	24 mm x 55 m (0.94 in. x 60.1 yds)	2717 5	0	72
530108	36 mm x 55 m (1.42 in. x 60.1 yds)	2718 2	0	48
530110	48 mm x 55 m (1.88 in. x 60.1 yds)	2719 9	0	36

DUCT TAPE-GREY

- Easily tear by hand
- Made of fabric laminated with polyethylene film
- Aggressive rubber-based adhesive



Item No.	Size	EAN 69426292+	Inner	Outer
530186	48 mm x 9 m (1.88 in. x 10 yds)	2726 7	0	96
530188	48 mm x 27.4 m (1.88 in. x 30 yds)	2727 4	0	36
530190	48 mm x 55 m (1.88 in. x 60.1 yds)	2728 1	0	24

MOUNTING TAPE

- High-density foam with permanent adhesive on both sides
- Holds up to 900 g (2 lbs.)



Item No.	Size	EAN 69426292+	Inner	Outer
530300	12 mm x 1.9 m (1/2 x 75 in.)	2730 4	24	96

DOUBLE SIDED TAPE

- Adhesive on both sides
- With dispenser



Item No.	Size	EAN 69426292+	Inner	Outer
530314	12 mm x 10.1 m (1/2 x 400 in)	2733 5	24	144

INDOOR MOUNTING TAPE

- High quality foam material with added vibration dampening and moisture resistance
- Works great on irregular surfaces, metal, wood and more



Item No.	Size	EAN 69426292+	Inner	Outer
530316	18 mm x 5 m (11/16 in. x 5.46 yds)	0122 9	12	48

OUTDOOR MOUNTING TAPE

- Grey mounting tape
- Suitable for bonding glass, print board, switch and more



Item No.	Size	EAN 69426292+	Inner	Outer
530318	21 mm x 1 m (13/16 in. x 39-3/8 in.)	4240 6	12	72

CLEAR MOUNTING TAPE

- Clear mounting tape with performance of good bond
- Suitable for bonding glass, print board, switch and more



Item No.	Size	EAN 69426292+	Inner	Outer
530320	25.4 mm x 1.52 m (1 in. x 5 ft.)	4241 3	12	72

EXTREME STRONG MOUNTING TAPE

- High quality foam material with added vibration dampening and moisture resistance
- Works great on irregular surfaces, metal, wood and more



Item No.	Size	EAN 69426292+	Inner	Outer
530322	25.4 mm x 1.52 m (1 in. x 5 ft.)	8268 6	12	72

INDOOR ANTI-SLIP TAPE

- Durable construction for long lasting adhesive
- Prevents slips and falls
- Water and oil resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530332	12 pc 19 mm x 23 cm (3/4 in. x 9 in.)	5873 5	6	60

OUTDOOR ANTI-SLIP TAPE

- Durable construction for long lasting adhesive
- Prevents slips and falls
- Water and oil resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530334	6 pc 50 mm x 23 cm (2 in. x 9 in.)	5874 2	6	60

OUTDOOR ANTI-SLIP TAPE BLACK

- Prevents slips and falls
- Durable construction for long lasting adhesive
- Water and oil resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530335	50.8 mm x 5 m (2 in. x 5.46 yds)	9012 1	12	48

INDOOR ANTI-SLIP TAPE GREY

- Prevents slips and falls
- Durable construction for long lasting adhesive
- Water and oil resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530336	50.8 mm x 5 m (2 in. x 5.46 yds)	9013 1	12	48

INDOOR ANTI-SLIP TAPE CLEAR

- Prevents slips and falls
- Durable construction for long lasting adhesive
- Water and oil resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530337	50.8 mm x 5 m (2 in. x 5.46 yds)	9014 8	12	48

ALUMINUM TAPE


- Designed to protect, seal, cover and repair HVAC ducts
- Can be applied to many metallic and plastic surfaces



Item No.	Size	EAN 69426292+	Inner	Outer
530350	48 mm x 9.14 m (1.88 in. x 10 yds)	2735 9	0	36

CARPET TAPE

- Quick bonding
- No iron needed
- For indoor or outdoor use



Item No.	Size	EAN 69426292+	Inner	Outer
530380	36 mm x 12.8 m (1.42 in. x 14 yds)	2737 3	6	36

PTFE TAPE

- Provides a strong tight seal for threaded joints
- Easy disassembly



Item No.	Size	EAN 69426292+	Inner	Outer
530422	12 mm x 10 m (1/2 in. x 33 ft.)	2739 7	48	144
530424	19 mm x 10 m (3/4 in. x 33 ft.)	5558 1	48	144

GAS PTFE TAPE

- Provides a strong tight seal for threaded joints
- Easy disassembly



Item No.	Size	EAN 69426292+	Inner	Outer
530430	12 mm x 12 m x 0.1 mm	5908 4	48	144
530431	19 mm x 12 m x 0.15 mm	5909 1	48	144
530432	25 mm x 10 m x 0.15 mm	6239 8	48	144

ANTI-SLIP TAPE


- Prevents slips and falls
- Durable construction for long lasting traction
- Water and oil resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530456	48 mm x 5 m (1.88 in. x 5.47 yds)	2743 4	12	36

STRAPPING TAPE

- Fiberglass reinforced
- Moisture and tear resistant
- Backing resists splitting and cracking



Item No.	Size	EAN 69426292+	Inner	Outer
530471	48 mm x 27.4 m (1.88 in. x 30 yds)	2736 6	0	36

STRONG RUBBERIZED WATERPROOF TAPE CLEAR

- Super strong adhesive
- Seals and instantly stops leaks
- Works underwater



Item No.	Size	EAN 69426292+	Inner	Outer
530480	101.6 mm x 1.5 m (4 in. x 5 ft.)	9015 5	12	48

NANO TAPE

- Clear nano tape
- Water and oil resistant
- Washable and reusable



Item No.	Size	EAN 69426292+	Inner	Outer
530491	30 mm x 1 m (1-3/16 in. x 39-3/8 in.)	9016 2	12	48

UNIVERSAL MERCHANDISING BOARD



Item No.	Size	EAN 69426292+	Inner	Outer
549901	61 x 77 cm (24 x 30 in.)	3439 5	0	3
549902	20 pc 125mm hooks	1628 5	0	6

SINGLE STAND 2.2 m

- Overall size: 2.2 m (H) x 1 m (W) x 0.45 m (D)



Item No.	Size	EAN 69426292+	Inner	Outer
549931	2.2 m	8215 0	0	1

SINGLE STAND 1.5 m

- Overall size: 1.5 m (H) x 1 m (W) x 0.45 m (D)



Item No.	Size	EAN 69426292+	Inner	Outer
549922	1.5 m	6613 6	0	1



60 PC TOOL SET

- 160 mm (6 in.) diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) box joint pliers
- 250 mm (10 in.) locking pliers
- 160 mm (6 in.) long nose pliers
- 5 m x 19 mm MID tape measure
- heavy duty utility knife
- 250 mm (10 in.) adjustable wrench
- 17 pc combination wrenches: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 & 22 mm
- 6 pc screwdrivers:
 - 3 x 75 mm (1/8 x 3 in.), 5.5 x 100 mm (7/32 x 4 in.), 6.5 x 100 mm (1/4 x 4 in.), 8 x 150 mm (5/16 x 6 in.);
 - #1 x 75 mm (3 in.) & #2 x 100 mm (4 in.)
- 14 pc 1/2 in. Dr. sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22 & 24 mm
- 8 pc hex keys: 2, 2.5, 3, 4, 5, 6, 7 & 8 mm
- 1/2 in. Dr. x 16 mm & 21 mm spark plug socket
- 1/2 in. Dr. x 125 & 250 mm (5 & 10 in.) extension bar
- 1/2 in. Dr. ratchet handle
- 1/2 in. Dr. sliding T-bar
- 1/2 in. Dr. universal joint
- Metal tool box



Item No.	Size	EAN 69426292+	Inner	Outer
555001	60 pc	1786 2	0	1

64 PC TOOL SET

- 160 mm (6 in.) diagonal pliers
- 200 mm (8 in.) adjustable wrench
- 160 mm (6 in.) linesman pliers
- 250 mm (10 in.) box joint pliers
- 160 mm (6 in.) wire stripper
- 6 pc combination wrenches: 10, 11, 12, 13, 17, 19 mm
- 4 pc screwdrivers:
 - 5.5 x 100 mm (7/32 x 4 in.), 6.5 x 100 mm (1/4 x 4 in.);
 - PH #1 x 75 mm (3 in.), #2 x 100 mm (4 in.)
- 9 pc ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 300 g machinist hammer
- 3 m x 16 mm MID tape measure
- 225 mm (9 in.) torpedo level
- 18 mm snap off knife
- 12 pc 1/2 in. Dr. sockets: 14, 15, 16, 17, 18, 19, 21, 23, 24, 27, 30, 32 mm
- 20 pc 1 in. bits:
 - 4, 5, 6 mm; #1, #2, #3;
 - #1, #2, #3; 3, 4, 5, 6 mm;
 - T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 1/2 in. Dr. x 125 mm (5 in.) extension bar
- 1/2 in. Dr. ratchet handle
- 1/4 in. Dr. socket bit holder
- 1/4 in. Dr. spinner handle



Item No.	Size	EAN 69426292+	Inner	Outer
555065	64 pc	4222 2	0	2

26 PC TOOL BOX SET

- 6 pc screwdrivers:
 - 5 x 75 mm (3/16 x 3 in.), 5 x 150 mm (3/16 x 6 in.), 6 x 100 mm (1/4 x 4 in.), 6 x 150 mm (1/4 x 6 in.);
 - #1 x 100 mm (4 in.), #2 x 100 mm (4 in.)
- 9 pc ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 5 pc combination wrenches: 8, 10, 12, 14, 17 mm
- 20 mm joiner hammer
- 18 mm snap off knife
- 160 mm diagonal pliers
- 190 mm linesman pliers
- 250 mm box joint pliers
- 50 cm plastic tool box



Item No.	Size	EAN 69426292+	Inner	Outer
555026	26 pc	4894 1	0	4

53 PC TOOL SET

- 160 mm (6 in.) linesman pliers
- 160 mm (6 in.) diagonal pliers
- 250 mm (10 in.) box joint pliers
- 200 mm (8 in.) adjustable wrench
- 4 pc combination wrenches: 10, 11, 12, 13 mm
- 9 pc ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 300 g machinist hammer
- 18 mm snap off knife
- 8 pc 1/4 in. Dr. sockets: 6, 7, 8, 9, 10, 11, 12, 13 mm
- 20 pc 1 in. bits:
 - 4, 5, 6 mm; #1, #2, #3;
 - #1, #2, #3; 3, 4, 5, 6 mm;
 - T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 1/4 in. Dr. x 150 mm (6 in.) extension bar
- 1/4 in. Dr. ratchet handle
- 1/4 in. Dr. Sliding T-bar
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. universal joint
- 1/4 in. Dr. Socket bit holder



Item No.	Size	EAN 69426292+	Inner	Outer
555053	53 pc	4221 5	0	4

137 PC TOOL CASE SET

- 160 mm (6 in.) diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) box joint pliers
- 160 mm (6 in.) long nose pliers
- 215 mm (8-1/2 in.) crimping pliers
- 4 pc circlip pliers • 200 mm (8 in.) carpenter pincer
- 250 mm (10 in.) adjustable wrench
- 9 pc combination wrenches:
 - 6, 8, 9, 10, 12, 13, 14, 17, 19 mm
- 6 pc screwdrivers:
 - 6.5 x 38 mm (1/4 x 1-1/2 in.), 5.5 x 100 mm (7/32 x 4 in.), 6.5 x 125 mm (1/4 x 5 in.);
 - ⊕ #2 x 38 mm (1-1/2 in.), #1 x 75 mm (3 in.), #2 x 100 mm (4 in.)
- 6 pc precision screwdrivers:
 - ⊖ 1.4, 2.0, 2.4, 3.0 mm; ⊕ #00, #0
- 9 pc ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 5 m MID tape measure • 300 g machinist hammer
- 200 mm (8 in.) half round file • 18 mm snap off knife
- 300 mm (12 in.) box level • LED aluminum torch 2 x AA
- 10 pc 18 mm snap off knife blades
- 180 mm (7 in.) scissors • Terminal set
- Digital multimeter • 250 mm (10 in.) hacksaw frame
- 140 mm (5-1/2 in.) VDE voltage detector
- 6 pc chisel & punch:
 - cold chisel 15 x 150 mm, 11 x 130 mm; center punch 3 x 120 mm; taper punch 3 x 120 mm, 4 x 150 mm; cape chisel 4 x 130 mm
- Vernier caliper 150 mm (6 in.) x 0.02 mm (1/1000 in.)
- 12 pc 1/2 in. Dr. sockets:
 - 10, 11, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
- 13 pc 1/4 in. Dr. sockets:
 - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 31 pc bits set:
 - ⊖ 4, 4.5, 5.5, 6, 6.5, 8 mm
 - ⊕ #1 x 2, #2 x 3, #3
 - ⊗ #1 x 2, #2 x 3, #3 ⊖ 3 x 2, 4 x 2, 5, 6 mm
 - ⊗ T-10, T-15, T-20, T-25, T-30, T-40
- 2 pc 1/4 in. Dr. extension bars:
 - 50 mm (2 in.) & 100 mm (4 in.)
- 1/2 in. Dr. x 125 mm (5 in.) extension bar
- 2 pc 1/2 in. Dr. spark plug sockets: 16 & 21 mm
- 2 pc ratchet handle: 1/2 in. Dr. & 1/4 in. Dr.
- 1/2 in. Dr. universal joint • Quick change chuck
- 1/4 in. Dr. socket bit holder • 1/4 in. Dr. sliding T-bar
- 1/4 in. Dr. spinner handle • 1/4 in. Dr. universal joint
- Aluminum case



Item No.	Size	EAN	Inner	Outer
556137	137 pc	69426292+	5138 5	0 1

40 PC TOOL SET

- Magnetic bit driver
- 2 pc screwdrivers:
 - ⊖ 6 x 100 mm, ⊕ #2 x 100 mm
- 18 mm snap off knife
- 200 mm adjustable wrench
- 210 mm scissors
- 225 mm torpedo level
- 300 g machinist hammer
- 5 m x 19 mm MID tape measure
- 160 mm CR-V linesman pliers
- 160 mm CR-V diagonal pliers
- 9 pc CR-V ball end hex keys:
 - 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 20 pc bits:
 - ⊕ #1, #2, #3, ⊖ 4, 5, 6 mm, ⊖ 3, 6 mm
 - ⊗ #1, #2, #3, ⊗ #1, #2, #3
 - ⊗ T-10, T-15, T-20, T-25, T-30
- bit/socket adaptor



Item No.	Size	EAN	Inner	Outer
557024	40 pc	69426292+	0106 9	0 6

60 PC TOOL SET

- 9 pc 1/4 in. Dr. CR-V sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 1/4 in. Dr. socket bit holder
- 1/4 in. Dr. 72 tooth ratchet handle
- 150 mm junior hacksaw
- 18 mm snap off knife • Magnetic bit driver
- 8 pc CR-V combination wrenches: 8, 10, 11, 12, 13, 15, 17, 19 mm
- 2 pc screwdrivers:
 - ⊖ 6 x 100 mm, ⊕ #2 x 100 mm;
- 140 mm VDE voltage detector • 300 g machinist hammer
- 160 mm CR-V diagonal pliers
- 175 mm CR-V linesman pliers
- 250 mm CR-V box joint pliers
- 5 m x 19 mm MID tape measure
- 9 pc CR-V ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 200 mm adjustable wrench
- 20 pc bits:
 - ⊕ #1, #2, #3, ⊖ 4, 5, 6 mm, ⊖ 3, 6 mm,
 - ⊗ #1, #2, #3, ⊗ #1, #2, #3,
 - ⊗ T-10, T-15, T-20, T-25, T-30,
- bit/socket adaptor



Item No.	Size	EAN	Inner	Outer
557046	60 pc	69426292+	0107 6	0 4

115 PC TOOL SET

- 11 pc 1/4 in. Dr. CR-V sockets:
 - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 mm
- 9 pc 3/8 in. Dr. CR-V sockets:
 - 10, 11, 12, 13, 14, 15, 16, 17, 18 mm
- 3/8 in. Dr. 72 tooth ratchet handle
- 3/8 in. Dr. x 75 mm extension bar
- 3/8 in. Dr. x 21 mm spark plug socket
- 1/4 in. (M) x 3/8 in. (F) adapter
- 6 pc CR-V combination wrenches: 8, 9, 10, 11, 12, 13 mm
- 4 pc screwdrivers:
 - ⊖ 6.5 x 38 mm, 5 x 75 mm,
 - ⊕ #2 x 38 mm, #1 x 75 mm;
- Ratchet screwdriver • 60 mm extension bar
- 5 pc precision screwdrivers:
 - ⊕ #0, #1 ⊖ 1.0, 1.6, 2.0 mm
- 215 mm crimping pliers • 160 mm CR-V diagonal pliers
- 5 m x 19 mm MID tape measure • 300 mm I style level
- 9 pc CR-V ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 4 pc nylon clamps • 160 mm CR-V linesman pliers
- 250 mm CR-V box joint pliers • 300 g machinist hammer
- 150 mm junior hacksaw • 200 mm adjustable wrench
- 140 mm VDE voltage detector • 18 mm snap off knife
- 10 pc 18mm SK2 snap off knife blades
- 40 pc bits



Item No.	Size	EAN	Inner	Outer
557075	115 pc	69426292+	0108 3	0 2

29 PC TOOL SET

- 225 g (8 oz.) claw hammer
- 160 mm (6 in.) CR-V long nose pliers
- 160 mm (6 in.) CR-V Diagonal pliers
- Magnetic bit driver
- 2 pc screwdrivers:
 - ⊖ 6 x 100 mm (1/4 x 4 in.), ⊕ #2 x 100 mm (4 in.)
- 3.5 m (12 ft.) tape measure • 18 mm snap off knife
- 200 mm (8 in.) adjustable wrench
- 20 pc bits:
 - ⊕ #1, #2, #3, ⊖ 4, 5, 6 mm,
 - ⊗ S1, S2, S3, ⊗ 3, 6 mm, 1/8, 5/32, 3/16 in.
 - ⊗ T-10, T-15, T-20, T-25, T-30
- bit/socket adaptor



Item No.	Size	EAN	Inner	Outer
557501	29 pc	69426292+	0109 0	0 8

67 PC TOOL SET

- 340 g (12 oz.) claw hammer
- 160 mm (6 in.) CR-V long nose pliers
- 160 mm (6 in.) CR-V diagonal pliers
- 16 pc CR-V hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4 in.
- Magnetic bits holder • Utility knife
- 5 m (16 ft.) tape measure
- 200 mm (8 in.) adjustable wrench
- 215 mm (8-1/2 in.) scissors
- 225 mm (9 in.) torpedo Level
- 1/4 in. Dr. 72 tooth ratchet handle
- 1/4 in. Dr. x 75 mm (3 in.) extension bar
- 20 pc 1/4 in. Dr. CR-V sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 20 pc bits:
 - ⊕ #1, #2, #3, ⊖ 4, 5, 6 mm,
 - ⊗ S1, S2, S3, ⊗ 3, 6 mm, 1/8, 5/32, 3/16 in.
 - ⊗ T-10, T-15, T-20, T-25, T-30,
- bit/socket adaptor



Item No.	Size	EAN	Inner	Outer
557522	67 pc	69426292+	0110 6	0 6

98 PC TOOL SET

- 450 g (16 oz.) claw hammer • 175 mm (7 in.) locking pliers
- 160 mm (6 in.) CR-V long nose pliers
- 160 mm (6 in.) CR-V linesman pliers
- 16 pc CR-V hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4 in.
- Ratchet screwdriver • 225 mm (9 in.) torpedo level
- 60 mm (2-1/4 in.) bits extension bar
- 5 pc screwdrivers:
 - ⊖ 6 x 100 mm (1/4 x 4 in.)
 - ⊕ #1 x 75 mm (3 in.) 5 x 100 mm (3/16 x 4 in.)
 - ⊕ #2 x 100 mm (4 in.) 3 x 75 mm (1/8 x 3 in.)
- 200 mm (8 in.) adjustable wrench • 40 pc bits
- 3/8 in. Dr. 72 tooth ratchet handle
- 10 pc CR-V combination wrenches: 10, 11, 12, 14, 15 mm, 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 16 pc 3/8 in. Dr. CR-V sockets: 8, 9, 10, 12, 13, 14, 17, 18 mm, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 3/8 in. Dr. x 75 mm (3 in.) extension bar
- 180 mm (7 in.) scissors



Item No.	Size	EAN	Inner	Outer
557553	98 pc	69426292+	0111 3	0 4

125 PC TAP RESEATER WASHER ASSORTMENT

- Fiber, rubber, aluminum, nylon, and foam materials for specific applications
- 16 pc fiber washers • 14 pc faucet washers
- 12 pc rubber washers • 6 pc foam gaskets
- 12 pc rubber flat washers
- 4 pc aluminum washers
- 4 pc c-clips
- 6 pc nylon o-rings
- 51 pc rubber o-rings



Item No.	Size	EAN	Inner	Outer
565001	125 pc	69426292+	4589 6	6 24

200 PC FIBER AND NYLON WASHER ASSORTMENT

- Ideal for automotive and machine applications
- Fiber washers:
 - 25 pc 1/8 in. (3.2 mm), 20 pc 3/16 in. (4.8 mm), 20 pc 1/4 in. (6.4 mm), 15 pc 5/16 in. (7.9 mm), 10 pc 3/8 in. (9.5 mm), 10 pc 1/2 in. (12.7 mm)
- Nylon washers: 25 pc 1/8 in. (3.2 mm), 20 pc 3/16 in. (4.8 mm), 20 pc 1/4 in. (6.4 mm), 15 pc 5/16 in. (7.9 mm), 10 pc 3/8 in. (9.5 mm), 10 pc 1/2 in. (12.7 mm)



Item No.	Size	EAN	Inner	Outer
565003	200 pc	69426292+	4590 2	6 24

125 PC RUBBER GROMMET ASSORTMENT

- Ideal for mechanical and electrical applications
- Rubber grommets:
 - 15 pc 1/8 x 1/4 in., 10 pc 7/32 x 5/16 in., 7 pc 9/32 x 1/2 in., 3 pc 5/16 x 9/16 in., 6 pc 3/8 x 15/32 in., 5 pc 3/8 x 1/2 in., 3 pc 3/8 x 13/16 in., 4 pc 7/16 x 3/4 in., 3 pc 1/2 x 19/32 in., 3 pc 5/8 x 31/32 in., 2 pc 3/4 x 15/16 in.
- Rubber plugs: 20 pc 9/32 in., 20 pc 3/8 in., 10 pc 1/2 in., 5 pc 5/8 in., 4 pc 3/4 in., 3 pc 7/8 in., 2 pc 1 in.



Item No.	Size	EAN	Inner	Outer
565051	125 pc	69426292+	4591 9	6 24

300 PC SAE O-RING ASSORTMENT

- Creates a tight seal for fluid or gas connections
- 140 pc 1/16 in. body:
 - 20 pc 3/32 x 7/32 in., 20 pc 1/8 x 1/4 in., 20 pc 5/32 x 9/32 in., 20 pc 3/16 x 5/16 in., 15 pc 7/32 x 11/32 in., 15 pc 1/4 x 3/8 in., 15 pc 5/16 x 7/16 in., 15 pc 3/8 x 1/2 in.
- 80 pc 3/32 in. body:
 - 15 pc 3/8 x 9/16 in., 15 pc 7/16 x 5/8 in., 15 pc 1/2 x 11/16 in., 15 pc 9/16 x 3/4 in., 10 pc 5/8 x 13/16 in., 10 pc 11/16 x 7/8 in.
- 80 pc 1/8 in. body:
 - 10 pc 3/4 x 1 in., 10 pc 13/16 x 1-1/16 in., 10 pc 7/8 x 1-1/8 in., 10 pc 15/16 x 1-3/16 in., 10 pc 1 x 1-1/4 in., 10 pc 1-1/16 x 1-5/16 in., 5 pc 1-1/8 x 1-3/8 in., 5 pc 1-1/4 x 1-1/2 in., 5 pc 1-3/8 x 1-5/8 in., 5 pc 1-1/2 x 1-3/4 in.



Item No.	Size	EAN	Inner	Outer
565061	300 pc	69426292+	4592 6	4 12

350 PC METRIC O-RING ASSORTMENT

- Creates a tight seal for fluid or gas connections
- 2 mm Body:
 - 15 pc 3 mm, 15 pc 4 mm, 15 pc 5 mm, 15 pc 6 mm, 15 pc 8 mm, 15 pc 10 mm, 15 pc 12 mm, 10 pc 14 mm, 10 pc 20 mm
- 2.5 mm Body: 15 pc 10 mm, 15 pc 12 mm, 15 pc 14 mm, 15 pc 15 mm, 15 pc 16 mm, 10 pc 17 mm, 10 pc 19 mm
- 3 mm Body:
 - 15 pc 19 mm, 15 pc 20 mm, 15 pc 22 mm, 15 pc 24 mm, 10 pc 25 mm, 10 pc 27 mm, 10 pc 28 mm, 10 pc 30 mm, 10 pc 32 mm, 5 pc 33 mm, 5 pc 35 mm, 5 pc 36 mm, 5 pc 38 mm



Item No.	Size	EAN	Inner	Outer
565063	350 pc	69426292+	4593 3	4 12

270 PC HNBR O-RING ASSORTMENT

- HNBR O-rings resists various temperature changes and resists more chemicals than standard o-rings
- 20 pc 7/32 x 1/16 in., 20 pc 1/4 x 1/16 in., 20 pc 6.8 x 1.9 mm, 20 pc 5/16 x 1/16 in., 20 pc 7.8 x 1.9 mm, 20 pc 8 x 2 mm, 20 pc 8.8 x 1.9 mm, 15 pc 7/16 x 1/16 in., 15 pc 7/16 x 3/32 in., 15 pc 11 x 2 mm, 15 pc 12 x 2 mm, 10 pc 13.9 x 1.8 mm, 10 pc 9/16 x 3/32 in., 10 pc 14 x 2 mm, 10 pc 15 x 2 mm, 10 pc 17 x 2 mm, 10 pc 11/16 x 1/16 in., 10 pc 11/16 x 1/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565065	270 pc	4594 0	6	24

200 PC SELF-TAPPING HEX SCREW ASSORTMENT

- Super-sharp tips seat faster than standard screws-no need to drill pilot holes
- Self-drilling and self-tapping
- 30 pc #8 x 1/2 in., 30 pc #8 x 5/8 in., 30 pc #8 x 3/4 in., 30 pc #8 x 1 in., 20 pc #10 x 1/2 in., 20 pc #10 x 5/8 in., 20 pc #10 x 3/4 in., 20 pc #10 x 1 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565101	200 pc	4597 1	6	24

300 PC METAL AND WOOD SCREW ASSORTMENT

- For wood and light gauge metal
- Wood screws: 40 pc #4 x 1/2 in., 35 pc #6 x 1/2 in., 30 pc #6 x 5/8 in., 20 pc #6 x 3/4 in., 15 pc #8 x 5/8 in., 10 pc #8 x 1 in.
- Metal screws: 40 pc #6 x 1/2 in., 35 pc #6 x 3/4 in., 30 pc #8 x 1/2 in., 20 pc #8 x 5/8 in., 15 pc #8 x 3/4 in., 10 pc #8 x 1 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565113	300 pc	4598 8	6	24

106 PC SAE HEX HEAD SCREW ASSORTMENT

- With hexagon recessed heads
- 25 pc #8 x 32 x 1/2 in., 25 pc #10 x 24 x 1/2 in., 20 pc #10 x 24 x 1 in., 10 pc 1/4 in. x 20 x 1/2 in., 10 pc 1/4 in. x 20 x 1 in., 5 pc 5/16 in. x 18 x 1 in., 5 pc 5/16 in. x 18 x 1-1/2 in., 3 pc 3/8 in. x 16 x 1 in., 3 pc 3/8 in. x 16 x 1-1/2 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565117	106 pc	4647 3	6	24

106 PC METRIC HEX HEAD SCREW ASSORTMENT

- With hexagon recessed heads
- 25 pc M4 x 12 mm, 25 pc M5 x 12 mm, 20 pc M5 x 25 mm, 10 pc M6 x 12 mm, 10 pc M6 x 25 mm, 5 pc M8 x 25 mm, 5 pc M8 x 40 mm, 3 pc M10 x 25 mm, 3 pc M10 x 40 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565119	106 pc	4648 0	6	24

175 PC SAE HEX HEAD SET SCREW ASSORTMENT

- For use in confined areas
- Ends have cup points for positive torque
- 20 pc #10-32 x 1/4 in., 10 pc #10-32 x 3/8 in., 20 pc 1/4 in.-20 x 1/4 in., 20 pc 1/4 in.-20 x 3/8 in., 15 pc 1/4 in.-20 x 1/2 in., 20 pc 5/16 in.-18 x 1/4 in., 10 pc 5/16 in.-18 x 3/8 in., 10 pc 5/16 in.-18 x 1/2 in., 20 pc 3/8 in.-16 x 3/8 in., 10 pc 3/8 in.-16 x 1/2 in., 10 pc 3/8 in.-16 x 3/4 in., 10 pc 1/2 in.-13 x 5/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565121	175 pc	4649 7	6	24

150 PC METRIC HEX HEAD SET SCREW ASSORTMENT

- For use in confined areas
- Ends have cup points for positive torque
- 10 pc M4 x 5 mm, 15 pc M5 x 5 mm, 15 pc M5 x 6 mm, 10 pc M5 x 8 mm, 15 pc M6 x 6 mm, 15 pc M6 x 8 mm, 10 pc M6 x 10 mm, 15 pc M8 x 6 mm, 20 pc M8 x 8 mm, 10 pc M8 x 10 mm, 5 pc M8 x 16 mm, 10 pc M10 x 10 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565123	150 pc	4650 3	6	24

360 PC SAE BOLT, NUT & WASHER ASSORTMENT

- Bolts: 25 pc #6-40 x 3/4 in., 20 pc #8-32 x 3/4 in., 20 pc #8-32 x 1 in., 20 pc #10-24 x 3/4 in., 20 pc #10-24 x 1 in., 15 pc 1/4 in.-20 x 3/4 in.
- Nuts: 25 pc #6, 40 pc #8, 40 pc #10, 15 pc 1/4 in.
- Flat washers: 25 pc #6, 40 pc #8, 40 pc #10, 15 pc 1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565125	360 pc	4599 5	6	24

360 PC METRIC BOLT, NUT & WASHER ASSORTMENT

- Bolts: 25 pc M3 x 16 mm, 20 pc M4 x 20 mm, 20 pc M4 x 25 mm, 20 pc M5 x 20 mm, 20 pc M5 x 25 mm, 15 pc M6 x 20 mm
- Nuts: 25 pc M3, 40 pc M4, 40 pc M5, 15 pc M6
- Flat washers: 25 pc M3, 40 pc M4, 40 pc M5, 15 pc M6



Item No.	Size	EAN 69426292+	Inner	Outer
565127	360 pc	4600 8	6	24

40 PC MOLLY BOLT ASSORTMENT

- Secures drywall, sheetrock, and some types of paneling
- 10 pc 1/8 in. short, 10 pc 1/8 in. long, 6 pc 3/16 in. short, 6 pc 3/16 in. long, 4 pc 1/4 in. short, 4 pc 1/4 in. long



Item No.	Size	EAN 69426292+	Inner	Outer
565131	40 pc	4636 7	6	24

150 PC SAE NYLON INSERT LOCK NUT ASSORTMENT

- Nylon insert grips bolt threads to prevent loosening
- 25 pc #10 x 24, 35 pc 1/4 in. x 20, 25 pc 1/4 in. x 28, 30 pc 5/16 in. x 18, 25 pc 3/8 in. x 16, 10 pc 1/2 in. x 13



Item No.	Size	EAN 69426292+	Inner	Outer
565141	150 pc	4601 5	6	24

100 PC METRIC NYLON INSERT LOCK NUT ASSORTMENT

- Nylon insert grips bolt threads to prevent loosening
- 25 pc M4, 25 pc M5, 20 pc M6, 15 pc M8, 10 pc M10, 5 pc M12



Item No.	Size	EAN 69426292+	Inner	Outer
565143	100 pc	4602 2	6	24

150 PC WING NUT ASSORTMENT

- Suitable for applications where frequent adjustments are needed or for quick part removal
- 30 pc 3/16 in.-24, 30 pc 3/16 in.-32, 25 pc 1/4 in.-20, 25 pc 1/4 in.-28, 20 pc 5/16 in.-18, 20 pc 5/16 in.-24



Item No.	Size	EAN 69426292+	Inner	Outer
565145	150 pc	4637 8	6	24

720 PC WASHER ASSORTMENT

- #6: 50 pc C-type, 50 pc star type, 50 pc circle star type
- #8: 50 pc C-type, 50 pc star type, 50 pc #8 circle star type
- #10: 50 pc C-type, 50 pc star type, 50 pc #10 circle star type
- 6.4 mm: 40 pc C-type, 40 pc star type, 40 pc circle star type
- 8.0 mm: 30 pc C-type, 30 pc star type, 30 pc circle star type
- 9.5 mm: 20 pc C-Type, 20 pc star type, 20 pc circle star type



Item No.	Size	EAN 69426292+	Inner	Outer
565155	720 pc	4603 9	6	24

350 PC FLAT & LOCK WASHER ASSORTMENT

- Lock washers: 50 pc #6, 40 pc #8, 30 pc #10, 25 pc 1/4 in., 15 pc 5/16 in., 15 pc 3/8 in.
- Flat washers: 50 pc #6, 40 pc #8, 30 pc #10, 25 pc 1/4 in., 15 pc 5/16 in., 15 pc 3/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565161	350 pc	4604 6	6	24

110 PC COPPER WASHER ASSORTMENT

- Corrosion-resistant
- Provides maximum conductivity
- 30 pc 1/4 in. (6.4 mm), 25 pc 5/16 in. (7.9 mm), 20 pc 3/8 in. (9.5 mm), 15 pc 7/16 in. (11.1 mm), 10 pc 1/2 in. (12.7 mm), 10 pc 5/8 in. (15.9 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565167	110 pc	4606 0	6	24

90 PC SAE GREASE FITTING ASSORTMENT

- Push type, plated fittings permit lubricant to flow
- Built-in ball, under pressure spring prevents dirt from entering
- 30 pc 1/4 in. 28 straight
- 10 pc 1/4 in. 28-45°
- 10 pc 1/4 in. 28-90°
- 30 pc 1/8 in. NPT straight
- 5 pc 1/8 in. NPT-45°
- 5 pc 1/8 in. NPT-90°



Item No.	Size	EAN 69426292+	Inner	Outer
565201	90 pc	4607 7	6	24

95 PC METRIC GREASE FITTING ASSORTMENT

- Push type, plated fittings permit lubricant to flow
- Built-in ball, under pressure spring prevents dirt from entering
- 20 pc 6 mm x 1 straight
- 10 pc 6 mm x 1 90°
- 10 pc 6 mm x 1 45°
- 20 pc 8 mm x 1 straight
- 10 pc 8 mm x 1 90°
- 5 pc 10 mm x 1 straight
- 5 pc 10 mm x 1 45°
- 5 pc 10 mm x 1 90°



Item No.	Size	EAN 69426292+	Inner	Outer
565203	95 pc	4608 4	6	24

600 PC COTTER PIN ASSORTMENT

- Used to secure other fasteners, rods, discs and more
- 130 pc 1/16 x 1 in. (1.6 x 25 mm), 100 pc 1/8 x 1-1/4 in. (3.2 x 32 mm), 80 pc 1/8 x 2 in. (3.2 x 50 mm), 150 pc 3/32 x 1 in. (2.4 x 25 mm), 100 pc 3/32 x 1-3/4 in. (2.4 x 44 mm), 40 pc 5/32 x 2-1/2 in. (4 x 64 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565251	600 pc	4610 7	6	24

144 PC LARGE COTTER PIN ASSORTMENT

- Used to secure other fasteners, rods, discs and more
- 50 pc 1/8 x 2 in. (3.2 x 50 mm), 30 pc 5/32 x 2-1/2 in. (4 x 64 mm), 20 pc 3/16 x 3 in. (4.8 x 76 mm), 20 pc 1/4 x 2 in. (6.4 x 50 mm), 16 pc 1/4 x 3 in. (6.4 x 76 mm), 8 pc 5/16 x 2-1/2 in. (7.9 x 64 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565255	144 pc	4611 4	6	12

150 PC HITCH PIN ASSORTMENT

- For fast assembly and disassembly
- 42 pc 3/32 x 1-3/16 in. (2.4 x 30 mm), 30 pc 5/64 x 1-5/16 in. (2 x 33 mm), 25 pc 5/64 x 1-9/16 in. (2 x 39 mm), 25 pc 7/64 x 1-5/8 in. (2.8 x 41 mm), 20 pc 9/64 x 1-3/4 in. (3.6 x 44 mm), 8 pc 5/32 x 2-15/16 in. (4 x 75 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565261	150 pc	4612 1	6	24

16 PC LYNCH PIN ASSORTMENT

- Spring steel rings snap into lock position
- 4 pc 3/16 x 1-7/16 in. (4.8 x 37 mm), 6 pc 1/4 x 1-3/4 in. (6.4 x 44 mm), 4 pc 5/16 x 1-3/4 in. (7.9 x 44 mm), 2 pc 7/16 x 1-3/4 in. (11.1 x 44 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565267	16 pc	4646 6	6	24

265 PC SAE E-CLIP ASSORTMENT

- External clips to retain positive retention of pulleys, sprockets, springs and bearings on shafts and rods
- 30 pc 1/8 in., 20 pc 5/32 in., 30 pc 3/16 in., 20 pc 7/32 in., 30 pc 1/4 in., 30 pc 5/16 in., 30 pc 3/8 in., 25 pc 7/16 in., 20 pc 1/2 in., 15 pc 5/8 in., 10 pc 3/4 in., 5 pc 7/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565301	265 pc	4613 8	6	24

255 PC METRIC E-CLIP ASSORTMENT

- External clips to retain positive retention of pulleys, sprockets, springs and bearings on shafts and rods
- 35 pc 1.2 mm, 30 pc 1.5 mm, 30 pc 1.9 mm, 25 pc 2.3 mm, 20 pc 3.2 mm, 15 pc 4 mm, 15 pc 5 mm, 15 pc 6 mm, 10 pc 7 mm, 10 pc 8 mm, 10 pc 9 mm, 5 pc 10 mm, 10 pc 12 mm, 15 pc 15 mm, 5 pc 19 mm, 5 pc 24 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565303	255 pc	4614 5	6	24

300 PC SAE SNAP RING ASSORTMENT

- External snap rings used to retain pulleys, gears or wheels on shafts
- 30 pc 1/4 in., 20 pc 5/16 in., 50 pc 3/8 in., 20 pc 7/16 in., 50 pc 1/2 in., 20 pc 9/16 in., 30 pc 5/8 in., 35 pc 3/4 in., 10 pc 13/16 in., 20 pc 7/8 in., 10 pc 1 in., 5 pc 1-1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565311	300 pc	4615 2	6	24

295 PC METRIC SNAP RING ASSORTMENT

- External snap rings used to retain pulleys, gears or wheels on shafts
- 25 pc 6 mm, 20 pc 8 mm, 15 pc 9 mm, 20 pc 10 mm, 20 pc 11 mm, 20 pc 12 mm, 10 pc 13 mm, 20 pc 14 mm, 15 pc 15 mm, 20 pc 16 mm, 10 pc 17 mm, 15 pc 18 mm, 10 pc 19 mm, 15 pc 20 mm, 10 pc 21 mm, 10 pc 22 mm, 10 pc 24 mm, 10 pc 25 mm, 5 pc 28 mm, 5 pc 30 mm, 5 pc 32 mm, 5 pc 35 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565313	295 pc	4616 9	4	12

170 PC U-CLIP AND SCREW ASSORTMENT

- Use for securing wires and cables
- Screws: 40 pc #6 x 5/16 in., 20 pc #8 x 5/8 in., 15 pc #10 x 1/2 in., 10 pc 1/4 x 3/4 in.
- Panel Clips: 20 pc #6 small, 20 pc #6 large, 20 pc #8, 15 pc #10, 10 pc 1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565351	170 pc	4617 6	6	24

200 PC SPRING ASSORTMENT

- Extension springs: 8 pc 3/16 x 1-3/4 in. (4.8 x 44.5 mm), 12 pc 5/32 x 3-1/8 in. (4 x 79.5 mm), 10 pc 13/64 x 13/16 in. (5 x 20.5 mm), 10 pc 7/32 x 1 in. (5.5 x 25.5 mm), 10 pc 9/32 x 1-1/2 in. (7 x 38 mm), 12 pc 9/32 x 2-13/16 in. (7 x 71 mm), 12 pc 11/32 x 1-27/32 in. (8.5 x 47 mm), 10 pc 11/32 x 1-7/16 in. (8.5 x 36.5 mm), 10 pc 1/4 x 7/8 in. (6.5 x 22 mm), 8 pc 5/16 x 1-1/8 in. (8 x 28.5 mm), 10 pc 5/16 x 1-1/4 in. (8 x 31.5 mm), 12 pc 5/16 x 1-3/4 in. (8 x 44.5 mm)
- Compression springs: 10 pc 7/32 x 11/16 in. (5.5 x 17 mm), 10 pc 7/32 x 1-1/2 in. (5.5 x 38 mm), 10 pc 9/32 x 1/2 in. (7 x 12.5 mm), 10 pc 9/32 x 3/4 in. (7 x 19 mm), 10 pc 1/4 x 13/32 in. (6.5 x 10 mm), 8 pc 23/64 x 1-3/8 in. (9.1 x 35 mm), 6 pc 3/8 x 5/8 in. (9.5 x 16 mm), 12 pc 3/8 x 3/4 in. (9.5 x 19 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565225	200 pc	4609 1	6	24

120 PC SAE ROLL PIN ASSORTMENT

- Spring steel gives constant pressure to keep pin securely in place
- 4 pc 5/32 x 5/8 in., 4 pc 5/32 x 1 in., 4 pc 5/32 x 1-1/2 in., 4 pc 1/4 x 5/8 in., 4 pc 1/4 x 1-1/4 in., 4 pc 1/4 x 1-3/4 in., 4 pc 5/16 x 3/4 in., 4 pc 5/16 x 1-1/2 in., 4 pc 5/16 x 2 in., 4 pc 5/64 x 1/4 in., 4 pc 5/64 x 1/2 in., 4 pc 5/64 x 1 in., 4 pc 1/16 x 3/16 in., 4 pc 1/16 x 3/4 in., 4 pc 1/16 x 5/16 in., 4 pc 3/32 x 5/8 in., 4 pc 3/32 x 1-1/4 in., 4 pc 3/32 x 1-3/4 in., 5 pc 1/8 x 5/8 in., 5 pc 1/8 x 1 in., 5 pc 1/8 x 1-1/4 in., 2 pc 3/8 x 3/4 in., 2 pc 3/8 x 1-1/2 in., 2 pc 3/8 x 2 in., 4 pc 7/32 x 5/8 in., 4 pc 7/32 x 1-1/4 in., 4 pc 7/32 x 1-3/4 in., 5 pc 3/16 x 5/8 in., 5 pc 3/16 x 1 in., 5 pc 3/16 x 1-1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565391	120 pc	4618 3	6	24

134 PC METRIC ROLL PIN ASSORTMENT

- Spring steel gives constant pressure to keep pin securely in place
- 4 pc 1.5 x 6 mm, 4 pc 1.5 x 10 mm, 4 pc 1.5 x 12 mm, 4 pc 1.5 x 20 mm, 4 pc 2 x 6 mm, 4 pc 2 x 10 mm, 4 pc 2 x 12 mm, 4 pc 2 x 20 mm, 4 pc 3 x 10 mm, 4 pc 3 x 18 mm, 4 pc 3 x 24 mm, 4 pc 3 x 30 mm, 4 pc 3 x 40 mm, 3 pc 4 x 10 mm, 3 pc 4 x 18 mm, 3 pc 4 x 22 mm, 3 pc 4 x 26 mm, 3 pc 4 x 30 mm, 3 pc 4 x 40 mm, 4 pc 5 x 14 mm, 4 pc 5 x 18 mm, 4 pc 5 x 26 mm, 4 pc 5 x 30 mm, 4 pc 5 x 40 mm, 4 pc 5 x 50 mm, 3 pc 6 x 20 mm, 3 pc 6 x 24 mm, 3 pc 6 x 30 mm, 3 pc 6 x 40 mm, 3 pc 6 x 50 mm, 3 pc 8 x 20 mm, 3 pc 8 x 30 mm, 3 pc 8 x 40 mm, 3 pc 8 x 50 mm, 3 pc 8 x 65 mm, 2 pc 10 x 40 mm, 2 pc 10 x 45 mm, 2 pc 10 x 50 mm, 2 pc 10 x 65 mm, 2 pc 10 x 80 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565393	134 pc	4619 0	6	24

250 PC WOODRUFF KEY ASSORTMENT

- Precise steel keys for pulleys and drive shaft applications
- 10 pc 1/16 x 3/8 in., 10 pc 1/16 x 1/2 in., 20 pc 3/32 x 3/8 in., 20 pc 3/32 x 1/2 in., 10 pc 3/32 x 5/8 in., 10 pc 1/8 x 3/8 in., 20 pc 1/8 x 1/2 in., 30 pc 1/8 x 5/8 in., 20 pc 1/8 x 3/4 in., 40 pc 5/32 x 5/8 in., 10 pc 5/32 x 3/4 in., 5 pc 5/32 x 7/8 in., 5 pc 3/16 x 5/8 in., 20 pc 3/16 x 3/4 in., 5 pc 3/16 x 7/8 in., 5 pc 7/32 x 7/8 in., 5 pc 1/4 x 3/4 in., 5 pc 1/4 x 7/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565437	250 pc	4651 0	6	24

34 PC HOSE CLAMP ASSORTMENT

- Ideal for repairs for washers, garbage disposals, dishwasher hoses and more
- 8 pc 5/8 in. (15.9 mm), 8 pc 3/4 in. (19 mm), 6 pc 7/8 in. (22.2 mm), 4 pc 1 in. (25.4 mm), 4 pc 1-1/16 in. (26.9 mm), 4 pc 1-1/4 in. (31.8 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565421	34 pc	4620 6	6	24

26 PC KEY-TYPE HOSE CLAMP ASSORTMENT

- No tools needed to tighten or loosen
- 10 pc 1/2 in. (12.7 mm), 6 pc 5/8 in. (15.9 mm), 6 pc 3/4 in. (19 mm), 2 pc 7/8 in. (22.2 mm), 2 pc 1 in. (25.4 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565427	26 pc	4638 1	6	24

18 PC RUBBER INSULATED CLAMP ASSORTMENT

- Used to securely suspend hoses, cables, pipes and more
- 8 pc 1/4 in. (6.4 mm), 4 pc 5/16 in. (7.9 mm), 2 pc 3/8 in. (9.5 mm), 2 pc 1/2 in. (12.7 mm), 2 pc 5/8 in. (15.9 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565431	18 pc	4639 8	6	24

600 PC HOME HARDWARE ASSORTMENT

- For a wide variety of household jobs
- 4 pc cup hooks 1-1/2 in.
- 4 pc cup hooks 1-1/4 in.
- 12 pc picture hangers
- 15 pc sheet metal screws 1 in.
- 10 pc push pins
- 15 pc plastic anchors 4 through 6
- 153 pc wire nails 17 ga
- 16 pc sheet metal screws 1-1/4 in.
- 152 pc wire brads 17 ga
- 16 pc plastic anchors 4 through 8
- 153 pc wire nails 18 ga
- 50 pc thumb tacks



Item No.	Size	EAN	Inner	Outer
565441	600 pc	69426292+	6	24

160 PC WIRE TERMINAL ASSORTMENT

- Terminals and connectors for industrial and automotive applications
- 4 pc 12-10 ga ring terminal 55-5
- 4 pc 12-10 ga ring terminal 55-8
- 4 pc 12-10 ga ring terminal 55-10
- 5 pc 12-10 ga male connector
- 5 pc 12-10 ga female disconnect
- 12 pc 12-10 ga butt connect
- 10 pc 16-14 ga ring terminal 2-5L
- 10 pc 16-14 ga male connector
- 10 pc 16-14 ga ring terminal 2-4L
- 10 pc 16-14 ga ring terminal 2-6
- 10 pc 16-14 ga female disconnect
- 18 pc 18-14 ga butt connect
- 10 pc 16-14 ga bullet male connect
- 12 pc 22-18 ga butt connect
- 10 pc 16-14 ga spade terminal 2-4M
- 4 pc 18-14 ga quick splice
- 8 pc 22-18 ga ring terminal 1.25-4
- 4 pc 22-18 ga quick splice
- 10 pc 16-14 ga bullet female disconnect



Item No.	Size	EAN	Inner	Outer
565451	160 pc	69426292+	6	24

60 PC MACHINERY KEY ASSORTMENT

- Square keys have chamfered ends for easy insertion into keyways
- 4 pc 1/8 x 1/8 x 3/4 in., 4 pc 1/8 x 1/8 x 1 in., 5 pc 3/16 x 3/16 x 3/4 in., 5 pc 3/16 x 3/16 x 1 in., 5 pc 3/16 x 3/16 x 1-1/4 in., 5 pc 1/4 x 1/4 x 3/4 in., 5 pc 1/4 x 1/4 x 1-1/4 in., 5 pc 1/4 x 1/4 x 1-1/2 in., 5 pc 5/16 x 5/16 x 1-1/4 in., 5 pc 5/16 x 5/16 x 1-1/2 in., 5 pc 3/8 x 3/8 x 1-1/4 in., 5 pc 3/8 x 3/8 x 1-1/2 in., 2 pc 1/2 x 1/2 x 1-1/2 in.



Item No.	Size	EAN	Inner	Outer
565433	60 pc	69426292+	6	24

151 PC EYE BOLT ASSORTMENT

- Eye screws: 60 pc 1-1/8 in., 12 pc 1-13/16 in., 12 pc 1-15/16 in.
- Hook screws: 50 pc 1-5/8 in., 12 pc 2-1/2 in., 5 pc 3-3/8 in.



Item No.	Size	EAN	Inner	Outer
565445	151 pc	69426292+	6	24

28 PC ELECTRICAL CLIP ASSORTMENT

- Repair broken leads on test equipment and chargers
- Make your own low-voltage jumper leads
- 6 pc 50 mm (2 in.) Alligator clips
- 10 pc mini alligator clips,
- 6 pc 38 mm (1-1/2 in.) alligator clips
- 2 pc 30 AMP charging clips,
- 2 pc 25 AMP charging clips
- 2 pc 10 AMP charging clips



Item No.	Size	EAN	Inner	Outer
565447	28 pc	69426292+	6	24

96 PC ATO FUSE ASSORTMENT

- Ideal for protecting the wiring and electronics of your vehicle
- 12 pc 3 A (Violet)
- 12 pc 7.5 A (Brown)
- 12 pc 15 A (Blue)
- 12 pc 25 A (Clear)
- 12 pc 5 A (Orange)
- 12 pc 10 A (Red)
- 12 pc 20 A (Yellow)
- 12 pc 30 A (Green)



Item No.	Size	EAN	Inner	Outer
565463	96 pc	69426292+	6	24

96 PC MINI FUSE ASSORTMENT

- Designed to fit fuse panels in many later-model vehicles
- 12 pc 3 A (Violet)
- 12 pc 7.5 A (Brown)
- 12 pc 15 A (Blue)
- 12 pc 25 A (Clear)
- 12 pc 5 A (Orange)
- 12 pc 10 A (Red)
- 12 pc 20 A (Yellow)
- 12 pc 30 A (Green)



Item No.	Size	EAN	Inner	Outer
565467	96 pc	69426292+	6	24

24 PC MAXI FUSE ASSORTMENT

- Great for use with truck and car stereo systems or power inverters that use high amperage
- 3 pc 20 A (Yellow)
- 3 pc 40 A (Orange)
- 3 pc 60 A (Blue)
- 3 pc 80 A (Clear)
- 3 pc 30 A (Green)
- 3 pc 50 A (Red)
- 3 pc 70 A (Tan)
- 3 pc 100 A (Purple)



Item No.	Size	EAN	Inner	Outer
565469	24 pc	69426292+	6	24

16 PC DRIVER BIT SET

- 12 pc 25 mm (1 in.) CR-V bits
- #1, #2
- 4.5, 5.5 mm
- #1, #2
- T-10, T-15, T-20, T-25, T-30, T-40
- 2 pc 50 mm (2 in.) CR-V bits
- #2 x 2
- 1 pc quick change chuck
- 1 pc stubby bit handle

Item No.	Size	EAN	Inner	Outer
900016	16 pc	69426292+	0017 8	6 48

32 PC DRIVER BIT SET

- 30 pc CR-V bits
- #1 x 3, #2 x 3, #3 x 3
- 4.5, 5.5, 6.5 mm
- #1 x 3, #2 x 3, #3 x 3
- T-10, T-15, T-20, T-25, T-30, T-40
- 1 pc quick change chuck
- 1 pc stubby bit handle

Item No.	Size	EAN	Inner	Outer
900017	32 pc	69426292+	0018 5	6 36

29 PC STUBBY TOOL SET (METRIC)

- 10 pc CR-V bits
- #1, #2, #3
- 4, 5, 6 mm
- T-15, T-20
- 3, 6 mm
- 10 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 1 pc stubby pipe & adjustable wrench
- 1 pc 280 g (10 oz.) stubby claw hammer
- 1 pc ratchet screwdriver
- 1 pc 1/4 in.-3/8 in. Dr. stubby ratchet handle
- 1 pc 115 mm (4-1/2 in.) mini linesman pliers
- 4 pc 3/8 in. Dr. sockets: 13, 14, 15, 17 mm



Item No.	Size	EAN	Inner	Outer
900053	29 pc	69426292+	0230 1	0 6

STUBBY RATCHET HANDLE



Item No.	Size	EAN	Inner	Outer
900060	1/4 in. & 3/8 in. Dr.	69426292+	0240 0	12 24

2-IN-1 STUBBY WRENCH



Item No.	Size	EAN	Inner	Outer
900061	2-in-1	69426292+	0241 7	12 24

7-IN-1 STUBBY PIVOTING RATCHET SCREWDRIVER

- 6 pc CR-V bits: #1, #2, #3
- 4, 5, 6 mm (Metric)
- 5/32, 3/16, 1/4 in. (SAE)
- 1 pc pivoting ratchet screwdriver



Item No.	Size	EAN	Inner	Outer
900168	Metric	69426292+	2618 5	12 48

DUAL FUNCTION ADJUSTABLE WRENCH



Item No.	Size	EAN	Inner	Outer
900064		69426292+	0244 8	12 48

STUBBY RATCHET HANDLE



Item No.	Size	EAN	Inner	Outer
900065	3/8 in. & 1/2 in. Dr.	69426292+	9029 2	12 24

STUBBY HAMMER



Item No.	Size	EAN	Inner	Outer
900062		69426292+	0242 4	12 24

6-IN-1 STUBBY RATCHET SCREWDRIVER

- 5 pc CR-V bits
- #0, #1, #2
- 3/16, 1/4 in. (5, 6 mm)



Item No.	Size	EAN	Inner	Outer
900063	6-in-1	69426292+	0243 1	16 48

2 PC STUBBY TOOL SET

- 1 pc dual head 1/4 in. & 3/8 in. Dr. stubby ratchet handle
- 1 pc adjustable wrench/pipe wrench



Item No.	Size	EAN	Inner	Outer
900107	2 pc	69426292+	3094 6	6 24

2 PC MULTI PLIERS & TORCH SET

- 12-in-1 multi pliers
- 210 Lumens LED torch



Item No.	Size	EAN 69426292+	Inner	Outer
900056	2 pc	0233 2	6	24

3 PC TOOL SET


- 1 pc multi-function pliers
- 1 pc folding knife
- 1 pc 6-in-1 screwdriver



Item No.	Size	EAN 69426292+	Inner	Outer
900111	3 pc	3997 0	6	24

2 PC CHISEL TIP MARKER

- Non-slip bi-material handle
- Durable chisel tip
- Permanent ink writes on wet/oily surfaces



Item No.	Size	EAN 69426292+	Inner	Outer
900092	2 pc	0623 1	10	100

38 PC RATCHET DRIVER SET

- 27 pc CR-V bits:
 - ⊕ #0, #1, #2, #3
 - ⊖ 3, 4, 5, 6, 7 mm
 - 1.5, 2, 2.5, 3, 4, 5, 6 mm
 - ⊗ #0, #1, #2, #3
 - ⊙ T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 9 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 1 pc 1/4 in. Dr. adaptor
- 1 pc ratchet driver



Item No.	Size	EAN 69426292+	Inner	Outer
900079	38 pc	0725 2	6	24

27 PC FINGER RATCHET SET

- 19 pc CR-V bits:
 - ⊕ #0, #1, #2, #3
 - ⊖ 3, 4, 6 mm
 - 2.5, 3, 4, 5, 6 mm
 - ⊗ T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 5 pc 1/4 in. Dr. sockets: 5.5, 7, 8, 10, 12 mm
- Ratchet driver
- Driver handle
- 1 pc 1/4 in. Dr. adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
900207	27 pc	1422 9	6	24

8-IN-1 PALM DRIVER

- 6 pc CR-V bits:
 - ⊕ #1, #2, #3
 - ⊖ 5/32, 3/16, 1/4 in. (SAE)
- 1 pc 70 mm (2-3/4 in.) extension bar
- 1 pc palm driver



Item No.	Size	EAN 69426292+	Inner	Outer
900241	8-in-1	2851 6	9	18

3 PC TORQ DRIVER SET

- 1 pc Torq driver
- 1 pc 75 mm (3 in.) extension bar
- 1 pc 150 mm (6 in.) extension bar



Item No.	Size	EAN 69426292+	Inner	Outer
900209	3 pc	1423 6	6	24

25 PC STUBBY TORQ DRIVER SET (METRIC)

- 16 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #1, #2 x 2, #3
 - ⊖ 4, 5, 6 mm
 - 3, 6 mm
 - ⊗ #1, #2 x 2, #3
 - ⊙ T-10, T-15, T-20
- 6 pc 1/4 in. Dr. socket sets: 5, 6, 7, 8, 9, 10 mm
- 1 pc 90 mm (3-1/2 in.) extension bar
- 1 pc 1/4 in. Dr. adaptor
- 1 pc stubby Torq driver



Item No.	Size	EAN 69426292+	Inner	Outer
900225	25 pc	1742 8	6	24

46 PC TORQ DRIVER SET

- 24 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #0, #1, #2 x 5, #3
 - ⊖ 5/32, 3/16, 1/4 in.
 - ⊗ #1, #2, #3
 - ⊙ #1, #2, #3
 - 1/8, 1/4 in.
 - ⊙ T-10, T-15, T-20, T-25, T-30
- 20 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 1 pc 75 mm (3 in.) extension bar
- 1 pc Torq driver



Item No.	Size	EAN 69426292+	Inner	Outer
900226	46 pc	1743 5	6	12

55 PC STUBBY TOOL SET

- 32 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #0, #1, #2 x 5, #3
 - ⊖ 4, 5, 6, 7 mm
 - 2, 2.5, 3, 4, 5, 5.5, 6 x 2 mm
 - ⊗ #1, #2 x 2, #3
 - ⊙ T-8, T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 1/4 in. & 3/8 in. Dr. dual head stubby ratchet handle
- Stubby ratchet screwdriver
- Stubby adjustable wrench
- 10 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 6 pc 3/8 in. Dr. sockets: 13, 14, 15, 16, 17, 19 mm
- 3/8 in. (F) x 1/4 in. (M) adaptor
- 3/8 in. Dr. x 75 mm (3 in.) extension bar
- 1/4 in. Dr. socket/bit adaptor
- 60 mm (2-3/8 in.) extension bar



Item No.	Size	EAN 69426292+	Inner	Outer
900154	55 pc	0850 1	6	12

46 PC STUBBY TOOL SET

- 20 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #1, #2, #3
 - ⊖ 4, 5, 6 mm
 - 3, 4, 5, 6 mm, 1/8, 5/32, 3/16, 1/4 in.
 - ⊗ #1, #2, #3
 - ⊙ T-10, T-20, T-30
- Stubby adjustable wrench
- Stubby ratchet screwdriver
- 18 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm; 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 in.
- 4 pc 3/8 in. Dr. sockets: 13, 14 mm; 1/2, 9/16 in.
- 1/4 in. & 3/8 in. Dr. dual head stubby ratchet handle
- 3/8 in. (F) x 1/4 in. (M) adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
900155	46 pc	5017 3	6	12

40 PC STUBBY TOOL SET

- 31 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #0, #1 x 2, #2 x 2, #3 x 2
 - ⊖ 3, 4, 5, 6, 7 mm
 - 2, 2.5, 3, 4, 5, 6 mm
 - ⊗ #1, #2 x 2, #3
 - ⊙ T-10, T-15, T-20, T-25, T-27
 - ⊙ #0, #1, #2, #3
- 1/4 in. Dr. bit/socket adaptor
- Stubby ratchet screwdriver
- 5 pc 1/4 in. Dr. sockets: 4, 5, 6, 8, 10 mm
- 1/4 in. Dr. x 75 mm (3 in.) extension bar
- 1/4 in. Dr. Ratchet



Item No.	Size	EAN 69426292+	Inner	Outer
900161	40 pc	1403 8	6	18

60 PC STUBBY TOOL SET

- 39 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #0, #1, #2 x 2, #3
 - ⊖ 3, 4, 5, 6, 7 mm
 - ⊗ #0, #1, #2 x 2, #3
 - ⊙ #0, #1, #2, #3
 - 2, 3, 4, 5, 6 mm; 3/32, 1/8, 5/32, 3/16, 1/4 in.
 - ⊙ T-8, T-10 x 2, T-15 x 2, T-20 x 2, T-25, T-27, T30
- 10 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 4 pc 3/8 in. Dr. sockets: 13, 14, 15, 16 mm
- 1 pc 3/8 in. (F) x 1/4 in. (M) adaptor
- 1 pc bit/socket adaptor
- 1 pc stubby adjustable wrench
- 1 pc 60 mm (2-1/4 in.) extension bar
- 1 pc stubby ratchet screwdriver
- 1 pc 1/4 & 3/8 in. Dr. dual head stubby ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
900191	60 pc	6050 9	6	12

14 PC DRAWER TOOL SET

- 1 pc multi opener
- 1 pc 9 mm snap off knife
- 3 pc 9 mm knife blades
- 1 pc 215 mm (8-1/2 in.) scissors
- 1 pc 160 mm (6 in.) linesman plier
- 1 pc 150 mm (6 in.) torpedo level
- 1 pc 3.5 m (12 ft.) tape measure
- 2 pc screwdrivers:
 - ⊕ #2, ⊖ 6 mm
- 2 pc precision screwdrivers:
 - ⊕ #0, ⊖ 2.4 mm
- 1 pc 225 g (8 oz.) claw hammer



Item No.	Size	EAN 69426292+	Inner	Outer
900163	14 pc	1648 3	0	6

103 PC RATCHET DRIVER & BIT SET

- 62 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #0 x 3, #1 x 3, #2 x 3, #3 x 3
 - ⊖ 3 mm x 3, 4 mm x 3, 5 mm x 3, 6 mm x 3, 7 mm x 3
 - 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 5.5 mm, 6 mm
 - ⊗ #0 x 3, #1 x 3, #2 x 3, #3 x 3
 - ⊙ T-10 x 3, T-15 x 2, T-20 x 3, T-25 x 2, T-27 x 2, T-30 x 2, T-40 x 2
- 40 pc 50 mm (2 in.) CR-V bits:
 - ⊕ #0, #1 x 2, #2 x 2, #3 x 2
 - ⊖ 3 mm x 2, 4 mm x 2, 5 mm x 2, 6 mm x 2, 7 mm
 - 2.5 mm, 3 mm, 4 mm x 2, 5 mm x 2, 6 mm x 2
 - ⊗ #0, #1 x 2, #2 x 2, #3 x 2
 - ⊙ T-10 x 2, T-15, T-20 x 2, T-25, T-27, T-30, T-40
- 1 pc ratchet driver



Item No.	Size	EAN 69426292+	Inner	Outer
900165	103 pc	1775 6	0	8



22 PC PRECISION TOOL SET

- 1 pc precision screwdriver
- 1 pc 60 mm (2-1/4 in.) precision extension bar
- 20 pc 4 x 28 mm precision bits (ni-plated):
 - ⊖ 1.5, 2, 2.5, 3 mm ⊕ #000, #00, #0, #1
 - ⊖ 1.5, 2, 2.5, 3, 4 mm
 - ⊕ T-6, T-7, T-8, T-9, T-10, T-15, T-20



Item No.	Size	EAN	Inner	Outer
900122	22 pc	69426292+	6	24

23 PC STUBBY TOOL SET

- 1 pc mini ratchet driver
- 1 pc bit adaptor
- 15 pc 25 mm (1 in.) bits:
 - ⊖ 3, 4, 5, 6 mm ⊕ #0, #1, #2, #3
 - ⊕ #1, #2 ⊕ T-15, T-20 ⊖ 4, 5, 6 mm
- 6 pc sockets: 5, 6, 7, 8, 9, 10 mm



Item No.	Size	EAN	Inner	Outer
900123	23 pc	69426292+	6	24

71 PC BIT SET

- 1 pc ratchet driver
- 60 pc 25 mm (1 in.) CR-V bits:
 - ⊖ 3, 4, 5, 6, 7 mm ⊕ #0, #1, #2 x 3, #3
 - ⊕ T-8, T-9, T-10, T-15 x 2, T-20, T-25, T-27, T-30, T-40
 - ⊕ #0, #1, #2 x 2, #3
 - ⊖ #0, #1, #2, #3
 - ⊖ 1/16, 3/32, 7/64, 1/8, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 in., 2, 2.5, 3 x 2, 4, 5 x 2, 5.5, 6 x 2 mm
 - ⊕ T-8, T-9, T-10, T-15 x 2, T-20, T-25, T-27, T-30, T-40
- 1 pc bit/socket adaptor
- 8 pc 50 mm (2 in.) CR-V bits:
 - ⊕ #0, #1, #2, #3 ⊖ 3, 4, 5, 6 mm
- 1 pc 50 mm (2 in.) extension bar



Item No.	Size	EAN	Inner	Outer
900179	71 pc	69426292+	6	12

57 PC DRIVER BIT SET

- 1 pc precision bit handle
- 1 pc ratchet screwdriver handle
- 1 pc 50 mm (2 in.) extension bar
- 1 pc 60 mm (2-1/4 in.) precision extension bar
- 9 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 20 pc CR-V precision bits:
 - ⊖ 1.0, 1.5, 2.5 mm ⊕ #000, #00, #0, #1
 - ⊕ T-3, T-4, T-5, T-6, T-7, T-8, T-9, T-10
 - ⊖ 0.9, 1.3, 1.5, 2.0, 2.5 mm
- 23 pc 25 mm (1 in.) CR-V bits:
 - ⊖ 4, 5, 6, 7 mm ⊕ #0, #1, #2, #3
 - ⊕ T-10, T-15, T-20, T-25, T-30, T-40
 - ⊕ #0, #1, #2, #3 ⊖ 2, 3, 4, 5, 6 mm
- 1 pc bit/socket adaptor



Item No.	Size	EAN	Inner	Outer
900180	57 pc	69426292+	6	12

48 PC RATCHET T-HANDLE SET

- 36 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #1 x 2, #2 x 3, #3 x 2
 - ⊖ 3 mm x 2, 4 mm x 2, 5 mm x 3, 6 mm x 2
 - ⊕ #1 x 2, #2 x 3, #3 x 2
 - ⊖ 2.5, 3, 4, 5, 6 mm
 - ⊕ T-8, T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 1 pc 1/4 in. Dr. socket/bit adaptor
- 9 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 1 pc 140 mm (5-1/2 in.) extension bar
- 1 pc ratchet T-driver



Item No.	Size	EAN	Inner	Outer
900181	48 pc	69426292+	6	12

43 PC RATCHET T-HANDLE SET

- 22 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #1 x 2, #2 x 2, #3 x 2;
 - ⊖ 4, 5, 6 mm; ⊖ 2.5, 3, 4, 5, 5.5, 6 mm;
 - ⊕ T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 18 pc 1/4 in. Dr. sockets:
 - 4, 5, 6, 7, 8, 9, 10, 11, 12 mm;
 - 5/32, 3/16, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 1 pc 140 mm (5-1/2 in.) extension bar
- 1 pc 1/4 in. Dr. socket/bit adaptor
- 1 pc ratchet T-driver



Item No.	Size	EAN	Inner	Outer
900182	43 pc	69426292+	6	12

32 PC MINI RATCHET T-HANDLE SET

- 11 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #1, #2, #3; ⊖ 4, 6 mm; ⊕ #1, #2;
 - ⊖ 3, 6 mm ⊕ T-15, T-20
- 1 pc 1/4 in. Dr. socket/bit adaptor
- 6 pc 1/4 in. Dr. sockets: 5, 6, 7, 8, 9, 10 mm
- 1 pc 100 mm (4 in.) extension bar
- 1 pc mini ratchet T-driver
- 1 pc precision bit adaptor
- 10 pc CR-V precision bits:
 - ⊕ #00, #0; ⊖ 2, 3 mm; ⊕ #0, #1;
 - ⊖ 2, 2.5 mm; ⊕ T-7, T-10



Item No.	Size	EAN	Inner	Outer
900183	32 pc	69426292+	6	24

24 PC MINI RATCHET T-HANDLE SET

- 15 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #0, #1, #2, #3;
 - ⊖ 4, 5, 6 mm;
 - ⊕ #1, #2, #3;
 - ⊖ T-10, T-15, T-20;
 - ⊖ 3, 6 mm
- 6 pc 1/4 in. Dr. sockets: 5, 6, 7, 8, 9, 10 mm
- 1 pc 100 mm (4 in.) extension bar
- 1 pc 1/4 in. Dr. socket/bit adaptor
- 1 pc mini ratchet T-driver



Item No.	Size	EAN	Inner	Outer
900184	24 pc	69426292+	6	24

32 PC MINI RATCHET T-HANDLE SET

- 12 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #1, #2, #3
 - ⊖ 5/32, 3/16, 1/4 in.
 - ⊕ #1, #2
 - ⊖ 1/8, 1/4 in.
 - ⊕ T-15, T-20
- 6 pc 1/4 in. Dr. sockets:
 - 3/8, 5/16, 9/32, 1/4, 3/16, 5/32 in.
- 1 pc 1/4 in. Dr. socket/bit adaptor
- 1 pc 100 mm (4 in.) extension bar
- 1 pc mini ratchet T-handle
- 1 pc precision bit adaptor



Item No.	Size	EAN	Inner	Outer
900238	32 pc	69426292+	6	24

31 PC RATCHET T-HANDLE SET

- 8 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 9, 10, 12 mm
- 1 pc socket/bit adaptor
- 20 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #0, #1, #2, #2, #3
 - ⊖ 3, 4, 5, 6, 6 mm
 - ⊕ T-10, T-15, T-20, T-25, T-30, T-40
 - ⊖ 3, 4, 5, 6 mm
- 1 pc 140 mm (5-1/2 in.) extension bar
- 1 pc ratchet T-handle



Item No.	Size	EAN	Inner	Outer
900984	31 pc	69426292+	6	12

45 PC HOME USE TOOL SET

- 225 g (8 oz.) claw hammer
- 160 mm (6 in.) linesman pliers
- 150 mm (6 in.) adjustable wrench
- 9 mm snap off knife
- 10 pc 9 mm knife blades
- 140 mm (5-1/2 in.) VDE voltage detector
- 3.5 m (12 ft.) tape measure
- 100 mm (4 in.) screwdriver handle
- 8 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
- 20 pc bits:
 - ⊖ 4, 5, 6 mm ⊕ #1, #2, #3
 - ⊕ #1, #2, #3 ⊖ 3, 4, 5, 6 mm
 - ⊕ T-10, T-15, T-20, T-25, T-27, T-30, T-40



Item No.	Size	EAN	Inner	Outer
900192	45 pc	69426292+	0	8

24 PC TOOL SET

- 160 mm (6 in.) linesman pliers
- 150 mm (6 in.) adjustable wrench
- 100 mm (4 in.) bit handle
- 3.5 m (12 ft.) tape measure
- 225 g (8 oz.) claw hammer
- 9 mm snap off knife
- 8 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
- 10 pc bits:
 - ⊖ 5, 6 mm ⊕ #1, #2, #3
 - ⊖ 4, 5, 6 mm ⊕ T-15, T-20
- Zipper case included



Item No.	Size	EAN	Inner	Outer
900194	24 pc	69426292+	0	12

39 PC TOOL SET

- 340 g (12 oz.) claw hammer
- 3.5 m (12 ft.) tape measure
- 160 mm (6 in.) long nose pliers
- 160 mm (6 in.) diagonal pliers
- 150 mm (6 in.) adjustable wrench
- 100 mm (4 in.) bit handle
- 20 pc bits
- 4 pc precision screwdrivers
- 8 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
- Utility knife



Item No.	Size	EAN	Inner	Outer
900196	39 pc	69426292+	8999 9	0 8

21 PC PRECISION TOOL SET

- 1 pc mini long nose pliers
- 1 pc mini diagonal pliers
- 1 pc tweezer
- 1 pc 60 mm (2-1/4 in.) extension bar
- 1 pc precision screwdriver handle
- 16 pc H4 x 28 mm CR-V precision bits:
 - ⊖ 1.0, 1.5, 2.0, 2.5, 3.0 mm
 - ⊕ #000, #00, #0
 - ⊗ T-4, T-5, T-6, T-7
 - ⊗ T-8, T-9, T-10, T-15



Item No.	Size	EAN	Inner	Outer
900404	21 pc	69426292+	9022 3	8 16

34 PC SCREWDRIVER SET

- Dual-sided opening
- Clear-top
- 20 pc 25 mm (1 in.) bits:
 - ⊕ #1, #2, #3
 - ⊖ 4, 5, 6 mm
 - ⊖ 3, 4, 5, 6 mm
 - ⊕ #1, #2, #3
 - ⊗ T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 60 mm (2-1/4 in.) extension bar
- Ratchet driver
- 5 pc precision screwdrivers:
 - ⊕ #00, #0
 - ⊖ 1.4, 2.0, 3.0 mm
- 5 pc screwdrivers:
 - ⊕ #1 x 100 mm (4 in.), #2 x 100 mm (4 in.)
 - ⊖ 3 x 75 mm (1/8 x 3 in.)
 - 5 x 100 mm (3/16 x 4 in.)
 - 6 x 100 mm (1/4 x 4 in.)
- 2 pc stubby screwdrivers:
 - ⊕ #2 x 38 mm (1-1/2 in.)
 - ⊖ 6 x 38 mm (1/4 x 1-1/2 in.)



Item No.	Size	EAN	Inner	Outer
900401	34 pc	69426292+	9348 4	6 12

28 PC GENERAL TOOL SET

- Dual-sided opening
- Clear-top
- 20 pc 25 mm (1 in.) bits:
 - ⊕ #1, #2, #3
 - ⊖ 4, 5, 6 mm
 - ⊖ 3, 4, 5, 6 mm
 - ⊕ #1, #2, #3
 - ⊗ T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 60 mm (2-1/4 in.) extension bar
- 225 g (8 oz.) claw hammer
- 3.5 m (12 ft.) tape measure
- Ratchet driver
- 150 mm (6 in.) adjustable wrench
- 150 mm (6 in.) torpedo level
- 9 mm snap off knife
- 160 mm (6 in.) linesman pliers



Item No.	Size	EAN	Inner	Outer
900402	28 pc	69426292+	9349 1	6 12

39 PC PRECISION TOOL SET

- 1 pc mini long nose pliers
- 1 pc mini diagonal pliers
- 1 pc mini bent nose pliers
- 1 pc mini end nipper
- 1 pc tweezer
- 4 pc precision screwdrivers:
 - ⊖ 1.4, 2.0 mm
 - ⊕ #00, #0
- 1 pc 60 mm (2-1/4 in.) extension bar
- 1 pc precision screwdriver handle
- 28 pc H4 x 28 mm CR-V precision bits:
 - ⊖ 1.0, 1.5, 2.0, 2.5, 3.0 mm
 - ⊕ #000, #00, #0, #1
 - ⊗ T-3, T-4, T-5, T-6, T-7
 - ⊕ T-8, T-9, T-10
 - ⊖ 0.9, 1.3, 1.5, 2.0, 2.5 mm
 - ⊖ 2.0, 3.0
 - ⊗ Y20
 - ⊗ 0.8, 1.2, 1.5



Item No.	Size	EAN	Inner	Outer
900405	39 pc	69426292+	9023 0	6 12

2 PC UNIVERSAL WRENCH SET

- Big universal wrench:
 - 5~15~27 mm (3/16~19/32~1-1/16 in.)
- Small universal wrench:
 - 5~11~16 mm (3/16~7/16~5/8 in.)
- Fits Metric or SAE fasteners



Item No.	Size	EAN	Inner	Outer
900302	2 pc	5904 6	6 12	

14 PC SEE-THROUGH SOCKET SET

- 10 pc see-through spline sockets: 10 mm (3/8 in.), 11 mm (7/16 in.), 12 mm (15/32 in.), 13 mm (1/2 in.), 14 mm (9/16 in.), 15 mm (19/32 in.), 16 mm (5/8 in.), 17 mm (11/16 in.), 18 mm (23/32 in.), 19 mm (3/4 in.)
- 1 pc 75 mm (3 in.) see-through extension
- 1 pc quick release adaptor for use with regular sockets
- 1 pc socket adaptor for use with regular ratchet handle
- 1 pc see-through ratchet wrench



Item No.	Size	EAN	Inner	Outer
900314	14 pc	5906 0	6 12	

43 PC STUBBY TOOL SET

- 23 pc CR-V bits:
 - ⊕ #0, #1, #2 x 2, #3
 - ⊖ 1/8, 5/32, 3/16 x 2, 1/4 in.
 - ⊖ 1/8, 5/32, 3/16, 7/32 in.
 - ⊕ #1, #2, #3
 - ⊗ T-10, T-15, T-20, T-25, T-27, T-30
- 16 pc 1/4 in. Dr. sockets:
 - 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 in., 4, 5, 6, 7, 8, 9, 10, 11 mm
- 1 pc 1/4 in. Dr. adaptor
- 1 pc 2-3/8 in. extension bar
- 1 pc 3 in. extension bar
- Stubby ratchet handle



Item No.	Size	EAN	Inner	Outer
900236	43 pc	69426292+	2842 4	6 12

2 PC UNIVERSAL QUICK SNAP WRENCH SET

- Small wrench: 9-22 mm (3/8 in.-7/8 in.)
- Big wrench: 23-32 mm (7/8 in.-1-1/4 in.)
- Non-slip bi-material handle
- Fits all kinds of bolts and nuts with just one hand movement
- Ideal for plumbing, carpentry, mechanical and garden work



Item No.	Size	EAN	Inner	Outer
900304	2 pc	8094 1	6 12	

UNIVERSAL QUICK SNAP WRENCH SMALL

- 9-22 mm (3/8-7/8 in.)
- Fits all kinds of bolts and nuts with just one hand movement
- Ideal for plumbing, carpentry, mechanical and garden work
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
900305	9-22 mm (3/8-7/8 in.)	8313 3	6 36	

15 PC INTERLOCK TOOL BOX SET

- 1 pc 150 mm (6 in.) adjustable wrench
- 1 pc 160 mm (6 in.) long nose pliers
- 1 pc 225 g (8 oz.) claw hammer
- 1 pc 9 mm snap off knife
- 1 pc 100 mm (4 in.) bit handle
- 10 pc bits
- Interlockable tool box



Interlockable multiple units



Item No.	Size	EAN	Inner	Outer
910023	15 pc	69426292+	8308 9	0 10

30 PC INTERLOCK TOOL BOX SET

- 1 pc 150 mm (6 in.) adjustable wrench
- 8 pc hex keys: 1.5-6 mm
- 8 pc 1/4 in. Dr. sockets: 5-12 mm
- 1 pc 1/4 in. Dr. ratchet handle
- 1 pc 1/4 in. Dr. x 50 mm extension bar
- 1 pc 100 mm (4 in.) bit handle
- 10 pc bits
- Interlockable tool box



Interlockable multiple units



Item No.	Size	EAN	Inner	Outer
910024	30 pc	69426292+	9764 2	0 10

6 PC INTERLOCK TOOL BOX SET

- 1 pc 150 mm (6 in.) adjustable wrench
- 1 pc 3.5 m (12 ft.) tape measure
- 1 pc 225 g (8 oz.) claw hammer
- 1 pc Slotted screwdriver 6 x 100 mm (1/4 x 4 in.)
- 1 pc PH screwdriver #2 x 100 mm (4 in.)
- 1 pc 9 mm snap off knife
- Interlockable tool box



Interlockable multiple units



Item No.	Size	EAN	Inner	Outer
910025	6 pc	69426292+	4050 1	0 10

54 PC TOOL SET

- 1/4 in. Dr. 72 tooth CR-V ratchet handle
- 3/8 in. (M) x 1/4 in. (F) adaptor
- 1/4 in. Dr. x 75 mm extension bar
- 31 pc CR-V bits:
 - ⊕ #0, #1, #2, #3
 - ⊖ 3, 4, 5, 6, 7 mm
 - ⊙ 2, 2.5, 3, 4, 5, 6 mm
 - ⊕ #1, #2, #3
 - ⊙ T-8, T-10, T-15, T-20, T-25, T-27, T-30, T-40
 - ⊙ #0, #1, #2, #3
- 10 pc 1/4 in. Dr. CR-V sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 6 pc 3/8 in. Dr. sockets: 13, 14, 15, 16, 17, 19 mm
- Ratchet screwdriver handle
- 1/4 in. Dr. bit/socket adaptor
- 60 mm (2-1/4 in.) bit extension bar
- 150 mm (6 in.) adjustable wrench



Item No.	Size	EAN	Inner	Outer
910102	54 pc	69426292+	1592 9	6 12

13-IN-1 MULTI-TOOL IN WATERPROOF BOX

- Long nose pliers
- Regular pliers
- Hard wire cutter
- Bottle opener & large slotted screwdriver
- Saw
- Small slotted screwdriver
- Awl
- Medium slotted screwdriver
- Phillips screwdriver
- Nail file & cleaner



Item No.	Size	EAN	Inner	Outer
911001	13-in-1	69426292+	8876 3	12 48

15 PC TOOL SET


- 225 g (8 oz.) claw hammer
- 160 mm (6 in.) CR-V linesman pliers
- Magnetic bit holder
- 150 mm (6 in.) adjustable wrench
- 10 pc CR-V bits:
 - ⊖ 5, 6 mm
 - ⊕ #1, #2, #3
 - ⊙ 4, 5, 6 mm
 - ⊙ T-15, T-20
- 9 mm snap-off knife



Item No.	Size	EAN	Inner	Outer
910101	15 pc	69426292+	1590 5	6 12

15-IN-1 MULTI KNIFE IN WATERPROOF BOX

- Bottle & can opener
- Knife
- Wood saw
- Fish scaler & hook remover
- Scissors
- Corkscrew
- Wire stripper
- Nail file & cleaner
- Phillips screwdriver
- Leather punch
- Bottle opener & screwdriver



Item No.	Size	EAN	Inner	Outer
911004	15-in-1	69426292+	8879 4	12 48

MULTI-FUNCTION KNIFE

- Knife
- Scissors
- Bottle opener
- Small slotted screwdriver
- Can opener
- Medium slotted screwdriver
- Stripper
- Leather punch
- Corkscrew



Item No.	Size	EAN	Inner	Outer
950009	9-in-1	69426292+	5961 0	6 36

6 PC BALL END HEX KEY 24/CAN

- 2, 2.5, 3, 4, 5, 6 mm



Item No.	Size	EAN	Inner	Outer
916001	24/can	69426292+	8066 8	24 144

6 PC TORX KEY 24/CAN

- T-9, T-10, T-15, T-20, T-25, T-30



Item No.	Size	EAN	Inner	Outer
916002	24/can	69426292+	8067 5	24 144

MINI FOLDING KNIFE 50/CAN



Item No.	Size	EAN	Inner	Outer
916003	50/can	69426292+	8260 0	50 300

POCKET ALUMINUM LEVEL 40/CAN



Item No.	Size	EAN	Inner	Outer
916004	40/can	69426292+	8798 8	40 240

SURVIVAL MULTI-FUNCTION TOOL SET

- Slide multi-tool with nylon pouch
- 3 W CREE LED torch
- 3 pc AAA batteries included



Item No.	Size	EAN	Inner	Outer
950025		69426292+	5188 0	6 12

TRAVELER MULTI-FUNCTION TOOL SET

- LED torch with 12 V auto cigarette adapter
- Mini multi-tool with nylon pouch



Item No.	Size	EAN	Inner	Outer
950026		69426292+	5189 7	6 24

SKELETON MULTI-FUNCTION TOOL SET

- 9-in-1 multi-tool with nylon pouch
- 150 LM LED torch
- 2 pc AA batteries included



Item No.	Size	EAN	Inner	Outer
950028		69426292+	7183 3	6 24

MAGNETIC BLUETOOTH SPEAKER

- Built-in rechargeable li-battery
- Belt clip with magnet
- IP55 water resistant

CE RoHS FC



Item No.	Size	EAN	Inner	Outer
950151	97 (L) x 91 (H) x 56 (W)	69426292+	8421 5	6 12


40 PC TOOL BOX SET

- 19 pc CR-V bits:
 - ⊕ #1, #2, #3
 - ⊖ 4, 5, 6 mm
 - ⊙ #1, #2, #3
 - ⊙ 3, 4, 5 mm
 - ⊙ #1, #2, #3
 - ⊙ T-10, T-15, T-20, T-30
- 1 pc 1/4 in. Dr. adaptor
- 1 pc 90 mm (3-1/2 in.) extension bar
- 1 pc 1/4 in. Dr. x 75 mm (3 in.) extension bar
- 1 pc stubby ratchet driver
- 15 pc 1/4 in. Dr. sockets: 4, 4.5, 5 x 2, 5.5, 6 x 2, 7, 8 x 2, 9, 10 x 2, 11, 12 mm
- 1 pc stubby ratchet handle
- 1 pc 50 cm (19 in.) tool box



Item No.	Size	EAN	Inner	Outer
990009	40 pc	69426292+	9262 3	0 10


EASY DISPLAY SET UP:



Item No.	QP height (cm)	QP QTY/pallet	Pallet height (cm)	EU Pallet QTY (20' 40')	US Pallet QTY (20' 40')	AU Pallet QTY (20' 40')
QP #1	51	8	115	176 384	144 336	160 320
QP #2	61	4	74	132 288	108 252	80 240
QP #3	78	4	91	88 192	72 168	80 160
QP #4	71	4	84	88 192	72 168	80 160
QP #5	100	4	113	88 192	72 168	80 160




EASY DISPLAY SET UP:



TACTIX PRO PLIERS

- Chrome-Nickel steel for maximum durability
- TPV handles are durable, resistant to oil and wear, and provide maximum shock absorberency
- Meets or exceeds DIN standards



The high leverage design is 25%+ more efficient than standard pliers

TACTIX PRO LONG NOSE PLIERS



TACTIX PRO DIAGONAL PLIERS



TACTIX PRO LINESMAN PLIERS




TACTIX PRO END NIPPER



TACTIX PRO AUTO-GRIP GROOVE JOINT PLIERS

- Auto-grip function adjusts lower jaw 4X faster than traditional groove joint pliers
- Chrome-Vanadium steel
- TPV handles are durable, resistant to oil and wear, and provide maximum shock absorberency
- Meets or exceeds DIN standards





TACTIX PRO SCREWDRIVERS

- TPV handles are durable, resistant to oil and wear, and provide maximum shock absorbency
- Torque ridge handle design increases grip and leverage
- S3+ steel is engineered for extreme durability with up to 30% increased torque capacity than traditional CR-V material
- Magnetic tip
- Meets or exceeds DIN standards

TACTIX PRO SLOTTED SCREWDRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205300P	0.4 x 2.5 x 75 mm (3/32 x 3 in.) E-TIP	6059 2	6	72
205301P	0.5 x 3.0 x 75 mm (1/8 x 3 in.) E-TIP	6060 8	6	72
205303P	0.8 x 4.0 x 100 mm (5/32 x 4 in.) E-TIP	6062 2	6	72

TACTIX PRO SLOTTED SCREWDRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205305P	1.0 x 5.5 x 38 mm (1/4 x 1-1/2 in.)	6064 6	6	72
205306P	1.0 x 5.5 x 100 mm (7/32 x 4 in.)	6065 3	6	72
205310P	1.2 x 6.5 x 100 mm (1/4 x 4 in.)	6069 1	6	72
205313P	1.2 x 8.0 x 150 mm (5/16 x 6 in.)	6072 1	6	60
205315P	1.6 x 10 x 200 mm (3/8 x 8 in.)	6074 5	6	60

TACTIX PRO PHILLIPS SCREWDRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205322P	#0 x 75 mm (3 in.)	6076 9	6	72
205325P	#1 x 100 mm (4 in.)	6079 0	6	72
205326P	#2 x 38 mm (1-1/2 in.)	6080 6	6	72
205327P	#2 x 100 mm (4 in.)	6081 3	6	72
205330P	#3 x 150 mm (6 in.)	6084 4	6	60

TACTIX PRO POZI SCREWDRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205341P	#0 x 75 mm (3 in.)	6087 5	6	72
205344P	#1 x 100 mm (4 in.)	6090 5	6	72
205345P	#2 x 38 mm (1-1/2 in.)	6091 2	6	72
205346P	#2 x 100 mm (4 in.)	6092 9	6	72
205348P	#3 x 150 mm (6 in.)	6094 3	6	60


TACTIX PRO TORX® SCREWDRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205351P	T-8 x 75 mm (3 in.)	6095 0	6	72
205352P	T-10 x 75 mm (3 in.)	6096 7	6	72
205353P	T-15 x 100 mm (4 in.)	6097 4	6	72
205354P	T-20 x 100 mm (4 in.)	6098 1	6	72
205355P	T-25 x 100 mm (4 in.)	6099 8	6	72
205356P	T-27 x 125 mm (5 in.)	6100 1	6	72
205357P	T-30 x 125 mm (5 in.)	6101 8	6	72
205358P	T-40 x 150 mm (6 in.)	6102 5	6	60

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

TACTIX PRO 9 PC BALL END LONG HEX KEY SET



Item No.	Size	EAN 69426292+	Inner	Outer
206503P	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	6021 9	6	36
206504P	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 in.	6022 6	6	36

TACTIX PRO 9 PC LONG TORX® KEY SET



Item No.	Size	EAN 69426292+	Inner	Outer
206505P	T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50	6023 3	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

TACTIX PRO ADJUSTABLE WRENCH

- Torque ridge handle design creates a high leverage comfortable grip
- Meets 1.3X DIN torque standard




Item No.	Size	Max opening mouth	EAN 69426292+	Inner	Outer
210061P	150 mm (6 in.)	24 mm (15/16 in.)	6024 4	6	36
210063P	200 mm (8 in.)	30 mm (1-3/16 in.)	6025 1	6	36
210065P	250 mm (10 in.)	36 mm (1-3/8 in.)	6026 8	6	24
210067P	300 mm (12 in.)	44 mm (1-3/4 in.)	6027 5	6	12

TACTIX PRO T-HANDLE KEY


- TPV handles are durable, resistant to oil and wear, and provide maximum shock absorbency
- Torque ridge handle design increase grip and leverage
- S3+ steel is engineered for extreme durability with up to 30% increased torque capacity than traditional CR-V material
- Meets or exceeds DIN standards

TACTIX PRO BALL END T-HANDLE HEX KEY



Item No.	Size	EAN 69426292+	Inner	Outer
206401P	2 mm	5975 6	6	60
206402P	2.5 mm	5976 3	6	60
206403P	3 mm	5977 0	6	60
206405P	4 mm	5978 7	6	60
206407P	5 mm	5979 4	6	60
206409P	6 mm	5980 0	6	36
206411P	7 mm	5981 7	6	36
206413P	8 mm	5982 4	6	36
206415P	10 mm	5983 1	6	36
206421P	5/64 in.	5984 8	6	60
206423P	3/32 in.	5985 5	6	60
206425P	1/8 in.	5986 2	6	60
206427P	5/32 in.	5987 9	6	60
206429P	3/16 in.	5988 6	6	60
206431P	1/4 in.	5989 3	6	36
206433P	5/16 in.	5990 9	6	36
206435P	3/8 in.	5991 6	6	36

TACTIX PRO T-HANDLE TORX® KEY



Item No.	Size	EAN 69426292+	Inner	Outer
206441P	T-9	5992 3	6	60
206442P	T-10	5993 0	6	60
206443P	T-15	5994 7	6	60
206444P	T-20	5995 4	6	60
206445P	T-25	5996 1	6	60
206446P	T-27	5997 8	6	36
206447P	T-30	5998 5	6	36
206448P	T-40	5999 2	6	36
206449P	T-45	6000 4	6	36
206450P	T-50	6001 1	6	36



TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

TACTIX PRO 7 PC BALL END T-HANDLE HEX SET



Item No.	Size	EAN 69426292+	Inner	Outer
206457P	2.5, 3, 4, 5, 6, 8, 10 mm	6002 8	6	12
206458P	3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 in.	6003 5	6	12

TACTIX PRO 7 PC T-HANDLE TORX® SET



Item No.	Size	EAN 69426292+	Inner	Outer
206459P	T-10, T-15, T-20, T-25, T-27, T-30, T-40	6004 2	6	12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.



TACTIX PRO CLAW HAMMER

- Shock absorbing forged design
- Precision forged head
- Durable one-piece construction
- Oversized striking face
- Ergonomic design, non-slip 3 color handle
- Meets or exceeds DIN standards



Item No.	Size	EAN 69426292+	Inner	Outer
221805P	450 g (16 oz.)	7108 6	6	12

28 PC STUBBY RATCHET SET


- 20 pc S2 color bits:
 - 4, 5.5, 6.5 mm; ● #1, 2, 3; ● #1, 2, 3;
 - 3, 4, 5, 6 mm; ● T10, T15, T20, T25, T27, T30, T40
- 1 pc CR-V bit socket adapter
- 5 pc 1/4 in. Dr. CR-V sockets: 4, 5, 6, 8, 10 mm
- 1 pc 1/4 in. Dr. stubby ratchet handle
- 1 pc stainless steel quick chuck



Item No.	Size	EAN 69426292+	Inner	Outer
555928P	28 pc	5633 5	12	24

PRECISION
TOOLS

PRECISION SCREWDRIVERS



5 PC PRECISION SCREWDRIVER SET

- #00, #0
- 0.8, 1.5, 2.0 mm

S2



Item No.	Size	EAN	Inner	Outer
545223	5 pc	69426292+	1899 9	6 36

6 PC PRECISION SCREWDRIVER BOX SET

- #0, #1
- 2.0, 3.0 mm
- T-8, T-10

S2



Item No.	Size	EAN	Inner	Outer
545218	6 pc	69426292+	4155 3	6 36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

6 PC PRECISION SCREWDRIVER BOX SET

- #00, #0 & #1
- 2.0, 2.5, 3.0 mm

S2



Item No.	Size	EAN	Inner	Outer
545221	6 pc	69426292+	1898 2	6 36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

7 PC PRECISION SCREWDRIVER BOX SET


- #00, #0 & #1
- 1.5, 2.5, 3.0 mm
- T-6

S2



Item No.	Size	EAN	Inner	Outer
545231	7 pc	69426292+	1903 3	6 36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.



6 PC PRECISION SCREWDRIVER BOX SET

- #00, #0
- 1.5, 2.0, 2.5, 3.0 mm

S2



Item No.	Size	EAN	Inner	Outer
545551	6 pc	69426292+	6037 0	6 36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

6 PC TORX PRECISION SCREWDRIVER BOX SET

- T-5, T-6, T-7, T-8, T-9 & T10

S2



Item No.	Size	EAN	Inner	Outer
545557	6 pc	69426292+	6038 7	6 36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

11 PC MOBILE PHONE TOOL BOX SET

- #0 2.0 mm
- T-5, T-6 & T8
- 1 pc organizer
- 2 pc shell opener
- 3 pc special screwdriver.

S2



Item No.	Size	EAN	Inner	Outer
545571	11 pc	69426292+	6041 7	6 24

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

15 PC PRECISION SCREWDRIVER BOX SET

- #00, #0, #1
- 0.8, 1.0, 1.5, 2.0, 2.5, 3.0 mm
- T-6, T-7, T-8, T-9 & T10
- 1 pc organizer

S2



Item No.	Size	EAN	Inner	Outer
545575	15 pc	69426292+	6042 4	6 24

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.



PRECISION

32 PC PRECISION SCREWDRIVER BIT BOX SET

- 30 pc bits:
- ⊕ #000, #00, #0 & #1
- ⊖ 1.0, 1.5, 2.0, 2.5, 3.0, 3.5 & 4.0
- ⊗ #0, #1
- ⊙ T-4, T-5, T-6, T-7, T-8, T-9, T-10, T-15 & T-20
- 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0 & 4.0 mm
- 1 pc 115 mm (4-1/2 in.) extension bar
- 1 pc precision screwdriver handle



Item No.	Size	EAN	Inner	Outer
545532	32 pc	69426292+	6	36

44 PC PRECISION BIT SET

- 1 pc precision screwdriver handle
- 1 pc 60 mm (2-1/4 in.) extension bar
- 6 pc nut drivers: M2.5, 3.0, 3.5, 4.0, 4.5, 5.0 mm
- 36 pc H4 x 28 mm S2 precision bits:
- ⊖ 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0 mm
- ⊕ #000, #00, #0, #1
- ⊙ T-3, T-4, T-5, T-6, T-7, T-8, T-9, T-10, T-15 & T-20
- 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 mm
- ⊗ 2.0, 3.0
- ⊙ Y2.0
- ⊗ 0.8, 1.2, 1.5
- ⊙ U2.6
- ⊙ R0.8

S2



Item No.	Size	EAN	Inner	Outer
545601	44 pc	69426292+	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

20 PC MOBILE PHONE REPAIR TOOL SET

- 1 pc precision screwdriver handle
- 2 pc plastic opening sticks
- 1 pc suction cup
- 12 pc H4 x 28 mm S2 Precision bits:
- ⊕ #000, #00
- ⊖ 1.2 mm
- ⊗ 0.8, 1.2
- ⊙ T-4, T-5, T-6, T-7, T-8 & T-10
- ⊗ 2.0
- 1 pc 60 mm (2-1/4 in.) extension bar
- 1 pc sim card ejector
- 1 pc triangle paddle
- 1 pc organizer



Item No.	Size	EAN	Inner	Outer
545603	20 pc	69426292+	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

15 PC MOBILE PHONE REPAIR TOOL SET

- 1 pc precision screwdriver handle
- 2 pc plastic opening sticks
- 1 pc triangle paddle
- 8 pc H4 x 45 mm S2 precision bits:
- ⊕ #000, #00
- ⊖ 1.2 mm
- ⊗ 0.8
- ⊙ T-4, T-5 & T-6
- ⊗ Y2.0
- 1 pc suction cup
- 1 pc sim card ejector
- 1 pc organizer

S2



Item No.	Size	EAN	Inner	Outer
545605	15 pc	69426292+	6	36

53 PC PRECISION BIT SET

- 1 pc precision screwdriver handle
- 2 pc precision screwdrivers: ⊕ 0.8 ⊕ #00
- 2 pc plastic opening sticks
- 1 pc suction cup
- 1 pc 60 mm (2-1/4 in.) extension bar
- 6 pc nut drivers: M2.5, 3.0, 3.5, 4.0, 4.5, 5.0 mm
- 36 pc H4 x 28 mm S2 precision bits:
- ⊖ 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0 mm
- ⊕ #000, #00, #0, #1
- ⊙ T-3, T-4, T-5, T-6, T-7, T-8, T-9, T-10, T-15 & T-20
- 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 mm
- ⊗ 2.0, 3.0
- ⊙ Y2.0
- ⊗ 0.8, 1.2, 1.5
- ⊙ R0.8
- 1 pc sim card ejector
- 1 pc triangle paddle
- 1 pc tweezer
- 1 pc organizer

S2



Item No.	Size	EAN	Inner	Outer
545625	53 pc	69426292+	6	24

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

14 PC PRECISION TOOL SET

- 1 pc mini long nose pliers
- 1 pc mini diagonal pliers
- 1 pc mini bent nose pliers
- 1 pc mini end nipper pliers
- 10 pc precision screwdrivers:
- ⊕ #00, #0
- ⊖ 1.5, 2.0, 2.5, 3.0 mm
- ⊙ T-5, T-6, T-8, & T-10

S2



Item No.	Size	EAN	Inner	Outer
545714	14 pc	7192 5	6	12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

6 PC PRECISION SCREWDRIVER BOX SET SLOTTED

- ⊖ 1.6 mm (1/16 in.), 2.0 mm (5/64 in.), 2.4 mm (3/32 in.), 3.0 mm (1/8 in.), 3.6 mm (9/64 in.), 4.0 mm (5/32 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
545217	6 pc	1896 8	6	36

SLOTTED SCREW STARTER

- Hold slotted screw.

CR-V



Item No.	Size	EAN	Inner	Outer
545207		1891 3	6	36

8 PC SCREWDRIVER BIT SET

- 6 pc bits:
- ⊕ #2,
- ⊖ 1/4 in.,
- ⊙ T-15, T-20, T-25,
- ⊙ #1.
- 1 pc 4 in. extension bar.
- 1 pc quick-change screwdriver handle.

CR-V



Item No.	Size	EAN	Inner	Outer
545211	8 pc	1893 7	6	36



4-IN-1 POCKET PRECISION SCREWDRIVER

- ⊕ #00, #1
- ⊖ 2.0 mm (5/64 in.), 3.0 mm (1/8 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
545239	4-in-1	1907 1	12	72

ADJUSTABLE HAND VISE

- 1/4 in. capacity, 3-jaw chuck.
- Holds small drill bits, deburrers, wires, files and reamers.
- Collets hold from 0.5-6.5 mm.

CR-V




Item No.	Size	EAN	Inner	Outer
545251		1913 2	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

17 PC HOBBY TOOLS SET

- 1 pc 300 mm (12 in.) ruler
- 2 pc tweezers
- 1 pc magnifier 3X
- 1 pc flush cutting pliers
- 1 pc hobby knife
- 5 pc hobby knife blades
- 1 pc 9 mm snap-off knife
- 1 pc 4-in-1 pocket screwdriver
- ⊕ #000, #0, ⊖ 2.0, 3.0
- 1 pc cutting mat 30 x 22 cm
- 3 pc needle file



Item No.	Size	EAN	Inner	Outer
545717	17 pc	6044 8	0	12




8 PC DOWEL CENTER SET

- Correctly and accurately position marks for precise drilling for dowel holes.
- Contents: 2 of each size ø 1/4, 5/16, 3/8, 1/2 in.



Item No.	Size	EAN	Inner	Outer
545093	8 pc	1834 0	12	144



3 PC DRILL BIT SET



- Ideal for creating pocket hole joints and center-boring.
- 3/8 x 6 in. (9.5 x 152 mm) step drill bit.
- 3/8 in. (9.5 mm) drill stops.
- 1 pc hex wrench.



Item No.	Size	EAN	Inner	Outer
545097	3 pc	1836 4	6	48

12 PC FRET SAW BLADE SET

- Fits most popular saw frames.
- 3 of each size #6 (16T), #7 (14T), #10 (12T), #12 (10T).



Item No.	Size	EAN	Inner	Outer
545031	12 pc	69426292+	1803 6	24 144

3 PC CARVING SET

- Highly polished stainless-steel double ended tools.
- Knurled gripping surfaces for better control.
- Use for mixing, applying, spreading and smoothing.

STAINLESS STEEL



Item No.	Size	EAN	Inner	Outer
545033	3 pc	69426292+	1804 3	12 144

SWIVEL HEAD PIN VISE

- Freewheeling head is especially suited for drilling and tapping.
- Two double end hardened steel collets.
- Use for tool making, electric assembly and hobbies.



Item No.	Size	EAN	Inner	Outer
545041	0.1-3.0 mm (0.004-0.118 in.)	69426292+	1808 1	12 144

TAPERED REAMER

- Hardened and ground steel cutting edges with comfortable handle.
- Designed to help deburring, finish, widening and repairing holes.
- Capacity 3 to 16 mm (0.118 to 0.063 in.).



Item No.	Size	EAN	Inner	Outer
545049	3-16 mm	69426292+	1812 8	12 48

ADJUSTABLE SAW FRAME

- Fits blades from 10-140 mm (3/8-5-1/2 in.)



Item No.	Size	EAN	Inner	Outer
545069		69426292+	1822 7	6 36

PARALLEL CLAMP


- Opening: 0-25.4 mm (1 in.)



Item No.	Size	EAN	Inner	Outer
545057		69426292+	1816 6	12 72

MICRO HAND DRILL

- Turn by pushing the knurled center ring up and down.
- Ideal for all small drill bits.
- Compliments TACTIX Precision sets 545077&545079.



Item No.	Size	EAN	Inner	Outer
545051	0.1-1.5 mm (0.004-0.059 in.)	69426292+	1813 5	12 144

10 PC RIFFLER FILE SET


- Medium grade flat, round and triangular profiles.
- Double ended for twice the life.
- For detail work in wood, plaster, plastic and metal.
- Plastic pouch included.



Item No.	Size	EAN	Inner	Outer
545075	10 pc	69426292+	1825 8	12 48

10 PC NEEDLE FILE SET

- Medium grade flat, round and triangular profiles.
- Double ended for twice the life.
- Plastic pouch included.



Item No.	Size	EAN	Inner	Outer
545076	10 pc	69426292+	4152 2	12 48

20 PC NUMBER DRILL BIT SET

- Top quality HSS ground drill bits.
- Drill numbers 61-80.

H.S.S



Item No.	Size	EAN	Inner	Outer
545077	20 pc	69426292+	1826 5	12 72

20 PC MICRO DRILL BIT SET

- Top quality HSS ground drill bits.
- Drill numbers 0.3-1.6 mm.

H.S.S



Item No.	Size	EAN	Inner	Outer
545079	20 pc	69426292+	1827 2	12 72

10 PC DRILL BIT


- Popular sizes ranging from 0.5-2.2 mm that fit most miniature power drills.
- Top quality HSS for use on wood, plastic and most metals and will stay sharp far longer than ordinary carbon bits. sharp far longer than ordinary carbon bits.

H.S.S



Item No.	Size	EAN	Inner	Outer
545081	10 pc	69426292+	1828 9	12 72

RIGHT ANGLE DRIVE ATTACHMENT



Item No.	Size	EAN	Inner	Outer
545089		69426292+	1832 6	6 36

HANDY COUNTERSINK

- Great multi-use tool for deburring and countersinking.
- Chamfered head has five cutting flutes and is made from tool steel.
- Works on many surfaces including iron, wood, plastic, copper, aluminum and sheet metal.



H.S.S

Item No.	Size	EAN	Inner	Outer
545109	3/4 in. (19.1 mm)	69426292+	1842 5	12 48

HINGE BIT

- Use for drilling pilot hole in cabinet and door hinges, door butts and hardware.
- Spring loaded outer guide keeps drill centered for perfect pilot holes.
- Adjustable drill depth.




H.S.S

Item No.	Size	EAN	Inner	Outer
545113	5/64 in.	69426292+	1844 9	12 72
545115	7/64 in.	69426292+	1845 6	12 72
545117	9/64 in.	69426292+	1846 3	12 72

COUNTERSINK

- Stepped shank for use with most 1/4 in. and 3/8 in. chucks.
- Multi fluted cutting edge removes stock quickly and prevents chatter.
- For deburring and chamfering holes on steel, plastic, wood and other materials.

H.S.S



Item No.	Size	EAN	Inner	Outer
545103	1/2 in. (12.7 mm)	69426292+	1839 5	24 144
545105	5/8 in. (15.9 mm)	69426292+	1840 1	24 144
545107	3/4 in. (19.1 mm)	69426292+	1841 8	24 144

4 PC ADJUSTABLE PILOT BIT SET

- #6 (3/32 in.), #8 (7/64 in.), #10 (1/8 in.) & #12 (9/64 in.)
- 1/4 in. hex shanks prevent slippage in electric drills and used in power screwdrivers.
- Drill, countersink and counterbore precision screw holes in a single operation when doing fine carpentry and woodworking.

H.S.S



Item No.	Size	EAN	Inner	Outer
545111	4 pc	69426292+	1843 2	12 144

PLUG CUTTER


- Provide accurate plugs for covering screw holes in decking, flooring and other woodworking projects.
- Engineered to start cutting plugs easily with hand-held drills or drill press.



Item No.	Size	EAN	Inner	Outer
545119	10 mm	69426292+	1847 0	12 72
545121	13 mm	69426292+	1848 7	12 72
545123	16 mm	69426292+	1849 4	12 72

SCRIBER

- This scriber consists of short straight and short 90° bent steel points which thread into knurled body.
- Made of carbon steel
- Overall length: 200 mm (8 in.)



Item No.	Size	EAN	Inner	Outer
545145	200 mm (8 in.)	69426292+	6	72

SCRIBER

- Marks hard materials including hardened steel, stainless steel, ceramics and glass.



Item No.	Size	EAN	Inner	Outer
545143	145 mm (5-3/4 in.)	1859 3	12	144

JUNIOR HACKSAW

- SK4 blade.



Item No.	Size	EAN	Inner	Outer
545297	152 mm (6 in.)	1936 1	12	72

5 PC CARVING TOOL SET

- Half round chisel 9 mm (11/32 in.).
- Straight chisel 11 mm (3/8 in.).
- Straight skew chisel 11 mm (3/8 in.).
- Bent V parting tool 4.5 mm (11/64 in.).
- Bent gouge 11 mm (3/8 in.).



Item No.	Size	EAN	Inner	Outer
545285	5 pc	1930 9	6	36

6 PC CARVING TOOL SET

- Bent gouge 11 mm (3/8 in.).
- Bent V parting tool 9 mm (11/32 in.).
- Straight round chisel 9 mm (11/32 in.).
- Straight skew chisel 11 mm (3/8 in.).
- Straight chisel 11 mm (3/8 in.).
- Bent round chisel 9 mm (11/32 in.).



Item No.	Size	EAN	Inner	Outer
545283	6 pc	1929 3	6	36

FLAT LEG DIVIDER

- Square leg calipers of hardened and forged steel for added rigidity and precision.
- Fast action release.
- Hardened and tempered bow springs.



Item No.	Size	EAN	Inner	Outer
545147	102 mm (4 in.)	1861 6	6	36
545149	152 mm (6 in.)	1862 3	6	36

OUTSIDE CALIPERS

- Square leg calipers of hardened and forged steel for added rigidity and precision.
- Fast action release.
- Hardened and tempered bow springs.



Item No.	Size	EAN	Inner	Outer
545151	103 mm (4 in.)	1863 0	6	36
545153	150 mm (6 in.)	1864 7	6	36

INSIDE CALIPERS

- Square leg calipers of hardened and forged steel for added rigidity and precision.
- Fast action release.
- Hardened and tempered bow springs.



Item No.	Size	EAN	Inner	Outer
545155	106 mm (4-3/16 in.)	1865 4	6	36
545157	160 mm (6-5/16 in.)	1866 1	6	36

DRILL BIT GAUGE

- High-quality stainless-steel gauge quickly and accurately identifies drill bit size.
- Permanently etched markings are clear and easy to read indicating both hole size and decimal equivalent.



Item No.	Size	EAN	Inner	Outer
545128	1-13 mm	3446 3	24	96

POCKET CENTER PUNCH

- Punches, marks, scribes and starts drill, nail or screw hole.
- One-hand spring impact operation.
- No hammer needed.



Item No.	Size	EAN	Inner	Outer
545141	125 mm (5 in.)	1858 6	12	144

15 LEAF PARALLEL GAUGE WITH RULER

- 90 mm (3.5 in.) leaf is 12 mm (1/2 in.) wide.
- 75 mm (3 in.) ruler.

Metric (mm)	SAE (inch)	Metric (mm)	SAE (inch)
0.05	0.002	0.33	0.013
0.08	0.003	0.35	0.014
0.10	0.004	0.40	0.016
0.13	0.005	0.45	0.018
0.15	0.006	0.50	0.020
0.20	0.008	0.55	0.022
0.28	0.011	0.63	0.025
0.30	0.012		



Item No.	Size	EAN	Inner	Outer
545161	15 pc	1868 5	6	36

20 LEAF TAPER GAUGE

- 0.05, 0.1, 0.15, 0.2, 0.25, 0.3, 0.35, 0.4, 0.45, 0.5, 0.55, 0.6, 0.65, 0.7, 0.75, 0.8, 0.85, 0.9, 0.95 & 1.0 mm
- 102 mm leaf is from 6-10 mm wide.




Item No.	Size	EAN	Inner	Outer
545165	20 pc	1870 8	6	36



ANGLE PROTRACTOR

- Measure and mark the degrees of an angle on outside, inside and sloped angles.
- Graduations from 0° to 165° in opposite directions with lock nut.



Item No.	Size	EAN	Inner	Outer
545131		1853 1	6	72

FOLDING RULER

- Metric and SAE graduations.



Item No.	Size	EAN	Inner	Outer
545133	200 mm (8 in.)	1854 8	12	72

STEEL PROTRACTOR


- For setting bevels, measuring and transferring angles.
- Stainless steel quality for better accuracy.
- Permanently etched graduations; 0-180°.
- 150 mm (6 in.) adjustable arm locks into place with knurled thumb nut.



Item No.	Size	EAN	Inner	Outer
545173	150 mm (6 in.)	1874 6	6	36

PROTRACTOR AND DEPTH GAUGE

- A versatile tool that allows the angle and depth to be measured simultaneously.
- 0-180° in opposite directions allowing the direct reading of angles and supplementary angles.



Item No.	Size	EAN	Inner	Outer
545175	150 mm (6 in.)	1875 3	6	36



EYEGLOSS LOUPE

- 10 x magnifying power.
- Scratch resistant lens.



Item No.	Size	EAN	Inner	Outer
545009		1792 3	12	144

GLASS MAGNIFIER

- 3 x magnifying power.
- Diameter: 58 mm (2-1/4 in.)



Item No.	Size	EAN	Inner	Outer
545261		1918 7	12	72

FOLDING POCKET MAGNIFIER

- 4 x magnifying power
- Optical quality precision grounded glass lens.
- Durable swing-away case provides protective cover for lens and serves as a handle.



Item No.	Size	EAN	Inner	Outer
545263		1919 4	12	72

MICRO SNIPS

- Spring action handles speeds your work by returning the snips to the open position.
- Excellent for modeling, needlecraft, bead stringing etc.

STAINLESS
STEEL

Item No.	Size	EAN 69426292+	Inner	Outer
545005	1790 9		24	144

MINI SCISSORS

- Spring loaded and knurled handles for excellent use on modeling, needlecraft, bead stringing etc.

STAINLESS
STEEL

Item No.	Size	EAN 69426292+	Inner	Outer
545025	120 mm (4-4/5 in.)	1800 5	12	144

STRAIGHT TIP JEWELLERS
TINSNIPS

- Suitable for cutting intricate shapes in light gauge metal and materials.



Item No.	Size	EAN 69426292+	Inner	Outer
545037	180 mm (7 in.)	1806 7	6	36

CUTTING KNIFE SET

- 1 pc cutting knife with cover
- 5 pc blades in storage box.
- Replacement blades #545013.



Item No.	Size	EAN 69426292+	Inner	Outer
545045	1810 4		12	72

MAGNIFIER TWEEZERS

- Elegantly simple and easy to use.
- 25 mm (1 in.) magnifier mounted on a 75 mm (2-1/2 in.) stainless steel handle with fold out precision tweezers.
- Focal point for the magnifier is matched to the tweezers point.



Item No.	Size	EAN 69426292+	Inner	Outer
545007	10 x power	1791 6	24	144

2 PC TWEEZERS SET

- Durable plastic quality.
- Serrated jaws with wide tips.
- Great for crafts and school projects.



Item No.	Size	EAN 69426292+	Inner	Outer
545035	2 pc	1805 0	6	72

4 PC TWEEZERS SET

- Use for electronics repair, precision assembly, and models.
- Includes self-locking, needle point, angle point and flat smooth point.
- Non-slip knurled grips.
- Heavy duty tweezers set.



Item No.	Size	EAN 69426292+	Inner	Outer
545065	4 pc	1919 4	12	72

STRAIGHT TIP FORCEPS

- Quality box joint construction with serrated jaws.
- Use as pliers, clamp, heat sink, vise, etc.

STAINLESS
STEEL

Item No.	Size	EAN 69426292+	Inner	Outer
545061	160 mm (6-1/4 in.)	1818 0	12	72

HOBBY HAMMER

- One head flat and the other chisel shaped for spreading rivet heads.
- Great for driving home small pins, nails and railroad spikes.



Item No.	Size	EAN 69426292+	Inner	Outer
545071	210 mm (8-1/2 in.)	1823 4	12	72

BALL PEIN HAMMER

- Drop forged steel head for strength and durability.
- Use for shaping metal or riveting.



Item No.	Size	EAN 69426292+	Inner	Outer
545073	210 mm (8-1/2 in.)	1824 1	12	72

EYEGLOSS REPAIR KIT


- Includes: screwdriver, tweezers, screws, nose pads and rubber o-rings.
- Convenient travel case.
- Perfect for quick emergency repairs and adjustments.



Item No.	Size	EAN 69426292+	Inner	Outer
545237	1906 4		12	144

PLUMB BOB

- Made of iron and nickel plated to prevent rust.
- 3 m long braided cord for easy handle.



Item No.	Size	EAN 69426292+	Inner	Outer
545253	140 g (5 oz)	1914 9	12	48

LED LIGHT MAGNETIC PICK-UP
TOOL


- Powerful magnetic pick-up tool holds up to 5 lbs.
- Durable, energy efficient LED bulb.
- Easy pick up in dark and hard to reach areas.
- Extends up to 31-1/2 in. (800 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
545265		1920 0	12	72

TELESCOPING MAGNETIC PICK-UP

- Powerful magnet holds up to 5 lbs.
- Telescopic from 6 to 24 in. (152 to 610 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
545267		1921 7	12	144

BENDABLE SHAFT MAGNETIC
PICK-UP

- Powerful magnet holds up to 1.5 lbs.
- Overall length is 24 in. (610 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
545269		1922 4	12	72

SWIVEL VACUUM VISE



Item No.	Size	EAN 69426292+	Inner	Outer
545255		1915 6	0	6

13 PC CARVING KNIFE BOX SET

- 10 pc blades: 2 pc chisel, 2 pc V-gouge, 2 pc V-gouge, 2 pc U-gouge, 2 pc U-gouge.
- 2 pc storage tubes.
- 1 pc precision carving knife handles.



Item No.	Size	EAN 69426292+	Inner	Outer
545279	13 pc	1927 9	6	36

17 PC HOBBY KNIFE SET

- 15 pc blades: 5 of short radius; 5 of sharp angle; 5 of short angle.
- 1 pc storage tube.
- 1 pc precision knife handle.



Item No.	Size	EAN 69426292+	Inner	Outer
545291	17 pc	1933 0	6	36

MAGNETIZER/DEMAGNETIZER



Item No.	Size	EAN 69426292+	Inner	Outer
545273		1924 8	12	72

GLASS CUTTER

- Steel wheel with honed angle of 120 degrees for cutting single and double strength glass.
- Ball end for starting the run and notches in the cutting head for helping to break out thinner glass.



Item No.	Size	EAN 69426292+	Inner	Outer
545293	130 mm (5-1/8 in.)	1934 7	12	144

ACRYLIC CUTTER

- Precise cutting of plexiglass and styrene sheet.



Item No.	Size	EAN 69426292+	Inner	Outer
545295	195 mm (7-1/2 in.)	1935 4	12	72

2 PC MINI PLIERS SET

- Built-in spring return.
- Excellent for modeling, needlecraft, bead string etc.



Item No.	Size	EAN 69426292+	Inner	Outer
545301	165 mm (6-1/2 in.)	1938 5	6	36

4 PC PRECISION BLADE BOX SET

- Straight, 35° bend, 90° bend, 180° hook.
- plastic storage box included.

CR-V



Item No.	Size	EAN	Inner	Outer
545313	4 pc	69426292+	6	36

TORPEDO LEVEL

- For leveling machines, audio and video equipment, pool and game tables, electric appliances, and many other items.



ABS

Item No.	Size	EAN	Inner	Outer
545317	150 mm (6 in.)	69426292+	12	48

BULL'S EYE LEVEL

- Made of unbreakable acrylic plastic.
- For leveling machines, audio and video equipment, pool and game tables, electric appliances, and many other items.



ABS

Item No.	Size	EAN	Inner	Outer
545319		69426292+	12	144

4 PC MARKING TOOL SET

- 1 pc steel awl.
- 1 pc steel scribe.
- 1 pc storage tube.
- 1 pc precision grip handle.



Item No.	Size	EAN	Inner	Outer
545321	4 pc	69426292+	6	36

RECTANGULAR TELESCOPING MIRROR

- Telescopic from 11 to 29-1/2 in. (280 to 750 mm)
- Inspection mirror 2 x 3-1/2 in. (50 x 89 mm)



Item No.	Size	EAN	Inner	Outer
545323		69426292+	12	72

ROUND INSPECTION MIRROR

- Telescopic from 9-1/2 to 27-1/2 in. (241 to 698.5 mm)
- Inspection mirror 2 in. (50 mm)



Item No.	Size	EAN	Inner	Outer
545325		69426292+	12	72

12 SETS 10 mm (3/8 in.) GROMMETS SET

- Including 12 sets grommets.
- To repair or add 10 mm (3/8 in.) grommets to fabrics and other materials.
- Used on tarps, pool covers, canvas tents, sail cloth and lawn furniture.



Item No.	Size	EAN	Inner	Outer
545299GRO	12 sets	69426292+	10	60

12 SETS 16 mm (5/8 in.) GROMMETS SET

- Including 12 sets grommets.
- To repair or add 16 mm (5/8 in.) grommets to fabrics and other materials.
- Used on tarps, pool covers, canvas tents, sail cloth and lawn furniture.



Item No.	Size	EAN	Inner	Outer
545300GRO	12 sets	69426292+	10	60

13 PC 10 mm GROMMET REPAIR KIT

- Including 12 sets grommets.
- To repair or add 10 mm (3/8 in.) grommets to fabrics and other materials.
- Used on tarps, pool covers, canvas tents, sail cloth and lawn furniture.



Item No.	Size	EAN	Inner	Outer
545299	13 pc	69426292+	6	36

13 PC 16 mm GROMMET REPAIR KIT


- Including 12 sets grommets.
- To repair or add 16 mm (5/8 in.) grommets to fabrics and other materials.
- Used on tarps, pool covers, canvas tents, sail cloth and lawn furniture.




Item No.	Size	EAN	Inner	Outer
545300	13 pc	69426292+	6	36






POWER TOOLS ACCESSORIES





POWER TOOLS ACCESSORIES

A Comprehensive Range
Suitable For TACTIX



For your safety, protective equipment as above are recommended to be worn during use.



HSS TWIST DRILL BITS

NEW

- Industry grade #6542 high speed steel material, 135 degree split, fully ground body
- For steel, cast iron, malleable iron, non-ferrous metal and plastic

135° **HSS 6542** **DIN 338**

118° Point Angle

- 118° Conventional Point
- General use
- Not self-centering
- Best for stationary drills
- Performs better in softer materials vs. hard metal

135° Point Angle

- 135° Split Point
- Self-centering (won't "walk")
- Best for portable drills
- Requires less force than 118°

HSS COBALT TWIST DRILL BITS


NEW

- Industrial grade cobalt M35 high speed steel, 135 degree split, fully ground body
- For stainless steel, steel, cast steel and other hard materials

135° **M35** **DIN 338**

Item No.	DIA.	Working Length	Overall Length	EAN 69762270+	Inner	Outer
410001PB	2 PC 1.0 mm	12 mm	34 mm	3039 4	20	200
410003PB	2 PC 1.5 mm	18 mm	40 mm	3040 0	20	200
410005PB	2 PC 2.0 mm	24 mm	49 mm	3041 7	20	200
410007PB	2 PC 2.5 mm	30 mm	57 mm	3042 4	20	200
410009PB	2 PC 3.0 mm	33 mm	61 mm	3043 1	20	200
410011PB	3.2 mm	36 mm	65 mm	3044 8	20	200
410013PB	3.5 mm	39 mm	70 mm	3045 5	20	200
410015PB	4.0 mm	43 mm	75 mm	3046 2	20	200
410017PB	4.2 mm	43 mm	75 mm	3380 7	20	200
410019PB	4.5 mm	47 mm	80 mm	3047 9	20	200
410021PB	4.8 mm	52 mm	86 mm	3381 4	20	200
410023PB	5.0 mm	52 mm	86 mm	3048 6	20	200
410025PB	5.5 mm	57 mm	93 mm	3049 3	20	120
410027PB	6.0 mm	57 mm	93 mm	3050 9	20	120
410029PB	6.5 mm	63 mm	101 mm	3051 6	20	120
410031PB	7.0 mm	69 mm	109 mm	3052 3	20	120
410033PB	7.5 mm	69 mm	109 mm	3053 0	20	120
410035PB	8.0 mm	75 mm	117 mm	3054 7	20	120
410037PB	8.5 mm	75 mm	117 mm	3055 4	20	120
410039PB	9.0 mm	81 mm	125 mm	3056 1	20	120
410041PB	9.5 mm	81 mm	125 mm	3057 8	20	120
410043PB	10.0 mm	87 mm	133 mm	3058 5	20	120
410045PB	10.5 mm	87 mm	133 mm	3059 2	20	120
410047PB	11.0 mm	94 mm	142 mm	3060 8	20	120
410049PB	11.5 mm	94 mm	142 mm	3061 5	20	120
410051PB	12.0 mm	101 mm	151 mm	3062 2	20	120
410053PB	12.5 mm	101 mm	151 mm	3063 9	20	120
410055PB	13.0 mm	101 mm	151 mm	3064 6	20	120

Item No.	DIA.	Working Length	Overall Length	EAN 69762270+	Inner	Outer
410370PB	1.0 mm	12 mm	34 mm	3248 0	20	100
410371PB	1.5 mm	18 mm	40 mm	3249 7	20	100
410372PB	2.0 mm	24 mm	49 mm	3250 3	20	100
410373PB	2.5 mm	30 mm	57 mm	3251 0	20	100
410374PB	3.0 mm	33 mm	61 mm	3252 7	20	100
410375PB	3.2 mm	36 mm	65 mm	3382 1	20	100
410376PB	3.5 mm	39 mm	70 mm	3253 4	20	100
410377PB	4.0 mm	43 mm	75 mm	3254 1	20	100
410379PB	4.5 mm	47 mm	80 mm	3255 8	20	100
410381PB	5.0 mm	52 mm	86 mm	3256 5	20	100
410382PB	5.5 mm	57 mm	93 mm	3257 2	20	60
410383PB	6.0 mm	57 mm	93 mm	3258 9	20	60
410384PB	6.5 mm	63 mm	101 mm	3259 6	20	60
410385PB	7.0 mm	69 mm	109 mm	3260 2	20	60
410386PB	7.5 mm	69 mm	109 mm	3261 9	20	60
410387PB	8.0 mm	75 mm	117 mm	3262 6	20	60
410388PB	8.5 mm	75 mm	117 mm	3263 3	20	60
410389PB	9.0 mm	81 mm	125 mm	3264 0	20	60
410390PB	9.5 mm	81 mm	125 mm	3265 7	20	60
410391PB	10.0 mm	87 mm	133 mm	3266 4	20	60
410392PB	10.5 mm	87 mm	133 mm	3383 2	20	60
410393PB	11.0 mm	94 mm	142 mm	3267 1	20	60
410394PB	11.5 mm	94 mm	142 mm	3268 8	20	60
410395PB	12.0 mm	101 mm	151 mm	3269 5	20	60
410396PB	12.5 mm	101 mm	151 mm	3270 1	20	60
410397PB	13.0 mm	101 mm	151 mm	3271 8	20	60



CONCRETE DRILL BITS

NEW

- High carbon steel body with YG8 carbide tip
- For concrete, reinforced concrete, brick, block and masonry

YG8 **DIN 8039**

Item No.	DIA.	Working Length	Overall Length	EAN 69762270+	Inner	Outer
410501PB	2 PC 3.0 mm	36 mm	60 mm	3272 5	20	200
410503PB	4.0 mm	45 mm	75 mm	3273 2	20	200
410505PB	5.0 mm	51 mm	85 mm	3274 9	20	200
410506PB	5.5 mm	55 mm	100 mm	3275 6	20	120
410507PB	6.0 mm	60 mm	100 mm	3276 3	20	120
410508PB	6.5 mm	60 mm	100 mm	3277 0	20	120
410509PB	7.0 mm	60 mm	100 mm	3278 7	20	120
410511PB	8.0 mm	72 mm	120 mm	3279 4	20	120
410513PB	9.0 mm	72 mm	120 mm	3280 0	20	120
410515PB	10.0 mm	72 mm	120 mm	3281 7	20	120
410517PB	11.0 mm	90 mm	150 mm	3282 4	20	120
410519PB	12.0 mm	90 mm	150 mm	3283 1	20	120
410521PB	13.0 mm	90 mm	150 mm	3284 8	20	120
410523PB	14.0 mm	90 mm	150 mm	3285 5	20	120
410525PB	15.0 mm	90 mm	150 mm	3286 2	20	120
410527PB	16.0 mm	90 mm	150 mm	3287 9	20	120

MULTI-PURPOSE DRILL BITS

NEW

- High carbon steel body with YG8 carbide tip
- For masonry, tile, wood, chipboard, metal plate and plastic

YG8 **DIN 8039**

Item No.	DIA.	Working Length	Overall Length	EAN 69762270+	Inner	Outer
410601PB	2 PC 3.0 mm	36 mm	60 mm	3288 6	20	200
410603PB	4.0 mm	45 mm	75 mm	3289 3	20	200
410605PB	5.0 mm	51 mm	85 mm	3290 9	20	200
410607PB	6.0 mm	60 mm	100 mm	3291 6	20	120
410609PB	7.0 mm	60 mm	100 mm	3292 3	20	120
410611PB	8.0 mm	72 mm	120 mm	3293 0	20	120
410613PB	9.0 mm	72 mm	120 mm	3294 7	20	120
410615PB	10.0 mm	72 mm	120 mm	3295 4	20	120
410617PB	11.0 mm	90 mm	150 mm	3296 1	20	120
410619PB	12.0 mm	90 mm	150 mm	3297 8	20	120
410621PB	13.0 mm	90 mm	150 mm	3298 5	20	120
410623PB	14.0 mm	90 mm	150 mm	3299 2	20	120
410625PB	15.0 mm	90 mm	150 mm	3300 5	20	120
410627PB	16.0 mm	90 mm	150 mm	3301 2	20	120

HSS BRAD POINT WOOD DRILL BITS


NEW

- Precision ground #4241 high speed steel
- Brad point tip provides accurate positioning for starting
- For soft wood, hard wood, plywood, hardboards and veneer wood

HSS 4241 **DIN 338**

Item No.	DIA.	Working Length	Overall Length	EAN 69762270+	Inner	Outer
411501PB	3.0 mm	32 mm	60 mm	3302 9	20	200
411503PB	4.0 mm	42 mm	74 mm	3303 6	20	200
411505PB	5.0 mm	51 mm	85 mm	3304 3	20	200
411509PB	6.0 mm	56 mm	92 mm	3305 0	20	120
411513PB	7.0 mm	68 mm	108 mm	3306 7	20	120
411515PB	8.0 mm	74 mm	116 mm	3307 4	20	120
411517PB	9.0 mm	80 mm	124 mm	3308 1	20	120
411519PB	10.0 mm	86 mm	132 mm	3309 8	20	120
411521PB	11.0 mm	93 mm	141 mm	3310 4	20	120
411523PB	12.0 mm	100 mm	150 mm	3311 1	20	120
411525PB	13.0 mm	100 mm	150 mm	3312 8	20	120


HSS TWIST DRILL BITS



- Industry grade #6542 high speed steel material, 135 degree split, fully ground body
- For steel, cast iron, malleable iron, non-ferrous metal and plastic



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410001	2 PC 1.0 mm	12 mm	34 mm	1952 1	20	200
410003	2 PC 1.5 mm	18 mm	40 mm	1953 8	20	200
410005	2 PC 2.0 mm	24 mm	49 mm	1954 5	20	200
410007	2 PC 2.5 mm	30 mm	57 mm	1955 2	20	200
410009	2 PC 3.0 mm	33 mm	61 mm	1956 9	20	200
410011	3.2 mm	36 mm	65 mm	1957 6	20	200
410013	3.5 mm	39 mm	70 mm	1958 3	20	200
410015	4.0 mm	43 mm	75 mm	1959 0	20	200
410017	4.2 mm	43 mm	75 mm	1960 6	20	200
410019	4.5 mm	47 mm	80 mm	1961 3	20	200
410021	4.8 mm	52 mm	86 mm	1962 0	20	200
410023	5.0 mm	52 mm	86 mm	1963 7	20	200
410025	5.5 mm	57 mm	93 mm	1964 4	20	120
410027	6.0 mm	57 mm	93 mm	1965 1	20	120
410029	6.5 mm	63 mm	101 mm	1966 8	20	120
410031	7.0 mm	69 mm	109 mm	1967 5	20	120
410033	7.5 mm	69 mm	109 mm	1968 2	20	120
410035	8.0 mm	75 mm	117 mm	1969 9	20	120
410037	8.5 mm	75 mm	117 mm	1970 5	20	120
410039	9.0 mm	81 mm	125 mm	1971 2	20	120
410041	9.5 mm	81 mm	125 mm	1972 9	20	120
410043	10.0 mm	87 mm	133 mm	1973 6	20	120
410045	10.5 mm	87 mm	133 mm	1974 3	20	120
410047	11.0 mm	94 mm	142 mm	1975 0	20	120
410051	12.0 mm	101 mm	151 mm	1977 4	20	120
410053	12.5 mm	101 mm	151 mm	1978 1	20	120
410055	13.0 mm	101 mm	151 mm	1979 8	20	120




- 118° Conventional Point
- General use
- Not self-centering
- Best for stationary drills
- Performs better in softer materials vs. hard metal

HSS DRILL METAL CASE SET



Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410482	13 PC Metric	1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5 mm	5915 2	6	36
410492	13 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4 in.	5920 6	6	36



- 135° Split Point
- Self-centering (won't "walk")
- Best for portable drills
- Requires less force than 118°

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410061	1/32 in.	3/4 in.	1-3/4 in.	6741 6	20	200
410062	1/16 in.	7/8 in.	1-7/8 in.	6742 3	20	200
410063	5/64 in.	1 in.	2 in.	6743 0	20	200
410064	3/32 in.	1-1/4 in.	2-1/4 in.	6744 7	20	200
410065	7/64 in.	1-1/2 in.	2-5/8 in.	6745 4	20	200
410066	1/8 in.	1-5/8 in.	2-3/4 in.	6746 1	20	200
410068	5/32 in.	2 in.	3-1/8 in.	6747 8	20	200
410070	3/16 in.	2-3/8 in.	3-1/2 in.	6748 5	20	200
410072	7/32 in.	2-1/2 in.	3-3/4 in.	6749 2	20	120
410074	1/4 in.	2-3/4 in.	4 in.	6750 8	20	120
410076	5/16 in.	3-1/8 in.	4-1/2 in.	6751 5	20	120
410078	3/8 in.	3-5/8 in.	5 in.	6752 2	20	120
410080	7/16 in.	4-1/8 in.	5-1/2 in.	6753 9	20	120
410082	1/2 in.	4-1/2 in.	6 in.	6754 6	20	120
410084	9/16 in.	4-3/4 in.	6-5/8 in.	6755 3	20	120
410086	5/8 in.	5 in.	7-1/8 in.	6756 0	10	60
410088	3/4 in.	5-5/8 in.	7-5/8 in.	6757 7	10	60

HSS DRILL METAL CASE SET



Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410484	19 PC Metric	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10 mm	5916 9	5	20
410494	21 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8 in.	5922 0	5	20

HSS DRILL METAL CASE SET



Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410486	25 PC Metric	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm	5918 3	5	10
410496	29 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8, 25/64, 13/32, 27/64, 7/16, 29/64, 15/32, 31/64, 1/2 in.	5924 4	5	10

5 PC HSS TWIST DRILL BITS



Item No.	Description	EAN 69426292+	Inner	Outer
410081	5 PC HSS Twist Drill Bits	3816 4	10	60

13 PC HSS TWIST DRILL BITS



Item No.	Description	EAN 69426292+	Inner	Outer
410085	13 PC HSS Twist Drill Bits	3817 1	10	60

19 PC HSS TWIST DRILL BITS




Item No.	Description	EAN 69426292+	Inner	Outer
410087	19 PC HSS Twist Drill Bits	4995 5	5	20

25 PC HSS TWIST DRILL BITS



Item No.	Description	EAN 69426292+	Inner	Outer
410089	25 PC HSS Twist Drill Bits	5006 7	5	10

TI-COATED HSS TWIST DRILL BITS



- Titanium coated for long life
- Industry grade #6542 high speed steel material, 135 degree split, fully ground body
- For steel, cast iron, malleable iron, non-ferrous metal and plastic



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410101	2 PC 1.0 mm	12 mm	34 mm	1980 4	20	200
410103	2 PC 1.5 mm	18 mm	40 mm	1981 1	20	200
410105	2 PC 2.0 mm	24 mm	49 mm	1982 8	20	200
410107	2 PC 2.5 mm	30 mm	57 mm	1983 5	20	200
410109	2 PC 3.0 mm	33 mm	61 mm	1984 2	20	200
410111	3.2 mm	36 mm	65 mm	1985 9	20	200
410113	3.5 mm	39 mm	70 mm	1986 6	20	200
410115	4.0 mm	43 mm	75 mm	1987 3	20	200
410117	4.2 mm	43 mm	75 mm	1988 0	20	200
410119	4.5 mm	47 mm	80 mm	1989 7	20	200
410121	4.8 mm	52 mm	86 mm	1990 3	20	200
410123	5.0 mm	52 mm	86 mm	1991 0	20	200
410125	5.5 mm	57 mm	93 mm	1992 7	20	120
410127	6.0 mm	57 mm	93 mm	1993 4	20	120

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410129	6.5 mm	63 mm	101 mm	1994 1	20	120
410131	7.0 mm	69 mm	109 mm	1995 8	20	120
410133	7.5 mm	69 mm	109 mm	1996 5	20	120
410135	8.0 mm	75 mm	117 mm	1997 2	20	120
410137	8.5 mm	75 mm	117 mm	1998 9	20	120
410139	9.0 mm	81 mm	125 mm	1999 6	20	120
410141	9.5 mm	81 mm	125 mm	2000 8	20	120
410143	10.0 mm	87 mm	133 mm	2001 5	20	120
410145	10.5 mm	87 mm	133 mm	2002 2	20	120
410147	11.0 mm	94 mm	142 mm	2003 9	20	120
410149	11.5 mm	94 mm	142 mm	2004 6	20	120
410151	12.0 mm	101 mm	151 mm	2005 3	20	120
410153	12.5 mm	101 mm	151 mm	2006 0	20	120
410155	13.0 mm	101 mm	151 mm	2007 7	20	120

TI-COATED HSS DRILL METAL CASE SET



Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410485	19 PC Metric	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10 mm	5917 6	5	20
410495	21 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8 in.	5923 7	5	20

TI-COATED HSS DRILL METAL CASE SET



Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410487	25 PC Metric	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm	5919 0	5	10
410497	29 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8, 25/64, 13/32, 27/64, 7/16, 29/64, 15/32, 31/64, 1/2 in.	5925 1	5	10

5 PC TI-COATED HSS TWIST DRILL BITS



Item No.	Description	EAN 69426292+	Inner	Outer
410181	5 PC Ti-coated HSS Twist Drill Bits	3818 8	10	60

13 PC TI-COATED HSS TWIST DRILL BITS



Item No.	Description	EAN 69426292+	Inner	Outer
410185	13 PC Ti-coated HSS Twist Drill Bits	3819 5	10	60

19 PC TI-COATED HSS TWIST DRILL BITS




Item No.	Description	EAN 69426292+	Inner	Outer
410187	19 PC Ti-coated HSS Twist Drill Bits	4996 2	5	20

25 PC TI-COATED HSS TWIST DRILL BITS



Item No.	Description	EAN 69426292+	Inner	Outer
410189	25 PC Ti-coated HSS Twist Drill Bits	2738 0	5	10

HSS COBALT TWIST DRILL BITS



- Industrial grade cobalt M35 high speed steel, 135 degree split, fully ground body
- For stainless steel, steel, cast steel and other hard materials



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410370	2 PC 1.0 mm	12 mm	34 mm	6209 1	20	100
410371	2 PC 1.5 mm	18 mm	40 mm	6210 7	20	100
410372	2 PC 2.0 mm	24 mm	49 mm	6211 4	20	100
410373	2 PC 2.5 mm	30 mm	57 mm	6212 1	20	100
410374	2 PC 3.0 mm	33 mm	61 mm	6213 8	20	100
410375	3.2 mm	36 mm	65 mm	6214 5	20	100
410376	3.5 mm	39 mm	70 mm	6215 2	20	100
410377	4.0 mm	43 mm	75 mm	6216 9	20	100
410379	4.5 mm	47 mm	80 mm	6218 3	20	100
410381	5.0 mm	52 mm	86 mm	6220 6	20	100
410382	5.5 mm	57 mm	93 mm	6221 3	20	60
410383	6.0 mm	57 mm	93 mm	6222 0	20	60
410384	6.5 mm	63 mm	101 mm	6223 7	20	60
410385	7.0 mm	69 mm	109 mm	6224 4	20	60
410386	7.5 mm	69 mm	109 mm	6225 1	20	60
410387	8.0 mm	75 mm	117 mm	6226 8	20	60
410388	8.5 mm	75 mm	117 mm	6227 5	20	60
410389	9.0 mm	81 mm	125 mm	6228 2	20	60
410390	9.5 mm	81 mm	125 mm	6229 9	20	60
410391	10.0 mm	87 mm	133 mm	6230 5	20	60
410392	10.5 mm	87 mm	133 mm	6231 2	20	60
410393	11.0 mm	94 mm	142 mm	6232 9	20	60
410394	11.5 mm	94 mm	142 mm	6233 6	20	60
410395	12.0 mm	101 mm	151 mm	6234 3	20	60
410396	12.5 mm	101 mm	151 mm	6235 0	20	60
410397	13.0 mm	101 mm	151 mm	6236 7	20	60

HEX SHANK HSS TWIST DRILL BITS

- For steel, cast iron, malleable iron, non-ferrous metal and plastic
- Hex shank for quick change adapters and a more secure fit

HEX SHANK TI-COATED HSS TWIST DRILL BITS

- Titanium coated for long life
- For steel, cast iron, malleable iron, non-ferrous metal and plastic
- Hex shank for quick change adapters and a more secure fit



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410203	2 PC 1.5 mm	18 mm	62 mm	4765 4	20	200
410205	2 PC 2.0 mm	24 mm	71 mm	4766 1	20	200
410207	2 PC 2.5 mm	30 mm	79 mm	4767 8	20	200
410209	2 PC 3.0 mm	33 mm	83 mm	4768 5	20	200
410211	3.5 mm	39 mm	92 mm	4769 2	20	200
410213	4.0 mm	43 mm	97 mm	4770 8	20	200
410215	4.5 mm	47 mm	102 mm	4771 5	20	200
410217	5.0 mm	52 mm	108 mm	4772 2	20	200
410219	5.5 mm	57 mm	115 mm	4773 9	20	200
410221	6.0 mm	57 mm	115 mm	4774 6	20	200
410223	6.5 mm	63 mm	123 mm	4775 3	20	200



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410253	2 PC 1.5 mm	18 mm	62 mm	4776 0	20	200
410255	2 PC 2.0 mm	24 mm	71 mm	4777 7	20	200
410257	2 PC 2.5 mm	30 mm	79 mm	4778 4	20	200
410259	2 PC 3.0 mm	33 mm	83 mm	4779 1	20	200
410261	3.5 mm	39 mm	92 mm	4780 7	20	200
410263	4.0 mm	43 mm	97 mm	4781 4	20	200
410265	4.5 mm	47 mm	102 mm	4782 1	20	200
410267	5.0 mm	52 mm	108 mm	4783 8	20	200
410269	5.5 mm	57 mm	115 mm	4784 5	20	200
410271	6.0 mm	57 mm	115 mm	4785 2	20	200
410273	6.5 mm	63 mm	123 mm	4786 8	20	200

COBALT DRILL METAL CASE SET



Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410488	13 PC Metric	1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5 mm	6313 5	6	36
410498	13 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4 in.	6315 9	6	36

COBALT DRILL METAL CASE SET



Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410489	25 PC Metric	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm	6314 2	5	10

COBALT DRILL METAL CASE SET



Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410499	29 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8, 25/64, 13/32, 27/64, 7/16, 29/64, 15/32, 31/64, 1/2 in.	6316 6	5	10

15 PC HSS COBALT DRILL SET



- Contents: 1.5, 1.5, 2.0, 2.0, 2.5, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 5.0, 6.0, 8.0, 10.0 mm
- Industrial grade cobalt M35 high speed steel, 135 degree split, fully ground body.
- For stainless steel, steel, cast steel and other hard materials.

Item No.	Description	EAN 69426292+	Inner	Outer
418014P	15 PC HSS Cobalt Drill Set	6734 8	6	24



HSS TWIST DRILL BITS WITH POUCH-METRIC

- High speed steel material, 118 degree split, roll-forged
- For steel, cast iron, malleable iron, non-ferrous metal and plastic



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410001BM	10 PC 1.0 mm	12 mm	34 mm	5670 0	36	72
410009BM	10 PC 3.0 mm	33 mm	61 mm	5674 8	36	72
410011BM	10 PC 3.2 mm	36 mm	65 mm	5675 5	36	72
410015BM	10 PC 4.0 mm	43 mm	75 mm	5677 9	36	72
410017BM	10 PC 4.2 mm	47 mm	80 mm	5678 6	36	72
410021BM	10 PC 4.8 mm	52 mm	86 mm	5680 9	36	72
410023BM	10 PC 5.0 mm	52 mm	86 mm	5681 6	36	72
410027BM	10 PC 6.0 mm	57 mm	93 mm	5683 0	30	60
410035BM	10 PC 8.0 mm	75 mm	117 mm	5687 8	24	48
410041BM	10 PC 9.5 mm	81 mm	125 mm	5690 8	18	36
410043BM	5 PC 10.0 mm	87 mm	133 mm	5691 5	24	48
410049BM	5 PC 11.5 mm	94 mm	142 mm	5694 6	18	36
410051BM	5 PC 12.0 mm	101 mm	151 mm	5695 3	18	36
410053BM	5 PC 12.5 mm	101 mm	151 mm	5696 0	18	36
410056BM	5 PC 10.0 mm	108 mm	160 mm	8397 3	18	36
410062BM	5 PC 20.0 mm	140 mm	205 mm	8398 0	10	20

HSS TI-COATED TWIST DRILL BITS WITH POUCH-METRIC

- High speed steel material, 118 degree split, roll-forged
- For steel, cast iron, malleable iron, non-ferrous metal and plastic



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410111BM	10 PC 3.2 mm	36 mm	65 mm	5732 5	36	72
410115BM	10 PC 4.0 mm	43 mm	75 mm	5734 9	36	72
410117BM	10 PC 4.2 mm	47 mm	80 mm	5735 6	36	72
410121BM	10 PC 4.8 mm	52 mm	86 mm	5737 0	36	72
410127BM	10 PC 6.0 mm	57 mm	93 mm	5740 0	30	60
410143BM	5 PC 10.0 mm	87 mm	133 mm	5748 6	24	48
410149BM	5 PC 11.5 mm	94 mm	142 mm	5751 6	18	36
410151BM	5 PC 12.0 mm	101 mm	151 mm	5752 3	18	36
410153BM	5 PC 12.5 mm	101 mm	151 mm	5753 0	18	36

HSS COBALT TWIST DRILL BITS WITH POUCH-METRIC

- Industrial grade cobalt M35 high speed steel, 135 degree split, fully ground body
- For stainless steel, steel, cast steel and other hard materials



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410370BM	10 PC 1.0 mm	12 mm	34 mm	6288 6	36	72
410371BM	10 PC 1.5 mm	18 mm	40 mm	6289 3	36	72
410372BM	10 PC 2.0 mm	24 mm	49 mm	6290 9	36	72
410373BM	10 PC 2.5 mm	30 mm	57 mm	6291 6	36	72
410374BM	10 PC 3.0 mm	33 mm	61 mm	6292 3	36	72
410376BM	10 PC 3.5 mm	39 mm	70 mm	6293 0	36	72
410379BM	10 PC 4.5 mm	47 mm	80 mm	62954	36	72
410382BM	10 PC 5.5 mm	57 mm	86 mm	6297 8	30	60
410383BM	10 PC 6.0 mm	57 mm	86 mm	6298 5	30	60
410384BM	10 PC 6.5 mm	63 mm	101 mm	6299 2	30	60
410385BM	10 PC 7.0 mm	69 mm	109 mm	6300 5	24	48
410386BM	10 PC 7.5 mm	69 mm	109 mm	6301 2	24	48
410387BM	10 PC 8.0 mm	75 mm	117 mm	6302 9	24	48
410388BM	10 PC 8.5 mm	75 mm	117 mm	6303 6	24	48
410389BM	10 PC 9.0 mm	81 mm	125 mm	6304 3	18	36
410390BM	10 PC 9.5 mm	81 mm	125 mm	6305 0	18	36
410391BM	5 PC 10.0 mm	87 mm	133 mm	6306 7	18	36
410392BM	5 PC 10.5 mm	87 mm	133 mm	6307 4	18	36
410393BM	5 PC 11.0 mm	94 mm	142 mm	6308 1	18	36
410395BM	5 PC 12.0 mm	101 mm	151 mm	6310 4	18	36
410396BM	5 PC 12.5 mm	101 mm	151 mm	6311 1	18	36
410397BM	5 PC 13.0 mm	101 mm	151 mm	6312 8	18	36



HSS TWIST DRILL BITS WITH POUCH-SAE

- High speed steel material, 118 degree split, roll-forged
- For steel, cast iron, malleable iron, non-ferrous metal and plastic



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
41000BS	10 PC 1/32 in.	1/2 in.	1-3/8 in.	0222 6	36	72
410005BS	10 PC 3/32 in.	32 mm	57 mm	5700 4	36	72
410009BS	10 PC 1/8 in.	41 mm	70 mm	5702 8	36	72
410013BS	10 PC 5/32 in.	51 mm	79 mm	5704 2	36	72
410017BS	10 PC 3/16 in.	59 mm	89 mm	5706 6	36	72
410025BS	10 PC 1/4 in.	70 mm	105 mm	5710 3	30	60
410033BS	10 PC 5/16 in.	81 mm	114 mm	5714 1	24	48
410041BS	10 PC 3/8 in.	92 mm	127 mm	5718 9	18	36
410047BS	5 PC 27/64 in.	100 mm	137 mm	5721 9	24	48
410051BS	5 PC 29/64 in.	106 mm	143 mm	5723 3	18	36
410055BS	5 PC 31/64 in.	111 mm	149 mm	5725 7	18	36
410057BS	5 PC 1/2 in.	114 mm	152 mm	5726 4	18	36
410058BS	5 PC 17/32 in.	64 mm	95 mm	8399 7	10	20
410059BS	5 PC 9/16 in.	120 mm	168 mm	8402 4	10	20
410062BS	5 PC 13/16 in.	140 mm	208 mm	8400 0	10	20

SCREW EXTRACTORS SET

- 1/4 " Hex shank for using with cordless and electric power drills
- Tough high speed steel for removing damaged nails and steel nails.
- Self-centering and not walking

Item No.	Description	EAN 69426292+	Inner	Outer
421905	#0, #1, #2, #3, #4	8390 4	25	50

HSS TI-COATED TWIST DRILL BITS WITH POUCH-SAE

- High speed steel material, 118 degree split, roll-forged
- For steel, cast iron, malleable iron, non-ferrous metal and plastic



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410109BS	10 PC 1/8 in.	41 mm	70 mm	5759 2	36	72
410113BS	10 PC 5/32 in.	51 mm	79 mm	5761 5	36	72
410117BS	10 PC 3/16 in.	59 mm	89 mm	5763 9	36	72
410125BS	10 PC 1/4 in.	70 mm	105 mm	5767 7	30	60
410131BS	10 PC 19/64 in.	78 mm	111 mm	5770 7	24	48
410133BS	10 PC 5/16 in.	81 mm	114 mm	5771 4	24	48
410135BS	10 PC 21/64 in.	84 mm	117 mm	5772 1	24	48
410139BS	10 PC 23/64 in.	89 mm	124 mm	5774 5	18	36
410143BS	5 PC 25/64 in.	95 mm	130 mm	5776 9	24	48
410145BS	5 PC 13/32 in.	98 mm	133 mm	5777 6	24	48
410147BS	5 PC 27/64 in.	100 mm	137 mm	5778 3	24	48
410151BS	5 PC 29/64 in.	106 mm	143 mm	5780 6	18	36
410153BS	5 PC 15/32 in.	110 mm	146 mm	5781 3	18	36
410155BS	5 PC 31/64 in.	111 mm	149 mm	5782 0	18	36
410157BS	5 PC 1/2 in.	114 mm	152 mm	5783 7	18	36



HSS ROLL FORGE TWIST DRILL BITS

- High speed steel material, 118 degree point angle, roll-forged, black oxide finish
- For steel, cast iron, malleable iron, non-ferrous metal and plastic



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410303	2 PC 1.5 mm	18 mm	40 mm	4926 9	20	100
410304	2 PC 2.0 mm	24 mm	49 mm	4927 6	20	100
410305	2 PC 2.5 mm	30 mm	57 mm	4928 3	20	100
410306	2 PC 3.0 mm	33 mm	61 mm	4929 0	20	100
410310	4.0 mm	43 mm	75 mm	4930 6	20	100
410314	5.0 mm	52 mm	86 mm	4931 3	20	100
410315	5.5 mm	57 mm	93 mm	4932 0	20	100
410316	6.0 mm	57 mm	93 mm	4933 7	20	100
410320	8.0 mm	75 mm	117 mm	4934 4	20	100
410324	10.0 mm	87 mm	133 mm	4935 1	20	100

LONG METAL DRILL

- Industry grade #6542 high speed steel material, 118 degree split
- No clamping in drill hole, good chip removal
- For drilling through walls as well as boards, beams, floor boards made of soft and hard wood
- Also suitable for facade and as a roofer's drill bit for metal, profile sheets etc



Item No.	DIA.	Working Length	Shank DIA.	Overall Length	EAN 69426292+	Inner	Outer
410346	6 mm	90 mm	5 mm	400 mm	5448 5	10	40
410348	8 mm	90 mm	6 mm	400 mm	5449 2	10	40
410350	10 mm	90 mm	8 mm	400 mm	5450 8	10	40
410352	12 mm	90 mm	8 mm	400 mm	5451 5	10	40
410354	14 mm	90 mm	10 mm	400 mm	5452 2	10	20
410356	16 mm	90 mm	10 mm	400 mm	5453 9	10	20
410358	18 mm	90 mm	10 mm	400 mm	5454 6	10	20
410360	20 mm	90 mm	12 mm	400 mm	5455 3	10	20
410362	22 mm	90 mm	12 mm	400 mm	5456 0	10	20
410364	24 mm	90 mm	12 mm	400 mm	5457 7	10	20

TAP WITH HSS DRILL BIT SET


- Convenient tap and HSS drill bit set
- Ideal for general purpose threading



Item No.	Tap Size	Working Length	Overall Length	Drill Size	EAN 69426292+	Inner	Outer
421001	3x0.5	18	46	2.5	0245 5	10	60
421003	3x0.6	18	46	2.4	8438 3	10	60
421005	4x0.7	20	52	3.3	0246 2	10	60
421007	4x0.75	20	52	3.25	8439 0	10	60
421009	5x0.8	22	60	4.2	0247 9	10	60
421011	5x0.9	22	60	4.1	8440 6	10	60
421013	6x1.0	24	62	5	0267 7	10	60
421015	6x0.75	24	62	5.25	8345 4	10	60
421017	7x1.0	25	65	6	8441 3	10	60
421019	7x0.75	25	65	6.25	8442 0	10	60
421021	8x1.25	28	70	6.75	0268 4	10	60
421023	8x1.0	28	70	7	8443 7	10	60
421025	10x1.5	30	75	8.5	0269 1	10	60
421027	10x1.25	30	75	8.75	0270 7	10	60
421029	12x1.75	40	80	10.25	0271 4	10	60
421031	12x1.5	40	80	10.5	0272 1	10	60
421051	4-40	14	47	3/32 in.	8444 4	10	60
421053	6-32	17	50	7/64 in.	8445 1	10	60
421055	8-32	19	54	9/64 in.	8446 8	10	60
421057	10-24	22	60	5/32 in.	8447 5	10	60
421059	10-32	22	60	5/32 in.	8448 2	10	60
421061	12-24	23	60	11/64 in.	8449 9	10	60
421063	1/4-20	25	63	13/64 in.	8450 5	10	60
421065	1/4-28	25	63	7/32 in.	8451 2	10	60
421067	5/16-18	28	70	17/64 in.	8452 9	10	60
421069	5/16-24	28	70	9/32 in.	8453 6	10	60
421071	3/8-16	33	75	5/16 in.	8454 3	10	60
421073	3/8-24	33	75	21/64 in.	8346 1	10	60
421075	7/16-14	36	80	3/8 in.	8455 0	10	60
421077	7/16-20	36	80	25/64 in.	8456 7	10	60
421079	1/2-13	40	85	27/64 in.	8457 4	10	60
421081	1/2-20	40	85	29/64 in.	8347 8	10	60
421083	1/8-27	19	54	23/64 in.	8458 1	10	60

RACHET T-HANDLE FOR TAP

- Quick, efficient ratcheting action
- Designed for use with taps



Item No.	Size	EAN 69426292+	Inner	Outer
421161	M3-M8	0717 7	12	48
421163	M5-M12	0726 9	12	48

7 PC DIE WITH WRENCH METRIC SET

- Ideal for maintenance and repair work
- Hexagon shape provides more grip




Specification	Diameter	Pitch	S	E
M3 x 0.5	3	0.5	18	5
M4 x 0.7	4	0.7	18	5
M5 x 0.8	5	0.8	18	7
M6 x 1	6	1	18	7
M7 x 1	7	1	21	9
M8 x 1.25	8	1.25	21	9

Item No.	Description	Size	EAN 69426292+	Inner	Outer
421301	7 PC	M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M7 x 1.0, M8 x 1.25	0728 3	12	48
421311	7 PC	4-40, 6-32, 8-32, 10-24, 12-24, 1/4-20	8348 5	12	48

7 PC TAP WITH WRENCH

- Ideal for general purpose threading



Specification	Diameter (D)	Pitch	Working Length (L1)	Shank (d1)
M3 x 0.5	3	0.5	18.2	43.8
M4 x 0.7	4	0.7	21.3	48.6
M5 x 0.8	5	0.8	24.3	56.5
M6 x 1	6	1	25.3	57.7
M7 x 1	7	1	27.4	65
M8 x 1.25	8	1.25	28.6	70

Item No.	Description	Size	EAN 69426292+	Inner	Outer
421303	7 PC	M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M7 x 1.0, M8 x 1.25	0727 6	12	48
421313	7 PC	4-40, 6-32, 8-32, 10-24, 12-24, 1/4-20	8459 8	12	48

13 PC TAP & DIE SET

- Ideal for general purpose threading



Item No.	Description	Size	EAN 69426292+	Inner	Outer
421601	13 PC	6-32, 8-32, 10-24, 10-32, 1/4-20, 5/16-18	0804 4	6	12
421603	13 PC	M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M7 x 1.0, M8 x 1.25	0729 0	6	12



60 PC METRIC AND SAE TAP & DIE SET



M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M7 x 1.0, M8 x 1.25, M9 x 1.25, M10 x 1.0, M10 x 1.5, M12 x 1.75, 4-40, 6-32, 8-32, 10-24, 10-32, 12-24, 1/4 -20, 1/4-28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13, 1/2 -20, 1/8-27

Item No.	Description	EAN 69426292+	Inner	Outer
421660	60 PC	0730 6	0	5



HSS STEP DRILL BITS



HSS-COBALT STEP DRILL PRO GRADE

- Industrial grade cobalt M35 high speed steel
- Automatically debur holes
- 4x long using life time
- For drilling multiple hole sizes with one bit in steel, brass, stainless steel, copper, aluminum, wood and plastic
- Black nitriding for extra hardness and rust prevention

Item No.	Shank DIA.	Holes	Size	EAN 69426292 (A) 69743345 (B)	Inner	Outer
416001	6.35 mm (1/4 in.)	9	ø 4-12 mm	A + 2308 5	12	48
416005	6.35 mm (1/4 in.)	9	ø 4-20 mm	A + 2310 8	12	48
416015	6.35 mm (1/4 in.)	8	ø 6-20 mm	A + 2315 3	12	48
416017	6.35 mm (1/4 in.)	10	ø 6-25 mm	B + 5335 5	12	48
416019	13.0 mm (9/16 in.)	13	ø 5-35 mm	A + 2317 7	12	48
416027	6.35 mm (1/4 in.)	13	ø 1/8-1/2 in.	A + 2321 4	12	48
416033	6.35 mm (1/4 in.)	12	ø 3/16-7/8 in.	A + 2324 5	12	48
416035	9.5 mm (3/8 in.)	10	ø 1/4-1-3/8 in.	A + 2325 2	12	48

ø 4-12 mm



416001

ø 4-20 mm



416005

ø 6-20 mm



416015

ø 6-25 mm




416017

ø 5-35 mm



416019

ø 1/8-1/2 in.



416027

ø 3/16-7/8 in.



416033

ø 1/4-1-3/8 in.



416035

3 PC HSS STEP DRILL-METRIC

416061

- High speed steel
- Titanium coating for rust prevention
- Automatically debur holes
- For drilling multiple hole sizes with one bit in steel, brass, copper, aluminum, wood and plastic



Item No.	Shank DIA.	Size	EAN 69743345+	Inner	Outer
416061	6.35 mm (1/4 in.)	ø 4-12 / ø 4-20 / ø 4-32 mm	5336 2	6	24



3 PC HSS STEP DRILL-SAE

416063


- High speed steel
- Titanium coating for rust prevention
- Automatically debur holes
- For drilling multiple hole sizes with one bit in steel, brass, copper, aluminum, wood and plastic



Item No.	Shank DIA.	Size	EAN 69743345+	Inner	Outer
416063	6.35 mm (1/4 in.)	ø 3/16-1/2 / ø 1/4-3/4 / ø 1/8-1/2 in.	5337 9	6	24



CONCRETE DRILL BITS



- High carbon steel body with YG8 carbide tip
- For concrete, reinforced concrete, brick, block and masonry



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410501	2 PC 3.0 mm	36 mm	60 mm	2008 4	20	200
410503	4.0 mm	45 mm	75 mm	2009 1	20	200
410505	5.0 mm	51 mm	85 mm	2010 7	20	200
410506	5.5 mm	55 mm	100 mm	5458 4	20	120
410507	6.0 mm	60 mm	100 mm	2011 4	20	120
410508	6.5 mm	60 mm	100 mm	5459 1	20	120
410509	7.0 mm	60 mm	100 mm	2012 1	20	120
410511	8.0 mm	72 mm	120 mm	2013 8	20	120
410513	9.0 mm	72 mm	120 mm	2014 5	20	120
410515	10.0 mm	72 mm	120 mm	2015 2	20	120
410517	11.0 mm	90 mm	150 mm	2016 9	20	120
410519	12.0 mm	90 mm	150 mm	2017 6	20	120
410521	13.0 mm	90 mm	150 mm	2018 3	20	120
410523	14.0 mm	90 mm	150 mm	2019 0	20	120
410525	15.0 mm	90 mm	150 mm	2020 6	20	120
410527	16.0 mm	90 mm	150 mm	2021 3	20	120

10 PC CONCRETE DRILL SET

- High carbon steel body with YG8 carbide tip
- For concrete, reinforced concrete, brick, block and masonry



Item No.	DIA.	Working Length	Overall Length	EAN 69743345+	Inner	Outer
410551BS	10PC 1/8in.	1-3/4 in.	3 in.	5013 2	36	72
410552BS	10PC 5/32in.	1-3/4 in.	3 in.	5014 9	36	72
410553BS	10PC 3/16in.	2-3/8 in.	4 in.	5015 6	36	72
410555BS	10PC 1/4in.	2-3/8 in.	4 in.	5016 3	30	60
410558BS	10PC 5/16in.	3-1/2 in.	6 in.	5017 0	24	48
410559BS	10PC 3/8in.	3-1/2 in.	6 in.	5018 7	18	36
410561BS	5PC 1/2in.	3-1/2 in.	6 in.	5019 4	18	36

5 PC MASONRY DRILL BITS

- 40CR body with YG8C carbide tip
- 3-flat shank for sure grip
- For concrete, reinforced concrete, brick, block and masonry
- Plastic box included



Item No.	Description	EAN 69426292+	Inner	Outer
410694	4, 5, 6, 8, 10 mm	8489 5	10	60
410695	5 PC - 5/32, 3/16, 1/4, 5/16, 3/8 in.	6206 0	10	60

5 PC CONCRETE DRILL BITS




Contents: 4, 5, 6, 8, 10 mm

Item No.	Description	EAN 69426292+	Inner	Outer
410547	5 PC - 4, 5, 6, 8, 10 mm	2031 2	10	60

8 PC CONCRETE DRILL BITS



Item No.	Description	EAN 69426292+	Inner	Outer
410548	8 PC - 3, 4, 5, 6, 7, 8, 9, 10 mm	3820 1	10	60
410550	8 PC - 1/8, 5/32, 3/16, 1/4, 9/32, 5/16, 11/32, 3/8 in.	6970 0	10	60



MULTI-PURPOSE DRILL BITS

- High carbon steel body with YG8 carbide tip
- For masonry, tile, wood, chipboard, metal plate and plastic



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410601	2 PC 3.0 mm	36 mm	60 mm	2032 9	20	200
410603	4.0 mm	45 mm	75 mm	2033 6	20	200
410605	5.0 mm	51 mm	85 mm	2034 3	20	200
410607	6.0 mm	60 mm	100 mm	2035 0	20	120
410609	7.0 mm	60 mm	100 mm	2036 7	20	120
410611	8.0 mm	72 mm	120 mm	2037 4	20	120
410613	9.0 mm	72 mm	120 mm	2038 1	20	120
410615	10.0 mm	72 mm	120 mm	2039 8	20	120
410617	11.0 mm	90 mm	150 mm	2040 4	20	120
410619	12.0 mm	90 mm	150 mm	2041 1	20	120
410621	13.0 mm	90 mm	150 mm	2042 8	20	120

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410623	14.0 mm	90 mm	150 mm	2043 5	20	120
410625	15.0 mm	90 mm	150 mm	2044 2	20	120
410627	16.0 mm	90 mm	150 mm	2045 9	20	120
410663	3/16 in.	2-3/8 in.	4 in.	5950 3	20	200
410665	1/4 in.	2-3/8 in.	4 in.	5952 7	20	120
410673	1/4 in.	3-1/2 in.	6 in.	5953 4	20	120
410674	5/16 in.	3-1/2 in.	6 in.	5954 1	20	120
410675	3/8 in.	3-1/2 in.	6 in.	5955 8	20	120
410677	1/2 in.	3-1/2 in.	6 in.	5957 2	20	120
410679	5/8 in.	3-1/2 in.	6 in.	5959 6	20	120
410680	3/4 in.	3-1/2 in.	6 in.	5960 2	20	120



5 PC MULTI-PURPOSE DRILL BITS



Contents: 4, 5, 6, 8, 10 mm

Item No.	Description	EAN 69426292+	Inner	Outer
410655	5 PC Multi-purpose Drill Bits	3821 8	10	60

8PC MULTI-PURPOSE DRILL BITS



Contents: 3, 4, 5, 6, 7, 8, 9, 10 mm

Item No.	Description	EAN 69762270+	Inner	Outer
410657	8 PC Multi-Purpose Drill Bits	3322 7	10	60

GLASS/TILE DRILL BITS

- YG6X carbide tip
- For tile, china, mirrors and glass



Item No.	DIA.	EAN 69426292+	Inner	Outer
416201	4.0 mm	2337 5	10	100
416203	5.0 mm	2338 2	10	100
416205	6.0 mm	2339 9	10	100
416207	7.0 mm	2340 5	10	100
416209	8.0 mm	2341 2	10	100
416223	3/16 in.	6768 3	10	100
416225	1/4 in.	6769 0	10	100
416227	5/16 in.	6770 6	10	100
416229	3/8 in.	6771 3	10	100
416231	1/2 in.	6772 0	10	100

5PC GLASS/TILE DRILL BITS

- YG6X carbide tip
- For tile, china, mirrors and glass



Contents: 4, 5, 6, 8, 10 mm



Item No.	Description	EAN 69762270+	Inner	Outer
416241	5 PC Glass/Tile Drill Bits	3321 0	10	60



SDS PLUS POINT CHISEL

- For concrete, masonry and natural stone



Item No.	Overall length	Size	EAN 69426292+	Inner	Outer
410901	250 mm (10 in.)	Point	3822 5	10	60

SDS PLUS FLAT CHISEL

- For concrete, masonry and natural stone



Item No.	Overall length	Size	EAN 69426292+	Inner	Outer
410902	250 mm (10 in.)	20 mm (13/16 in.)	3823 2	10	60
410903	250 mm (10 in.)	40 mm (1-9/16 in.)	3824 9	10	60

SDS PLUS GAUGE CHISEL

- For concrete, masonry and natural stone



Item No.	Overall length	Size	EAN 69426292+	Inner	Outer
410904	250 mm (10 in.)	Gauge	3825 6	10	60

5 PC SDS PLUS HAMMER DRILL BITS

- 40CR body with professional quality YG8C carbide tip
- For hard materials, concrete, granite and brick



Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410954	5 PC SDS Plus Hammer Drill Bits	4, 5, 6, 8, 10 mm	8490 1	10	60
410955	5 PC SDS Plus Hammer Drill Bits	3/16, 1/4, 5/16, 3/8, 1/2 in.	6482 8	10	60

4 PC SDS PLUS HAMMER DRILL BITS

- 40CR body with professional quality YG8C carbide tip
- For hard materials, concrete, granite and brick



Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410951	4 PC SDS Plus Hammer Drill Bits	5, 6, 8, 10 mm	4997 9	10	60
410953	4 PC SDS Plus Hammer Drill Bits	5, 6, 8, 10 mm	4998 6	10	60

SDS MAX HAMMER DRILL BITS

- 40CR body with professional quality YG8C carbide tip
- For hard materials, concrete, granite and brick



Item No.	DIA.	Shank DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
411012	12.0 mm	18 mm	210 mm	340 mm	4493 6	10	40
411014	14.0 mm	18 mm	210 mm	340 mm	4494 3	10	40
411016	16.0 mm	18 mm	210 mm	340 mm	4495 0	10	40
411018	18.0 mm	18 mm	210 mm	340 mm	4496 7	10	40
411020	20.0 mm	18 mm	210 mm	340 mm	4497 4	10	20
411022	22.0 mm	18 mm	210 mm	340 mm	4498 1	10	20
411025	25.0 mm	18 mm	210 mm	340 mm	4499 8	10	20
411028	28.0 mm	18 mm	210 mm	340 mm	4500 1	10	20
411030	30.0 mm	18 mm	210 mm	340 mm	4501 8	5	10
411054	14.0 mm	18 mm	375 mm	505 mm	4502 5	10	20
411056	16.0 mm	18 mm	375 mm	505 mm	4503 2	10	20
411058	18.0 mm	18 mm	375 mm	505 mm	4504 9	10	20
411060	20.0 mm	18 mm	375 mm	505 mm	4505 6	0	10



Item No.	DIA.	Shank DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
411062	22.0 mm	18 mm	375 mm	505 mm	4506 3	0	10
411065	25.0 mm	18 mm	375 mm	505 mm	4507 0	0	10
411068	28.0 mm	18 mm	375 mm	505 mm	4508 7	5	10
411070	30.0 mm	18 mm	375 mm	505 mm	4509 4	5	10
411072	32.0 mm	18 mm	375 mm	505 mm	4510 0	5	10
411075	35.0 mm	18 mm	375 mm	505 mm	4511 7	0	5
411080	20.0 mm	18 mm	670 mm	800 mm	4512 4	0	5
411082	22.0 mm	18 mm	670 mm	800 mm	4513 1	0	5
411085	25.0 mm	18 mm	670 mm	800 mm	4514 8	0	5
411088	28.0 mm	18 mm	670 mm	800 mm	4515 5	0	5
411090	30.0 mm	18 mm	670 mm	800 mm	4516 2	0	5
411095	35.0 mm	18 mm	670 mm	800 mm	4517 9	0	5

11 PC SDS PLUS HAMMER DRILL BITS

- 40CR body with professional quality YG8C carbide tip
- For hard materials, concrete, granite and brick

Contents:

- 5 x 110 mm
- 6 x 160 mm
- 10 x 160 mm
- 12 x 210 mm
- 12 x 450 mm
- 20 x 450 mm
- 6 x 110 mm
- 8 x 160 mm
- 10 x 210 mm
- 10 x 450 mm
- 16 x 450 mm



Item No.	Description	EAN 69426292+	Inner	Outer
410961	11 PC SDS Plus Hammer Drill Bits	4999 3	0	6

11 PC SDS-PLUS DRILLS & CHISELS SET

- 1 pc chisel 14 x 250 mm
- 2 pc chisels flat 20 & 40 x 250 mm,
- 8 pc drills sds: 5 x 110 mm, 6 x 110 mm, 8 x 160 mm, 10 x 160 mm, 12 x 160 mm, 14 x 200 mm, 16 x 200 mm, 18 x 300 mm



Item No.	Description	EAN 69426292+	Inner	Outer
410962	11 PC SDS-Plus Drills & Chisels Set	8674 5	0	5



8PC SDS PLUS HAMMER DRILL BIT SET



Contents:

- 5 x 110 mm, 5.5 x 110 mm, 6 x 110 mm, 6.5 x 110 mm, 5 x 160 mm, 6 x 160 mm, 8 x 160 mm, 10 x 160 mm
- 40CR body with professional quality YG8C carbide tip
- For hard materials, concrete, granite and brick




Item No.	Description	EAN 69762270+	Inner	Outer
410950	8 PC SDS Plus Hammer Drill Bits Set	3318 0	6	24



50 mm (2 in.) GARDEN AUGER DRILL BIT

- Ideal for planting vegetables, seedlings, small bulbs and aerating lawns
- Easily digs through most soil types
- Constructed from heavy duty steel
- 11.1 mm (7/16 in.) Hex-shank fits most power drill chucks



Item No.	DIA.	Working Length	Overall Length	EAN	Inner	Outer
412150	50 mm (2 in.)	300 mm (11-3/4 in.)	450 mm (17-3/4 in.)	69708346+	1	8

75 mm (3 in.) GARDEN AUGER DRILL BIT

- Ideal for planting larger bulbs, plants and tilling
- Easily digs through most soil types
- Constructed from heavy duty steel
- 11.1 mm (7/16 in.) Hex-shank fits most power drill chucks



Item No.	DIA.	Working Length	Overall Length	EAN	Inner	Outer
412170	75 mm (3 in.)	300 mm (11-3/4 in.)	450 mm (17-3/4 in.)	69708346+	1	8

100 mm (4 in.) GARDEN AUGER DRILL BIT

- Ideal for preparing post holes and planting
- Easily digs through most soil types
- Constructed from heavy duty steel
- 11.1 mm (7/16 in.) Hex-shank fits most power drill chucks



Item No.	DIA.	Working Length	Overall Length	EAN	Inner	Outer
412190	100 mm (4 in.)	300 mm (11-3/4 in.)	450 mm (17-3/4 in.)	69708346+	1	8

40 mm (1-9/16 in.) GARDEN AUGER DRILL BIT

- Ideal for planting vegetables, seedlings, small bulbs and aerating lawns
- Easily digs through most soil types
- Constructed from heavy duty steel
- 7mm Hex-shank fits most power drill chucks



Item No.	DIA.	Working Length	Overall Length	EAN	Inner	Outer
412145	40 mm (1-9/16 in.)	100 mm (4 in.)	220 mm (8-5/8 in.)	69708346+	1	8

50 mm (2 in.) GARDEN AUGER DRILL BIT

- Ideal for planting vegetables, seedlings, small bulbs and aerating lawns
- Easily digs through most soil types
- Constructed from heavy duty steel
- 7mm Hex-shank fits most power drill chucks



Item No.	DIA.	Working Length	Overall Length	EAN	Inner	Outer
412147	50 mm (2 in.)	100 mm (4 in.)	220 mm (8-5/8 in.)	69708346+	1	8

80 mm (3-3/16 in.) GARDEN AUGER DRILL BIT


- Ideal for planting larger bulbs, plants and tilling
- Easily digs through most soil types
- Constructed from heavy duty steel
- 8mm Hex-shank fits most power drill chucks



Item No.	DIA.	Working Length	Overall Length	EAN	Inner	Outer
412149	80 mm (3-3/16 in.)	170 mm (6-5/8 in.)	300 mm (11-3/4 in.)	69708346+	1	8

HSS BRAD POINT WOOD DRILL BITS

- Precision ground #4241 high speed steel
- Brad point tip provides accurate positioning for starting
- For soft wood, hard wood, plywood, hardboards and veneer wood



Item No.	DIA.	Working Length	Overall Length	EAN	Inner	Outer
411501	3.0 mm	32 mm	60 mm	2153 1	20	200
411503	4.0 mm	42 mm	74 mm	2154 8	20	200
411505	5.0 mm	51 mm	85 mm	2155 5	20	200
411509	6.0 mm	56 mm	92 mm	2157 9	20	120
411513	7.0 mm	68 mm	108 mm	2159 3	20	120
411515	8.0 mm	74 mm	116 mm	2160 9	20	120
411517	9.0 mm	80 mm	124 mm	2161 6	20	120
411519	10.0 mm	86 mm	132 mm	2162 3	20	120
411521	11.0 mm	93 mm	141 mm	2163 0	20	120
411523	12.0 mm	100 mm	150 mm	2164 7	20	120
411525	13.0 mm	100 mm	150 mm	2165 4	20	120

5 PC HSS BRAD WOOD DRILL BITS



Item No.	Description	EAN	Inner	Outer
411527	5 PC HSS Brad Point Wood Drill Bits	2166 1	10	60

WOOD SPADE-METRIC

- 3-Point cutting edges
- Hex shank for quick change adapters and a more secure fit
- For hard, soft and engineered wood

Item No.	DIA.	Overall Length	EAN	Inner	Outer
411601	6.0 mm	152 mm	2168 5	10	60
411603	8.0 mm	152 mm	2169 2	10	60
411605	10.0 mm	152 mm	2170 8	10	60
411609	12.0 mm	152 mm	2172 2	10	60
411611	13.0 mm	152 mm	2173 9	10	60
411613	14.0 mm	152 mm	2174 6	10	60
411617	16.0 mm	152 mm	2176 0	10	60
411621	18.0 mm	152 mm	2178 4	10	60
411623	19.0 mm	152 mm	2179 1	10	60
411625	20.0 mm	152 mm	2180 7	10	60

8 PC HSS BRAD WOOD DRILL BITS



Item No.	Description	EAN	Inner	Outer
411529	8 PC HSS Brad Point Wood Drill Bits	2167 8	10	60

Item No.	DIA.	Overall Length	EAN	Inner	Outer
411627	22.0 mm	152 mm	2181 4	10	60
411629	24.0 mm	152 mm	2182 1	10	60
411631	25.0 mm	152 mm	2183 8	10	60
411633	26.0 mm	152 mm	2184 5	10	60
411635	28.0 mm	152 mm	2185 2	10	60
411637	30.0 mm	152 mm	2186 9	10	60
411639	32.0 mm	152 mm	2187 6	10	60
411641	35.0 mm	152 mm	2188 3	10	60
411643	38.0 mm	152 mm	2189 0	10	60

WOOD SPADE-FLAT HEAD

- For hard, soft and engineered wood



Item No.	DIA.	Overall Length	EAN	Inner	Outer
411681	1/4 in.	6 in.	6982 3	10	60
411682	5/16 in.	6 in.	6983 0	10	60
411683	3/8 in.	6 in.	6984 7	10	60
411684	7/16 in.	6 in.	6985 5	10	60
411685	1/2 in.	6 in.	6986 1	10	60
411686	9/16 in.	6 in.	6987 8	10	60
411687	5/8 in.	6 in.	6988 5	10	60
411688	11/16 in.	6 in.	6989 2	10	60
411689	3/4 in.	6 in.	6990 8	10	60
411690	13/16 in.	6 in.	6991 5	10	60
411691	7/8 in.	6 in.	6992 2	10	60
411692	15/16 in.	6 in.	6993 9	10	60
411693	1 in.	6 in.	6994 6	10	60
411694	1-1/8 in.	6 in.	6995 3	10	60
411695	1-1/4 in.	6 in.	6996 0	10	60
411696	1-3/8 in.	6 in.	6997 7	10	60
411697	1-1/2 in.	6 in.	6998 4	10	60

WOOD SPADE-SAE

- 3-Point cutting edges
- Hex shank for quick change adapters and a more secure fit
- For hard, soft and engineered wood



Item No.	DIA.	Overall Length	EAN	Inner	Outer
411661	1/4 in.	6 in.	2192 0	10	60
411662	5/16 in.	6 in.	2193 7	10	60
411663	3/8 in.	6 in.	2194 4	10	60
411664	7/16 in.	6 in.	2195 1	10	60
411665	1/2 in.	6 in.	2196 8	10	60
411666	9/16 in.	6 in.	2197 5	10	60
411667	5/8 in.	6 in.	2198 2	10	60
411668	11/16 in.	6 in.	2199 9	10	60
411669	3/4 in.	6 in.	2200 2	10	60
411670	13/16 in.	6 in.	2201 9	10	60
411671	7/8 in.	6 in.	2202 6	10	60
411672	15/16 in.	6 in.	2203 3	10	60
411673	1 in.	6 in.	2204 0	10	60
411674	1-1/8 in.	6 in.	2205 7	10	60
411675	1-1/4 in.	6 in.	2206 4	10	60
411676	1-3/8 in.	6 in.	2207 1	10	60


6 PC WOOD SPADE



Item No.	Description	EAN	Inner	Outer
411647	6 PC Wood Spade Set	2191 3	5	30

SHIP AUGER BITS

- The ship head and coarse screw point provide fast boring in hard and soft wood as well as cuts through knots
- Solid center with single cutter
- Screw point for precise locating
- For chipboard, plywood and large timber



460 mm
Extra Long

Item No.	DIA.	Total Length	Working Length	EAN 69426292+	Inner	Outer
412003	8.0 mm	230 mm	168 mm	2219 4	10	60
412005	10.0 mm	230 mm	168 mm	2220 0	10	60
412007	12.0 mm	230 mm	168 mm	2221 7	10	60
412009	14.0 mm	230 mm	168 mm	2222 4	10	60
412011	16.0 mm	230 mm	168 mm	2223 1	10	60
412013	18.0 mm	230 mm	168 mm	2224 8	10	60
412015	20.0 mm	230 mm	168 mm	2225 5	10	60
412017	22.0 mm	230 mm	168 mm	2226 2	6	36
412035	10.0 mm	460 mm	388 mm	2235 4	10	60
412037	12.0 mm	460 mm	388 mm	2236 1	10	60

Item No.	DIA.	Total Length	Working Length	EAN 69426292+	Inner	Outer
412039	14.0 mm	460 mm	388 mm	2237 8	10	60
412041	16.0 mm	460 mm	388 mm	2238 5	10	40
412043	18.0 mm	460 mm	388 mm	2239 2	10	40
412045	20.0 mm	460 mm	388 mm	2240 8	10	30
412047	22.0 mm	460 mm	388 mm	2241 5	4	16
412049	24.0 mm	460 mm	388 mm	2242 2	4	16
412051	25.0 mm	460 mm	388 mm	2243 9	4	16
412053	28.0 mm	460 mm	388 mm	2244 6	4	16
412055	30.0 mm	460 mm	388 mm	2245 3	4	16

8 PC 230 mm AUGER DRILL BITS SET



- Contents: 6, 8, 10, 12, 14, 16, 18, 20 mm

Item No.	Description	EAN 69426292+	Inner	Outer
412081	8 PC 230 mm Auger Drill Bits Set	5000 5	0	10

6 PC 460 mm AUGER DRILL BITS SET




- Contents: 10, 12, 14, 16, 18, 20 mm

Item No.	Description	EAN 69426292+	Inner	Outer
412085	6 PC 460 mm Auger Drill Bits Set	5001 2	0	8

SUPER FORSTNER BITS

- For drilling dimensionally accurate, tear-free, flat bottomed holes in solid wood, veneered wood boards, chipboard and plywood
- Ideal for door locks, mortising, electrical and plumbing work
- Not for use with routers



Item No.	DIA.	Shank DIA.	EAN 69426292+	Inner	Outer
412109	15.0 mm	8.0 mm	2255 2	12	48
412115	20.0 mm	8.0 mm	2258 3	12	48
412121	25.0 mm	8.0 mm	2261 3	12	48
412127	30.0 mm	8.0 mm	2264 4	12	48
412132	35.0 mm	10.0 mm	3841 6	12	48



5 PC SUPER FORSTNER BITS SET



- Contents: 15, 20, 25, 30, 35 mm

Item No.	Description	EAN 69426292+	Inner	Outer
412171	5 PC Super Forstner Bits Set	2286 6	0	20

15 PC SUPER FORSTNER BITS SET




- Contents: 10, 12, 15, 16, 18, 20, 22, 25, 26, 28, 30, 35, 40, 45, 50 mm

Item No.	Description	EAN 69426292+	Inner	Outer
412173	15 PC Super Forstner Bits Set	2287 3	0	6

TCT FORSTNER BITS

- YG8 carbide tipped Brad point
- For drilling dimensionally accurate, tear-free holes in soft and hard wood, resin bonded and plastic coated laminates, veneered wood sheet, chipboard, and other forms of compressed wood sheet
- Ideal for carpenters, joiners, kitchen work and window installation



Item No.	DIA.	Shank DIA.	Overall DIA.	EAN 69426292+	Inner	Outer
412201	15.0 mm	8.0 mm	90 mm	2288 0	12	48
412207	20.0 mm	8.0 mm	90 mm	2291 0	12	48
412213	25.0 mm	8.0 mm	90 mm	2294 1	12	48
412219	30.0 mm	8.0 mm	90 mm	2297 2	12	48
412225	35.0 mm	10.0 mm	90 mm	2300 9	12	48



5 PC TCT FORSTNER BITS SET



- Contents: 15, 20, 25, 30, 35 mm

Item No.	Description	EAN 69426292+	Inner	Outer
412239	5 PC TCT Forstner Bits Set	2306 1	5	20

4 PC WOOD PRE-DRILL SET



- Hss Step Drill Bit
- Pocket Hole Guide
- Hex key
- Depth Ring
- Introduction

Item No.	Description	EAN 69426292+	Inner	Outer
413001	4 PC Wood Pre-Drill Set	2311 5	6	24

QUAD FLUTE DRILL BIT

- Quad cutting spurs for faster, cleaner holes, less breakout, and extended drilling file
- Full screw-point tip allows bit to self-feed for ease of drilling.
- Tapered quad-flute design for faster chip ejection and less binding; quick-change shank
- 4x faster than regular wood drill



Item No.	DIA.	Overall Length	EAN 69426292+	Inner	Outer
412510	10 mm	165 mm	2209 5	10	60
412512	12 mm	165 mm	2210 1	10	60
412516	16 mm	165 mm	2212 5	10	60
412518	18 mm	165 mm	2213 2	10	60
412520	20 mm	165 mm	2214 9	10	60
412522	22 mm	165 mm	2215 6	10	60
412525	25 mm	165 mm	6051 6	10	60
412530	30 mm	165 mm	6053 0	10	60
412532	32 mm	165 mm	6054 7	10	60

PILOT DRILL BITS

- Adjust hole depth for screw head depth
- For drilling in wood, plastic and soft metal



Item No.	Screw Size	Drill Size	EAN 69426292+	Inner	Outer
416101	#6	3/32 in. (2.4 mm)	2333 7	20	200
416103	#8	7/64 in. (2.8 mm)	2334 4	20	200
416105	#10	1/8 in. (3.2 mm)	2335 1	20	200
416107	#12	9/64 in. (3.6 mm)	2336 8	20	200

2 PC POCKET HOLE & DOWELING JIG



- For wood dowelling and pocket hole drilling function
- Contents: 6, 8, 10, 12 mm

Item No.	Description	EAN 69426292+	Inner	Outer
413006	2 PC Pocket Hole & Doweling Jig	5478 9	12	48

COUNTER SINK BIT

- High speed steel material, 5 fluted, 82 degree point, hex shank for quick chuck and extension
- For countersinking, deburring and chamfering in iron, steel, plastic and wood



Item No.	Drill Size	EAN 69426292 (A) 69708346 (B)	Inner	Outer
416141	10 mm (3/8 in.)	A + 4788 3	10	60
416143	13 mm (1/2 in.)	A + 4789 0	10	60
416146	16 mm (5/8 in.)	A + 4790 6	10	60
416149	19 mm (3/4 in.)	A + 4791 3	10	60
416151	25 mm (1 in.)	B + 7013 4	10	60

10 PC POCKET HOLE PLUGS SET



Item No.	Description	EAN 69426292+	Inner	Outer
413110	10 PC Pocket Hole Plugs Set	9399 6	25	400

7 PC DRILL STOP SET



- Contents: 6 PC drill stop: 3, 3, 5, 6, 8, 10 mm
- 1 PC hex key

Item No.	Description	EAN 69426292+	Inner	Outer
416507	7 PC Drill Stop Set	4792 0	10	60



DRILLING & DRIVING BITS SET



- METALL
- CONCRETE
- WOOD
- COMBO



15 PC TI-COATED HSS TWIST DRILL SET



- Ti-coated, #4241 HSS, 118° split, fully ground body
- For steel, cast iron, malleable iron, non-ferrous metal and plastic



Item No.	Description	EAN 69426292+	Inner	Outer
418011	1.5, 1.5, 2.0, 2.0, 2.5, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 5.0, 6.0, 8.0, 10.0 mm	0810 5	6	12
418013	1/16, 1/16, 5/64, 5/64, 3/32, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 in.	0811 2	6	12

20 PC DRILL & BIT SET



- 418101
 - 7 PC hex shank HSS drill bits - 1.5, 2, 3, 4, 4.5, 5, 6 mm
 - 1 PC quick change holder
 - 9 PC 50 mm CR-V bits - #1, #2, #3
 - 3 PC CR-V nut drivers - 6, 8, 10 mm

- 418103
 - 7 PC hex shank HSS drill bits - 1/16, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4 in.
 - 1 PC quick change holder
 - 9 PC 50 mm CR-V bits - #1, #2, #3
 - 3 PC CR-V nut drivers - 1/4, 5/16, 3/8 in.

Item No.	Description	EAN 69426292+	Inner	Outer
418101	20 PC Drill & Bit Set - Metric	0820 4	6	12
418103	20 PC Drill & Bit Set - SAE	4625 1	6	12

15 PC CONCRETE DRILL SET



- High carbon steel body with YG8 carbide tip
- For concrete, reinforced concrete, brick, block and masonry



Item No.	Description	EAN 69426292+	Inner	Outer
418051	3.0, 3.0, 3.0, 4.0, 4.0, 4.0, 5.0, 5.0, 5.0, 6.0, 6.0, 8.0, 8.0, 10.0, 10.0 mm	0814 3	6	12

15 PC WOOD DRILL SET



- High carbon steel, brad point tip
- For soft wood, hard wood, plywood, hardboards and veneer wood



Item No.	Description	EAN 69426292+	Inner	Outer
418081	3.0, 3.0, 3.0, 4.0, 4.0, 4.0, 5.0, 5.0, 5.0, 6.0, 6.0, 8.0, 8.0, 10.0, 10.0 mm	0818 1	6	12
418083	1/8, 1/8, 1/8, 5/32, 5/32, 5/32, 3/16, 3/16, 3/16, 1/4, 1/4, 5/16, 5/16, 3/8, 3/8 in.	0819 8	6	12

17 PC COMBO DRILL SET



- 12 PC Ti-coated #4241 HSS drill bits



- 5 PC YG8 carbide tip masonry drill bits



Item No.	Description	EAN 69426292+	Inner	Outer
418021	12 PC - 1.5, 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 4.8, 5.0, 5.5, 6.0 mm	0812 9	6	12
	5 PC - 3.0, 5.0, 6.0, 8.0, 10.0 mm			



28 PC QUICK CHANGE BIT SET



- 418113
 - 24 PC 50 mm CR-V bits - #1 x 2, #2 x 4, #3 x 2
 - 5, 6 x 2, 7 mm
 - #1, #2 x 2, #3
 - T-10, T-15, T-20, T-25, T-30

- 1 PC quick change holder
- 3 PC CR-V nut drivers - 6, 8, 10 mm

- 418115
 - 24 PC 50 mm CR-V bits - #1, #2 x 10, #3
 - 3/16, 1/4 x 2, 9/32 in.
 - #1, #2 x 6, #3

- 1 PC quick change holder
- 3 PC CR-V nut drivers - 1/4, 5/16, 3/8 in.

Item No.	Description	EAN 69426292+	Inner	Outer
418113	28 PC Quick Change Bit Set - Metric	0821 1	6	12
418115	28 PC Quick Change Bit Set - SAE	0822 8	6	12

29 PC DRIVING BIT SET



- 418107
 - 24 PC 25 mm CR-V bits - #1x2, #2x4, #3x2
 - 4, 5.5 x 2, 6.5 mm
 - #1, #2 x 2, #3
 - 3, 4, 5 mm
 - T-10, T-15, T-20, T-25, T-30

- 2 PC 50 mm CR-V bits - #2, #2
- 1 PC 80 mm magnetic driver guide
- 2 PC CR-V nut drivers - 6, 8 mm

- 418109
 - 24 PC 25 mm CR-V bits - #1, #2 x 10, #3
 - 3/16, 1/4 x 2, 9/32 in.
 - #1, #2 x 6, #3
 - #2

- 2 PC 50 mm CR-V bits - #2, #2
- 1 PC magnetic driver guide
- 2 PC CR-V nut drivers - 1/4, 5/16 in.

Item No.	Description	EAN 69426292+	Inner	Outer
418107	29 PC Bit Set - Metric	5129 3	6	12
418109	29 PC Bit Set - SAE	5130 9	6	12

18 PC COMBO DRILL SET



- HSS twist drill bits for steel, cast iron, malleable iron, non-ferrous metal and plastic
- Concrete drill bits for concrete, reinforced concrete, brick, block and masonry
- Wood drill bits for soft wood, hard wood, plywood, hardboards and veneer wood

Item No.	Description	EAN 69708346+	Inner	Outer
418033	3, 4, 5, 6, 8, 10 mm	7854 3	6	24

21 PC MAGNETIC CASE BIT SET



- 15 PC 25 mm S2 bits:
 - #1 x 2, #2 x 4, #3
 - 4 x 2, 5.5 x 2, 6.5 mm
 - #1, #2, #3
- 2 PC 50 mm S2 bits:
 - #2
 - 5.5 mm
- 3 PC nut drivers: 6, 8, 10 mm
- 60 mm stainless steel extension bar
- Magnetic storage case



Item No.	Description	EAN 69426292+	Inner	Outer
418321	21 PC Magnetic Case Bit Set	5227 6	6	24



25 PC HSS COBALT TWIST DRILL

25 PC HSS TWIST DRILL BITS SET



- Industrial grade cobalt M35 high speed steel, 135 degree split, fully ground body
- For stainless steel, steel, cast steel and other hard materials

- Industry grade #6542 high speed steel material, 135 degree split, fully ground body
- For steel, cast iron, malleable iron, non-ferrous metal and plastic



Contents:
1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm

Contents:
1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm

Item No.	Description	EAN	Inner	Outer
410180	25 PC HSS Cobalt Twist Drill Bits Set	69762270+	5	10

Item No.	Description	EAN	Inner	Outer
410183	25 PC HSS Twist Drill Bits Set	69762270+	5	10

7 PC MAGNETIC NUT DRIVER SET



Item No.	Description	EAN	Inner	Outer
418607	7 PC Magnetic Nut Driver Set	69426292+	18	54

31 PC QUICK CHANGE DRIVING BIT SET



418130 - Metric

- 30 PC S2 bits
- 3, 4.5, 5.5, 6.5 mm
 - #0, #1 x 2, #2 x 2, #3 x 2
 - #0, #1 x 2, #2 x 2, #3 x 2
 - 3, 4, 5, 6 mm
 - T-10, T-15, T-20, T-25, T-27, T-30, T-35, T-40

1 PC stainless steel quick change chuck

Item No.	Description	EAN	Inner	Outer
418130	31 PC Bit Set - Metric	69426292+	12	48

31 PC QUICK CHANGE DRIVING BIT SET



418132 - SAE

- 30 PC CR-V bits
- 1/8, 5/32, 3/16, 1/4 in.
 - #0, #1 x 2, #2 x 2, #3 x 2
 - #0, #1 x 2, #2 x 2, #3 x 2
 - 1/8, 5/32, 3/16, 1/4 in.
 - T-10, T-15, T-20, T-25, T-27, T-30, T-35, T-40

1 PC stainless steel quick change chuck

Item No.	Description	EAN	Inner	Outer
418132	31 PC Bit Set - SAE	69426292+	12	48

61 PC QUICK CHANGE DRIVING BIT SET



418159 - Metric

- 59 PC S2 bits
- 3 x 2, 4.5 x 2, 5.5 x 2, 6.5 x 2 mm
 - #0 x 2, #1 x 2, #2 x 5, #3 x 2
 - #0 x 2, #1 x 2, #2 x 5, #3 x 2
 - 2, 3, 4, 5, 6, 8 mm
 - 1/16, 3/32, 1/8, 5/32, 3/16, 7/32 in.
 - T-8, T-9, T-10, T-15, T-20, T-25, T-27, T-30, T-35, T-40
 - T-10, T-15, T-20, T-25, T-27, T-30, T-35, T-40

1 PC bit adaptor
1 PC stainless steel quick change chuck

Item No.	Description	EAN	Inner	Outer
418159	61 PC Bit Set - Metric	69426292+	6	24

61 PC QUICK CHANGE DRIVING BIT SET



418162 - SAE

- 59 PC CR-V bits
- 1/8 x 2, 5/32 x 2, 3/16 x 2, 1/4 x 2 in.
 - #0 x 2, #1 x 2, #2 x 5, #3 x 2
 - #0 x 2, #1 x 2, #2 x 5, #3 x 2
 - 2, 3, 4, 5, 6, 8 mm
 - 1/16, 3/32, 1/8, 5/32, 3/16, 7/32 in.
 - T-8, T-9, T-10, T-15, T-20, T-25, T-27, T-30, T-35, T-40
 - T-10, T-15, T-20, T-25, T-27, T-30, T-35, T-40

1 PC bit adaptor
1 PC stainless steel quick change chuck

Item No.	Description	EAN	Inner	Outer
418162	61 PC Bit Set - SAE	69426292+	6	24

117 PC QUICK CHANGE DRIVING BIT SET



418210

- 115 PC CR-V bits
- 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8 mm;
 - 1/8, 5/32, 3/16, 7/32, 1/4 in.
 - #0 x 2, #1 x 2, #2 x 5, #3 x 2
 - #0 x 2, #1 x 2, #2 x 5, #3 x 2
 - 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8 mm
 - 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 in.
 - 2, 2.5, 3, 4, 5, 6 mm
 - 5/64, 3/32, 7/64, 1/8, 9/64, 5/32 in.
 - T-8 x 2, T-10 x 2, T-15 x 2, T-20 x 2, T-25 x 2, T-27 x 2, T-30 x 2, T-35 x 2, T-40 x 2
 - T-10, T-15, T-20, T-25, T-27, T-30, T-35, T-40
 - #0, #1, #2, #3
 - 4, 6, 8, 10
 - #1, #2, #3, #4
 - M5, M6, M8
 - 6, 8, 10
 - C1, C2, C3

1 PC bit adaptor
1 PC stainless steel quick change chuck

Item No.	Description	EAN	Inner	Outer
418210	117 PC Bit Set	69426292+	6	12

55 PC DRILL & BIT SET



418455

- 11 PC Ti-coated HSS drills:
1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5 mm
- 5 PC concrete drills: 4, 5, 6, 8, 10 mm
- 5 PC wood drills: 4, 5, 6, 8, 10 mm
- 3 PC wood spades: 13, 16, 19 mm
- 19 PC 25 mm CR-V bits:
• 4, 5, 6 mm #1, #2, #3
• #1, #2, #3 #3, 4, 5, 6 mm
• T-10, T-15, T-20, T-25, T-27, T-30
- 1 PC bit / socket adaptor
- 6 PC 50 mm CR-V bits:
• #1, #2, #3 #4, 5, 6 mm
- 3 PC nut drivers: 6, 8, 10 mm
- 1 PC 60 mm extension bar
- 1 PC 12.7 mm countersink

Item No.	Description	EAN	Inner	Outer
418455	55 PC Drill & Bit Set	69426292+	0	10

37 PC DRILL BIT SET



- 16 x #1, #2, #3 4, 5, 6, 7 mm
#1, #2, #3 T-15, T-20, T-25, T-30

- 1 x 60 mm 2, 2, 3, 4, 5 mm
1 x 13 mm 4, 5, 5.5, 6, 7 mm
1 x 13 mm HSS 4, 5, 6, 7, 8 mm
3 x 7, 8, 10 mm

Item No.	Description	EAN	Inner	Outer
418713	37 PC Drill Bit Set	6031 8	6	24

40 PC DRILL BIT SET



- 16 x #1, #2, #3 4, 6, 7 mm
#1, #2, #3 T-15, T-20, T-25
3, 4, 5, 6 mm

- 1 x 60 mm 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5 mm
3 x 18, 22, 32 mm 4, 5, 6, 7 mm
1 x 13 mm HSS 4, 5, 6, 8 mm

Item No.	Description	EAN	Inner	Outer
418714	40 PC Drill Bit Set	6032 5	6	24

78 PC DRILL BIT SET



- 40 x **S2**
- ⊕ #0 x 2, #1 x 2, #2 x 3, #3 x 3
 - ⊖ 4 x 2, 6 x 2, 7 x 2 mm
 - ⊕ #0 x 2, #1 x 2, #2 x 3, #3 x 3
 - ⊕ T-10, T-10, T-15, T-15, T-20, T-20, T-25, T-25, T-30, T-40
 - 3, 4, 5, 6 mm
- 1 x 60 mm
- 1 x **HSS** 13 mm
- 4 x 5, 6, 8 mm
- 1 x
- 11 x 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8 mm
- 6 x 4, 5, 5.5, 6, 7, 8 mm
- 5 x 4, 5, 6, 8, 10 mm
- 4 x 12, 16, 20, 22 mm
- 5 x

Item No.	Description	EAN	Inner	Outer
418737	78 PC Drill Bit Set	6034 9	0	8

13 PC QUICK CHANGE DRILL BIT SET

- 419013 - Metric
6 PC 50 mm bits ⊕ #1, #2, #3
⊖ 5, 6, 7 mm
- 3 PC wood spades - 12, 19, 25 mm
- 3 PC HSS drills - 1.5, 3.0, 5.0 mm
- 1 PC quick change chuck
- 419014 - SAE
6 PC 2 in. bits - ⊕ #1, #2, #3
⊖ 3/16, 1/4, 9/32 in.
- 3 PC wood spades - 1/2, 3/4, 1 in.
- 3 PC HSS drills - 1/16, 1/8, 3/16 in.
- 1 PC quick change chuck



Item No.	Description	EAN	Inner	Outer
419013	13 PC Drill Bit Set - Metric	4627 5	6	36
419014	13 PC Drill Bit Set - SAE	4865 1	6	36

90 PC DRILL BIT SET



- 40 x **S2**
- ⊕ #0 x 2, #1 x 2, #2 x 3, #3 x 3
 - ⊖ 4 x 2, 6 x 2, 7 x 2 mm
 - ⊕ #0 x 2, #1 x 2, #2 x 3, #3 x 3
 - ⊕ T-10, T-10, T-15, T-15, T-20, T-20, T-25, T-25, T-30, T-40
 - 3, 4, 5, 6 mm
- 1 x 60 mm
- 1 x **HSS** 13 mm
- 4 x 5, 6, 8 mm
- 1 x
- 7 x 4, 5, 6, 7, 8, 9, 10 mm
- 15 x 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5.5, 6, 6.5, 7, 8, 10 mm
- 6 x 4, 5, 5.5, 6, 7, 8 mm
- 5 x 4, 5, 6, 8, 10 mm
- 4 x 12, 16, 20, 22 mm
- 5 x

Item No.	Description	EAN	Inner	Outer
418739	90 PC Drill Bit Set	6035 6	0	8

99 PC DRILL BIT SET



- 42 x **S2** 25 mm
- ⊕ #1 x 3, #2 x 5, #3 x 2
 - ⊖ 4, 5 x 3, 6 x 3, 7 mm
 - ⊕ #1 x 3, #2 x 5, #3 x 2
 - ⊕ T-10, T-10, T-15, T-15, T-20, T-20, T-25, T-25, T-27, T-27, T-30, T-30
 - 3, 4 mm
- 13 x 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5.5, 5.5, 6, 7 mm
- 5 x 3, 5, 6, 8, 10 mm
- 13 x 3, 3.5, 4, 4.5, 5.5, 5.5, 6, 6.5, 7, 7.5, 8 mm
- 1 x 60 mm
- 12 x **S2** 50 mm
- ⊕ #1, #2, #3
 - ⊖ 4, 5, 6, 6, 7 mm
 - ⊕ T-10, T-15, T-20
- 7 x 5, 6, 8, 10, 11, 12, 13 mm
- 1 x
- 1 x **HSS** 13 mm

Item No.	Description	EAN	Inner	Outer
418740	99 PC Drill Bit Set	6036 3	0	8



90 PC DRILL & BIT SET

- 1 x **HCS** 12 mm
- 5 x 3, 5, 6, 8 mm
- 1 x
- 5 x 32, 38, 45, 54 mm
- 1 x **HCS** 60 mm
- 2x **HCS** 16, 22 mm
- 5 x **HCS** 3, 4, 5, 6, 8 mm
- 5 x **HM TCT** 3, 4, 5, 6, 8 mm
- 13 x **HSS** 1.5, 1.5, 2, 2, 2.5, 2.5, 3, 3.5, 4, 4.5, 5, 6, 6.5 mm
- 46 x **CR-V**
- ⊕ #1 x 2, #2 x 4, #3 x 3
 - ⊖ (3, 4, 5, 6, 7 mm) x 2
 - ⊕ #1 x 2, #2 x 3, #3 x 2
 - ⊕ T-10, T-15, T-20, T-25, T-27, T-30
 - ⊕ #1 x 3, #2 x 4, #3 x 2
 - ⊖ 2, 3, 4, 5, 6 mm
- 6 x **CR-V** 6, 7, 8, 9, 10, 12 mm



120 PC DRILLS & BITS SET

- 88 x **CR-V** 25 mm
- ⊕ #0 x 3, #1 x 3, #2 x 6, #3 x 4
 - ⊖ 3 mm x 3, 4 mm x 3, 5 mm x 4, 6 mm x 4, 7 mm x 1
 - ⊕ #0 x 3, #1 x 8, #2 x 6, #3 x 6
 - ⊕ T-10, T-10, T-15, T-15, T-20, T-20, T-25, T-25, T-27, T-30
 - ⊕ #0 x 2, #1 x 2, #2 x 6, #3 x 2
 - ⊖ 2, 2.5, 3, 4, 5, 6 mm
 - 5/64, 3/32, 1/8, 5/32, 3/16, 1/4 in.
- 15 x **CR-V** 50 mm
- ⊕ #1, #2, #3
 - ⊖ 3, 4, 5, 6, 7 mm
 - ⊖ #0, #1, #2, #3
 - ⊕ #1, #2, #3
- 5 x **CR-V** 6, 8, 10, 11, 13 mm
- 1 x **HCS** 60 mm
- 11 x **HSS** 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 5, 6, 6.5, 8 mm



Item No.	Description	EAN	Inner	Outer
418746	120 PC Drills & Bits Set	3108 7	0	16

400 PC DRILL BITS SET



- 14 x **HSS** 1.5, 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5 mm
- 5 x **HM TCT** 4, 5, 6, 8, 10 mm
- 5 x **HCS** 4, 5, 6, 8, 10 mm
- 2 x **HCS** 13, 16, mm
- 6 x **CR-V** 6, 7, 8, 9, 10, 11 mm
- 1 x **HCS** 60 mm
- 1 x **HCS** 60 mm
- 1 x **CR-V** 60 mm
- 52 x **CR-V** 25 mm
- ⊖ 3, 3, 4, 4, 5, 5, 6, 6 mm
 - ⊕ #0, #1 x 3, #2 x 5, #3 x 2
 - ⊕ #0, #1 x 3, #2 x 4, #3 x 2
 - ⊕ T10, T15, T20, T25, T27, T30, T35, T40
 - ⊖ S0, S1, S2 x 2, S3
 - ⊖ 2, 3, 4, 5, 6 mm, 5/64, 1/8, 5/32, 3/16, 1/4 in.
- 11 x **CR-V** 50 mm
- ⊖ 4, 5, 6 mm
 - ⊕ #1, #2, #3
 - ⊕ #1, #2, #3
 - ⊕ T15, T20
- 4 x 3, 5, 8 mm
- 90 x 3 x 30 mm x 45 pc
- 205 x 5 mm x 85 pc,
- 4 x 40 mm x 20 pc
- 5 x 50 mm x 15 pc
- 5 x 60 mm x 10 pc
- 6 mm x 65 pc,
- 8 mm x 35 pc,
- 10 mm x 20 pc

Item No.	Description	EAN	Inner	Outer
418505	400 PC Drill Bits Set	3320 3	0	5



42 PC IMPACT BIT SET PRO GRADE

- 32 x
 - #1 x 2, #2 x 8
 - #1, #2 x 2, #3
 - T-15, T-20 x 2, T-25 x 2, T-30 x 2, T-40
 - 5.5, 6.5 mm
 - 3 x 2, 4 x 2, 5 mm
 - #2
- 7 x
 - #2 x 2
 - T-20, T-25
 - #2 x 2
 - 5 mm
- 2 x 6, 8 mm
- 1 x 60 mm



Item No.	Description	EAN	Inner	Outer
455842	42 PC	69743345+ 5092 7	5	20

47 PC IMPACT BIT SET PRO GRADE

- 32 x
 - #1 x 2, #2 x 4, #3 x 2
 - #1 x 2, #2 x 4, #3 x 2
 - T-15, T-20 x 2, T-25 x 2, T-30 x 2, T-40
 - 5.5, 6.5 mm
 - 3 x 2, 4 x 2, 5 x 2 mm
- 10 x
 - #2 x 10
- 4 x 6, 8, 10, 12 mm
- 1 x 60 mm



Item No.	Description	EAN	Inner	Outer
455846	47 PC	69743345+ 5094 1	5	20

36 PC IMPACT BIT SET PRO GRADE

- 24 x
 - #1 x 2, #2 x 8, #3 x 2
 - #1, #2, #3
 - T-15, T-20, T-25, T-30
 - 5.5, 6.5 mm
 - 3, 4, 5 mm
- 5 x
 - #2 x 2
 - T-20, T-25
- 2 x 10, 12 mm
- 3 x 6, 8, 10 mm
- 1 x 60 mm
- 1 x 3/8 in.



Item No.	Description	EAN	Inner	Outer
455844	36 PC	69743345+ 5093 4	5	20

37 PC IMPACT BIT SET PRO GRADE

- 24 x
 - #1 x 2, #2 x 6, #3 x 2
 - #1, #2, #3
 - T-15, T-20 x 2, T-25 x 2, T-30
 - 5.5, 6.5 mm
 - 3, 4, 5 mm
- 2 x 8, 10 mm
- 1 x 60 mm
- 8 x 1.5, 2, 2.5, 3, 3.5, 4, 5, 6 mm



Item No.	Description	EAN	Inner	Outer
455848	37 PC	69743345+ 5095 8	5	20

20 PC IMPACT BIT SET PRO GRADE

- 20 x
 - #2 x 25 mm (1 in.)



Item No.	Description	EAN	Inner	Outer
455820	20 PC	69743345+ 5090 3	24	48

10 PC IMPACT BIT SET PRO GRADE

- 10 x
 - #2 x 50 mm (2 in.)



Item No.	Description	EAN	Inner	Outer
455810	10 PC	69743345+ 5088 0	24	48



FLUSH TRIM ROUTER BITS

- For fast smooth trimming and through cutting of laminates, plywood, paneling and other materials

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420031	12.7 mm	8 mm	Flush Trim	2681 9	10	30
420331	1/2 in.	1/4 in.	Flush Trim	6258 9	10	30

KEY HOLE ROUTER BITS

- For making key hole slots for picture frames, shelves, mirrors, cabinets and other wall hangings

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420001	9.52 mm	8 mm	Key Hole	2676 5	10	30

2-FLUTE STRAIGHT ROUTER BITS

- For roughing operations where high production feed rates are essential
- Optimum chip clearance
- Specially designed tip for fast plunge cutting

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420011	6 mm	8 mm	2 Flute Straight	2677 2	10	30
420012	8 mm	8 mm	2 Flute Straight	3834 8	10	30
420013	10 mm	8 mm	2 Flute Straight	2678 9	10	30
420017	16 mm	8 mm	2 Flute Straight	2680 2	10	30
420311	1/4 in.	1/4 in.	2 Flute Straight	6253 4	10	30
420313	3/8 in.	1/4 in.	2 Flute Straight	6254 1	10	30
420315	1/2 in.	1/4 in.	2 Flute Straight	6255 8	10	30
420317	3/4 in.	1/4 in.	2 Flute Straight	6256 5	10	30



DOVETAIL ROUTER BITS

- For dovetail joint applications
- Cutting edges are precision ground for extra smooth cuts

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420041	12.7 mm	8 mm	Dovetail	2682 6	10	30

V-GROOVE ROUTER BITS

- For door front grooving, lettering and sign work
- Shear angle cutter geometry for efficient cutting

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420051	12.7 mm	8 mm	V-Groove	2683 3	10	30
420350	3/8 in.	1/4 in.	V-Groove	6261 9	10	30

CLASSICAL OGEE ROUTER BITS

- Adds classic beauty to your product with beautiful, decorative edging

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420081	31.8 mm	8 mm	Classical Ogee	2686 4	10	30

COVE BOX ROUTER BITS

- For decorative edging

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420111	28.5 mm	8 mm	Core Box	2693 2	10	30
420411	7/8 in.	1/4 in.	Core Box	6271 8	10	30

CLASSICAL COVE ROUTER BITS

- For decorative edging

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420115	28.5 mm	8 mm	Classical Cove	3833 1	10	30
420381	1-1/8 in.	1/4 in.	Classical Cove	6266 4	10	30

TONGUE & GROOVE ROUTER BITS

- Produces perfectly fitted tongue and groove joints
- Ideal for cabinet doors

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420155	25 mm	5 mm	Tongue & Groove	2694 9	10	30

T-SLOT ROUTER BITS

- Cutting slots for joining biscuits

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420145	4 mm	8 mm	T-slot	3837 9	10	30
420151	5 mm	8 mm	T-slot	3838 6	10	30

CORE BOX ROUTER BITS

- For rounded grooves used in a variety of applications ranging from doors to columns

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420071	12 mm	8 mm	Core Box	2685 7	10	30
420371	1/4 in.	1/4 in.	Core Box	6263 3	10	30
420372	3/8 in.	1/4 in.	Core Box	6264 0	10	30
420373	1/2 in.	1/4 in.	Core Box	6265 7	10	30

ROUND-OVER ROUTER BITS

- Create decorative edging and drop-leaf table joints

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420093	25.4 mm	8 mm	Corner Rounding	2688 8	10	30
420391	7/8 in.	1/4 in.	Corner Rounding	6267 1	10	30
420393	1 in.	1/4 in.	Corner Rounding	6268 8	10	30

BEADING ROUTER BITS

- Create decorative edging and drop-leaf table joints

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420103	25.4 mm	8 mm	Beading	2691 8	10	30
420401	7/8 in.	1/4 in.	Beading	6269 5	10	30
420403	1 in.	1/4 in.	Beading	6270 1	10	30

45° CHAMFER ROUTER BITS

- For decorative bevel edging and concealed joints

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420121	35 mm	8 mm	45° Chamfer	2694 9	10	30
420421	1 in.	1/4 in.	45° Chamfer	6273 2	10	30

ROMAN OGEE ROUTER BITS

- For decorative edging and period furniture

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420135	29 mm	8 mm	Roman Ogee	3835 3	10	30

CLASSICAL ROUTER BITS

- For decorative edging

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420141	35 mm	8 mm	Classical	3836 2	10	30

RABBETING ROUTER BITS

- Equipped with pilot for making rabbit cuts without use of a router guide

Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420161	9.5 mm	8 mm	Rabbeting	3840 9	10	30
420461	7/8 in.	1/4 in.	Rabbeting	6274 9	10	30

12 PC ROUTER BITS SET



- 1/4 in. Round shank
- 6 mm (1/4 in.) straight bit
- 12 mm (1/2 in.) straight bit
- 16 mm (5/8 in.) straight bit
- 12.7 mm (1/2 in.) 90deg V grooving bit
- 12.7 mm (1/2 in.) dovetail bit
- 32 mm (1-1/4 in.) 45deg chamfer bit
- 12.7 mm (1/2 in.) flush trim bit
- R6.3 mm (1/4 in.) round over bit
- R9.5 mm (3/8 in.) round over bit
- R6.3 mm (1/4 in.) core box bit
- R6.3 mm (1/4 in.) cove bit
- R4 mm (5/32 in.) roman ogee bit

Item No.	Description	EAN 69426292+	Inner	Outer
420212	12 PC	3055 7	0	40



APPLICATION GUIDE											
	Wet	Dry	Turbo		Wet	Dry	Turbo		Wet	Dry	Turbo
Ceramic Tiles	✓	✓	✓	Marble	✓	✓	✓	Granite	✓	✓	✓
Paver	✓			Concrete		✓	✓	Terracotta	✓	✓	✓
Slate	✓	✓	✓	Cement	✓	✓	✓	Blue Stone			✓
PVC			✓	Clay Bricks		✓	✓	Aluminium			✓

X-RIM TURBO DIAMOND BLADE PRO GRADE



ULTRA THIN TURBO

NEW



EN 13236 MPA DRY WET ø 22.23 mm 7/8 in.

- Hot press sintered, extremely smooth cutting finish on porcelain, marble, and ceramic tile
- Reduce chipping of tiles

Item No.	Outer Diameter	Bore Size	MPA	RPM	Tip Thickness	Diamond Height	EAN 69762270+	Inner	Outer
425171	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	-	14500	1.3 mm	10 mm	3334 0	12	36
425173	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	13200	1.3 mm	10 mm	3335 7	12	36
425175	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	12200	1.4 mm	10 mm	3336 4	12	36
425177	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	8500	1.8 mm	10 mm	3337 1	12	24
425179	200 mm (7-7/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	7600	1.8 mm	10 mm	3338 8	12	24
425181	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	6600	2.0 mm	10 mm	3339 5	12	24

DIAMOND BLADES-DRY



FAST CUT



EN 13236 MPA DRY ø 22.23 mm 7/8 in.

- Hot pressed sintered for heavy duty and fast cutting
- For dry use
- Universal use on concrete, bricks, granite, sandstone, block and building materials

Item No.	Outer Diameter	Bore Size	MPA	RPM	Tip Thickness	Diamond Height	EAN 69426292+	Inner	Outer
425021	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	-	14500	1.9 mm	10 mm	2349 8	12	36
425023	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	13200	2 mm	10 mm	2350 4	12	36
425025	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	12200	2 mm	10 mm	2351 1	12	36
425029	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	8500	2.2 mm	10 mm	2352 8	12	24
425033	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	6600	2.4 mm	10 mm	2353 5	12	24

DIAMOND BLADES-WET



TILE & CERAMICS



EN 13236 MPA WET ø 22.23 mm 7/8 in.

- Hot press sintered, fast cutting, wet use
- For tile and ceramics

Item No.	Outer Diameter	Bore Size	MPA	RPM	Tip Thickness	Diamond Height	EAN 69426292+	Inner	Outer
425151	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	-	14500	1.6 mm	7.5 mm	2376 4	12	36
425155	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	13200	1.6 mm	7.5 mm	2378 8	12	36
425157	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	12200	1.6 mm	7.5 mm	2379 5	12	36
425161	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	8500	2 mm	7.5 mm	2381 8	12	24
425165	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	6600	2 mm	7.5 mm	2383 2	12	24

DIAMOND BLADES-TURBO



FAST AND SMOOTH CUT



EN 13236 MPA DRY WET ø 22.23 mm 7/8 in.

- Hot press sintered, fast cutting, dry and wet use
- Universal use on concrete, granite, brick, block and building materials

Item No.	Outer Diameter	Bore Size	MPA	RPM	Tip Thickness	Diamond Height	EAN 69426292+	Inner	Outer
425051	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	-	14500	2 mm	10 mm	2356 6	12	36
425053	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	13200	2.1 mm	10 mm	2357 3	12	36
425055	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	12200	2.1 mm	10 mm	2358 0	12	36
425059	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	8500	2.6 mm	10 mm	2360 3	12	24
425063	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	6600	2.8 mm	10 mm	2362 7	12	24

DIAMOND BLADES-TURBO



HARD MATERIALS



EN 13236 MPA DRY WET ø 22.23 mm 7/8 in.

- Hot press sintered, fast cutting, dry and wet use
- For granite, marble, very hard bricks, stone, mortar, and other hard building materials

Item No.	Outer Diameter	Bore Size	MPA	RPM	Tip Thickness	Diamond Height	EAN 69426292 (A) 69743345 (B)	Inner	Outer
425100	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	-	14500	2 mm	10 mm	B + 5006 4	12	36
425103	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	13200	2.1 mm	10 mm	A + 2367 2	12	36
425105	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	12200	2.1 mm	10 mm	A + 2368 9	12	36
425109	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	8500	2.6 mm	10 mm	A + 2370 2	12	24
425113	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	6600	2.8 mm	10 mm	A + 2372 6	12	24

DIAMOND BLADES-DRY



EN 13236 DRY $\varnothing$ 22.23 mm 7/8 in.

- Dry use
- For concrete, granite, brick, block and other building materials



Item No.	Outer Diameter	Bore Size	RPM	Tip Thickness	Diamond Height	EAN	Inner	Outer
425521	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	14500	1.9 mm	7 mm	8910 4	12	36
425523	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	13200	1.9 mm	7 mm	3993 2	12	36
425525	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	12200	1.9 mm	7 mm	8911 1	12	36
425527	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	8500	2.4 mm	7 mm	3994 9	12	24
425531	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	6600	2.6 mm	7 mm	3995 6	12	24

DIAMOND BLADES-WET



EN 13236 WET $\varnothing$ 22.23 mm 7/8 in.

- Wet use
- For ceramic and granite tile




Item No.	Outer Diameter	Bore Size	RPM	Tip Thickness	Diamond Height	EAN	Inner	Outer
425501	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	14500	1.9 mm	5 mm	3992 5	12	36
425503	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	13200	1.9 mm	5 mm	4734 0	12	36
425505	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	12200	1.9 mm	5 mm	4735 7	12	36
425507	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	8500	2.4 mm	5 mm	8908 1	12	24
425509	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	6600	2.6 mm	5 mm	8909 8	12	24

DIAMOND BLADES-TURBO



EN 13236 DRY WET $\varnothing$ 22.23 mm 7/8 in.

- Wet and dry use
- For granite, hard brick and hard stone



Item No.	Outer Diameter	Bore Size	RPM	Tip Thickness	Diamond Height	EAN	Inner	Outer
425541	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	14500	2.1 mm	7 mm	8912 8	12	36
425543	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	13200	2.1 mm	7 mm	3996 3	12	36
425545	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	12200	2.1 mm	7 mm	8913 5	12	36
425547	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	8500	2.6 mm	7 mm	8914 2	12	24
425549	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	6600	2.8 mm	7 mm	8915 9	12	24

3PC DIAMOND BLADES



DRY WET TURBO

EN 13236 $\varnothing$ 22.23 mm 7/8 in.

- 1 pc turbo, 1 pc dry, 1 pc wet
- For general concrete material cutting



Item No.	Outer Diameter	Bore Size	RPM	EAN	Inner	Outer
425573	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	13200	7009 6	12	48




MULTI-PURPOSE DIAMOND BLADE


PRO GRADE



- All purpose diamond edged cut off wheel
- Advanced diamond technology provides extreme cutting in wood, tubular metals, non-ferrous metals, masonry products, tiles and PVC
- High grade diamond rim to reduce dust residue and odors versus bonded abrasives
- Heat-resistant vacuum Brazed to deliver best-in-class performance and extreme blade life



Item No.	Outer Diameter	Bore Size	RPM	EAN	Inner	Outer
425201	100 mm (4 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	14500	5479 6	12	36
425202	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	13200	5480 2	12	36
425203	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	12200	5481 9	12	36
425205	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	8500	5482 6	12	24
425206	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	6600	5483 3	12	24



DIAMOND CUP SINGLE



- Large Grinding segments with heat treated steel bodies which provides increases durability and wheel life
- Fast action on grinding granite, marble, tile, rock and concrete
- Smoothing Concrete or Field Stone
- Suitable for grinding machines and angle grinders



Item No.	Size	RPM	EAN	Inner	Outer
426001	115 x 22.23 mm (4-1/2 x 7/8 in.)	13300	0218 9	6	24
426003	125 x 22.23 mm (5 x 7/8 in.)	12200	0219 6	6	24

DIAMOND CUP DOUBLE



- Large Grinding segments with heat treated steel bodies which provides increases durability and wheel life
- 2x Faster action on grinding granite, marble, tile, rock and concrete
- Smoothing Concrete or Field Stone
- Suitable for grinding machines and angle grinders



Item No.	Size	RPM	EAN	Inner	Outer
426011	115 x 22.23 mm (4-1/2 x 7/8 in.)	13300	0220 2	6	24
426013	125 x 22.23 mm (5 x 7/8 in.)	12200	0221 9	6	24

DIAMOND CUP TURBO



- Supper Turbo Segmented Diamond Cups are designed for grinding concrete and field stone
- The turbo segment configuration allows for faster and soft material removal
- Surface finishing on concrete, screed and natural stone Can also be used for removal of glues and epoxies
- Brazed wave row segments for fast and smooth grinding with 5 mm segment height use wet or dry
- Suitable for grinding machines and angle grinders



Item No.	Size	RPM	EAN	Inner	Outer
426021	115 x 22.23 mm (4-1/2 x 7/8 in.)	13300	0491 6	6	24
426023	125 x 22.23 mm (5 x 7/8 in.)	12200	0492 3	6	24

VACUUM BRAZED DIAMOND DRILL BIT

- 1/4 in. Hex shank for power drills
- Suitable for high drilling speed, industry diamonds, long using life
- Filled with cutting gel, no additional cooling necessary, no time-consuming preparation
- For tiles, ceramics, stone ware, gneiss, granite, marble and slate



Item No.	Cutting DIA.	Cutting Depth	Shank	EAN 69743345+	Inner	Outer
425301	5 mm (3/16 in.)	32 mm (1-1/4 in.)	6.35 mm (1/4 in.)	5484 0	10	60
425303	6 mm (1/4 in.)	40 mm (1-9/16 in.)	6.35 mm (1/4 in.)	5485 7	10	60
425305	8 mm (5/16 in.)	40 mm (1-9/16 in.)	6.35 mm (1/4 in.)	5486 4	10	60
425307	10 mm (3/8 in.)	40 mm (1-9/16 in.)	6.35 mm (1/4 in.)	5487 1	10	60
425309	12 mm (1/2 in.)	40 mm (1-9/16 in.)	6.35 mm (1/4 in.)	5488 8	10	60
425311	14 mm (9/16 in.)	40 mm (1-9/16 in.)	6.35 mm (1/4 in.)	5489 5	10	60

DIAMOND COATED HOLE SAW


- High quality industrial diamond
- Ø 19 to 35 mm for wallplug holes, water pipes, waste pipes and Ø 38 to 100 mm for waste pipes, electrical boxes and sockets, for porcelain, granite worktops, tiles, quarry tiles, ceramics, natural stone slabs, marble.
- Attention: Only usable with water cooling



Item No.	Cutting DIA.	Cutting Depth	EAN 69743345+	Inner	Outer
425360	19 mm (3/4 in.)	38 mm (1-1/2 in.)	5432 1	12	48
425362	22 mm (7/8 in.)	38 mm (1-1/2 in.)	5433 8	12	48
425364	25 mm (1 in.)	38 mm (1-1/2 in.)	5434 5	12	48
425366	29 mm (1-1/8 in.)	38 mm (1-1/2 in.)	5435 2	12	48
425368	32 mm (1-1/4 in.)	38 mm (1-1/2 in.)	5436 9	12	48
425370	35 mm (1-3/8 in.)	38 mm (1-1/2 in.)	5437 6	12	48
425372	38 mm (1-1/2 in.)	38 mm (1-1/2 in.)	5438 3	12	48
425374	44 mm (1-3/4 in.)	38 mm (1-1/2 in.)	5439 0	12	48
425376	50 mm (2 in.)	38 mm (1-1/2 in.)	5440 6	6	36
425378	54 mm (2-1/8 in.)	38 mm (1-1/2 in.)	5441 3	6	36
425380	64 mm (2-1/2 in.)	38 mm (1-1/2 in.)	5442 0	6	36
425382	67 mm (2-5/8 in.)	38 mm (1-1/2 in.)	5443 7	6	36
425384	76 mm (3 in.)	38 mm (1-1/2 in.)	5444 4	6	36
425386	82 mm (3-1/4 in.)	38 mm (1-1/2 in.)	5445 1	6	36
425388	89 mm (3-1/2 in.)	38 mm (1-1/2 in.)	5446 8	6	36
425390	100 mm (4 in.)	38 mm (1-1/2 in.)	5447 5	6	36

VACUUM BRAZED DIAMOND HOLE SAW

- M14 x2 thread for angle grinders
- Suitable for high drilling speed, industry diamonds, long using life
- Filled with cutting gel, no additional cooling necessary, no time-consuming preparation
- For tiles, ceramics, stone ware, gneiss, granite, marble and slate



Item No.	Cutting DIA.	Cutting Depth	Shank	EAN 69743345+	Inner	Outer
425321	6 mm (1/4 in.)	35 mm (1-3/8 in.)	M14	5491 8	12	48
425323	8 mm (5/16 in.)	35 mm (1-3/8 in.)	M14	5492 5	12	48
425325	10 mm (3/8 in.)	35 mm (1-3/8 in.)	M14	5493 2	12	48
425327	12 mm (1/2 in.)	35 mm (1-3/8 in.)	M14	5494 9	12	48
425329	14 mm (9/16 in.)	35 mm (1-3/8 in.)	M14	5495 6	12	48
425331	20 mm (13/16 in.)	45 mm (1-3/4 in.)	M14	5496 3	6	36
425333	25 mm (1 in.)	45 mm (1-3/4 in.)	M14	5497 0	6	36
425335	30 mm (1-3/8 in.)	45 mm (1-3/4 in.)	M14	5498 7	6	36
425337	35 mm (1-3/8 in.)	45 mm (1-3/4 in.)	M14	5499 4	6	36
425339	38 mm (1-1/2 in.)	45 mm (1-3/4 in.)	M14	5500 7	6	36




9 PC DIAMOND COATED HOLE SAW SET

- 19, 22, 29, 38, 51, 57 mm
- 1 pc arbor 1/2 in.-20 UNF
- 1 pc adapter
- 1 pc masonry pilot drill bit



DRILLING GUIDE FOR DIAMOND HOLE SAWS

- For hole saws 4 to 83 mm accurately positioning.
- Two nobs to lock slider, one lever to engage suction




Item No.	Size	EAN 69743345+	Inner	Outer
425394	4-83 mm	5451 2	6	24



Item No.	Size	EAN 69743345+	Inner	Outer
425392	19, 22, 29, 38, 51, 57 mm	5450 5	6	24

WATERING-CAN FOR DIAMOND HOLE SAWS


- For cooling down diamond hole saws through drilling process
- Water capacity: 1 litre
- Water hose included



Item No.	Size	EAN 69743345+	Inner	Outer
425396	1 Litre	5452 9	0	8

ARBOR FOR DIAMOND COATED HOLE SAW

- Tungsten carbide pilot drill bit



Item No.	For hole saw size	EAN 69743345+	Inner	Outer
425398	19-29 mm (3/4 in.-1-1/8 in.)	5448 2	10	60

ARBOR FOR DIAMOND COATED HOLE SAW

- Tungsten carbide pilot drill bit



Item No.	For hole saw size	EAN 69743345+	Inner	Outer
425399	32-152 mm (1-1/4 in.-6 in.)	5449 9	10	60



CIRCULAR SAW BLADES

Special Saw Blade design

- engineered with carbide tips, and the design helps to provide precise, smooth cutting performance

Thinner kerf

- provides faster cuts and less waste

Tungsten Carbide blade tips

- a micrograin formulation for increasing impact damage resistance

Hard steel blade body

- delivers accuracy and resists bending and deflection for true cuts

Technical Specifications:

- Model: 434637
- Diameter: 185 mm (7-1/4 in)
- Teeth: 40
- Material: TUNGSTEN CARBIDE
- Bore: ø20 mm
- Max. RPM: 8,000
- Kerf: 2.2 mm
- Thickness: 1.4 mm
- Application: WOOD

CIRCULAR SAW BLADES

- K20 ATB Caride teeth provides longer life and faster cutting speed.
- Suitable for all kinds of wood: Hardwoods, Softwoods, MDF, Plywood, Chipboard, etc.



Item No.	Outer Diameter	Kerf (mm)	Blade Thickness (mm)	Arbor (mm)	Teeth Quantity	Tungsten Carbide Tip	Tooth Grind	Hook Angle	Model	Max RPM	EAN 69426292 (A) 69743345 (B)	Inner	Outer
434368	115 mm (4-1/2 in.)	2.2	1.1	22.23	48	K30 (YG8)	ATB	15-18°	Circular Saw	13200	B + 5334 8	12	36
434424	160 mm (6-1/4 in.)	2.2	1.4	20	24	K30 (YG8)	ATB	15-18°	Circular Saw	9000	A + 5589 5	12	36
434431	165 mm (6-1/2 in.)	2.2	1.4	20	24	K30 (YG8)	ATB	15-18°	Circular Saw	9000	A + 7262 5	12	36
435019	180 mm (7 in.)	2.4	1.4	20	24	K30 (YG8)	ATB	15-18°	Circular Saw	8000	A + 2651 2	12	36
435022	180 mm (7 in.)	2.4	1.4	20	40	K30 (YG8)	ATB	15-18°	Circular Saw	8000	A + 2652 9	12	36
434624	185 mm (7-1/4 in.)	2.2	1.4	20	24	K30 (YG8)	ATB	15-18°	Circular Saw&Miter Saw	8000	A + 5590 1	12	36
434636	185 mm (7-1/4 in.)	2.2	1.4	20	36	K30 (YG8)	ATB	15-18°	Circular Saw&Miter Saw	8000	A + 5591 8	12	36
434637	185 mm (7-1/4 in.)	2.2	1.4	20	40	K30 (YG8)	ATB	15-18°	Circular Saw&Miter Saw	8000	A + 8396 6	12	36
434646	185 mm (7-1/4 in.)	2.2	1.4	25.4	60	K30 (YG8)	ATB	15-18°	Circular Saw&Miter Saw	8000	A + 7194 9	12	36
434736	210 mm (8-1/4 in.)	2.2	1.4	30	36	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	7000	A + 5593 2	12	36
434848	216 mm (8-1/2 in.)	2.2	1.5	30	48	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	7000	A + 5596 3	12	36
434860	216 mm (8-1/2 in.)	2.2	1.5	30	60	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	7000	A + 5597 0	12	36
435023	230 mm (9 in.)	2.6	1.6	30	40	K30 (YG8)	ATB	15-18°	Circular Saw&Miter Saw	6000	A + 2653 6	12	24
435025	230 mm (9 in.)	2.6	1.6	30	60	K30 (YG8)	ATB	15-18°	Circular Saw&Miter Saw	6000	A + 2654 3	12	24
435026	250 mm (9-7/8 in.)	2.8	1.8	30	40	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	5500	A + 2655 0	12	24
435060	250 mm (9-7/8 in.)	2.8	1.8	30	60	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	5500	A + 2656 7	12	24
434936	254 mm (10 in.)	2.6	1.8	30	36	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	5500	A + 5598 7	12	24
434948	254 mm (10 in.)	2.6	1.8	30	48	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	5500	A + 5599 4	12	24
434960	254 mm (10 in.)	2.6	1.8	30	60	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	5500	A + 5600 7	12	24
434980	254 mm (10 in.)	2.6	1.8	30	80	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	5500	A + 5601 4	12	24
435068	300 mm (11-3/4 in.)	3.0	2.0	30	40	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	4500	A + 2657 4	6	12
435078	300 mm (11-3/4 in.)	3.0	2.0	30	60	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	4500	A + 2658 1	6	12
435160	315 mm (12-3/8 in.)	3.0	2.0	30	60	K30 (YG8)	ATB	15-18°	Table Saw	4000	A + 5603 8	6	12
435180	315 mm (12-3/8 in.)	3.0	2.0	30	80	K30 (YG8)	ATB	15-18°	Table Saw	4000	A + 5604 5	6	12
435248	400 mm (15-3/4 in.)	3.2	2.2	30	48	K30 (YG8)	ATB	15-18°	Table Saw	3500	A + 5605 2	6	12
435260	400 mm (15-3/4 in.)	3.2	2.2	30	60	K30 (YG8)	ATB	15-18°	Table Saw	3500	A + 5606 9	6	12

SAW BLADES & HOLE SAWS



-  WOOD
 -  ALUMINUM
 -  METAL
 -  FIBRE CEMENT

ALUMINUM CIRCULAR SAW BLADE



- K30 TCG Caride teeth provides longer life and faster cutting speed.
- Suitable for aluminum cutting applications.



Item No.	Outer Diameter	Kerf (mm)	Blade Thickness (mm)	Arbor (mm)	Teeth Quantity	Tungsten Carbide Tip	Tooth Grind	Hook Angle	Model	Max RPM	EAN 69743345+	Inner O
435501	165 mm (6-1/2 in.)	2.2	1.4	20	54	K30 (Y68)	TCG	-5°	Circular Saw	8000	5831 2	12
435503	185 mm (7-1/4 in.)	2.4	1.8	20	60	K30 (Y68)	TCG	-5°	Circular Saw/Miter Saw	7000	5832 2	12
435505	216 mm (8-1/2 in.)	2.5	1.8	30	48	K30 (Y68)	TCG	-4°	Miter Saw&Table Saw	6000	5833 6	12
435509	254 mm (10 in.)	2.4	1.8	30	80	K30 (Y68)	TCG	-4°	Miter Saw&Table Saw	5000	5835 0	12
435513	254 mm (10 in.)	2.8	2.0	25.4	100	K30 (Y68)	TCG	8°	Miter Saw&Table Saw	5000	5837 4	12
435515	254 mm (10 in.)	2.8	2.0	25.4	120	K30 (Y68)	TCG	0°	Miter Saw&Table Saw	5000	5838 1	12
435523	305 mm (12 in.)	3.2	2.2	30	100	K30 (Y68)	TCG	-5°	Miter Saw&Table Saw	4500	5842 8	6



METAL CIRCULAR SAW BLADE



- P30 TCG Caride teeth provides longer life and faster cutting speed.
- Suitable for cutting various types of metal products including steel siding, roofing and steel studs.
- Laser cut blade for anti-kickback during cutting.



Item No.	Outer Diameter	Kerf (mm)	Blade Thickness (mm)	Arbor (mm)	Teeth Quantity	Tungsten Carbide Tip	Tooth Grind	Hook Angle	Model	Max RPM	EAN 69743345+	Inner O.D.
435601	136 mm (5-3/8 in.)	1.5	1.2	20	30	P30	TCG	0°	Circular Saw	4500	5845 9	12
435603	150 mm (6 in.)	2.0	1.6	20	32	P30	TCG	0°	Circular Saw	4000	5846 6	12
435605	185 mm (7-1/4 in.)	2.0	1.6	20	48	P30	TCG	0°	Circular Saw/Miter Saw	3500	5847 3	12
435607	254 mm (10 in.)	2.0	1.6	30	50	P30	TCG	0°	Miter Saw	2500	5848 0	12
435609	305 mm (12 in.)	2.2	1.8	30	60	P30	TCG	0°	Miter Saw	2000	5849 7	6



FIBRE CEMENT CIRCULAR SAW BLADE



- Poly Crystalline Diamond (PCD) teeth provides longer life when cutting fibre cement sheeting of all densities.
- Stabiliser slots for reduced vibration while cutting.



Item No.	Outer Diameter	Kerf (mm)	Blade Thickness (mm)	Arbor (mm)	Teeth Quantity	Tungsten Carbide Tip	Tooth Grind	Hook Angle	Model	Max RPM	EAN 69743345+	Inner Diameter
435701	165 mm (6-1/2 in.)	1.8	1.2	20	4	PCD DIAMOND	FLAT	10°	Circular Saw	8000	5850 3	12
435703	185 mm (7-1/4 in.)	1.8	1.2	20	4	PCD DIAMOND	FLAT	10°	Circular Saw/Miter Saw	7000	5850 3	12
435705	254 mm (10 in.)	2.0	1.4	30	6	PCD DIAMOND	FLAT	10°	Miter Saw&Table Saw	5000	5852 7	12
435707	305 mm (12 in.)	2.2	1.6	25.4	8	PCD DIAMOND	FLAT	10°	Miter Saw&Table Saw	4500	5853 4	6




CUT OFF WHEELS-INOX



- For cutting all types of metal and stainless steel

TYPE 41 EN 12413 MPA 80m/s




Item No.	Size	Material	RPM	EAN 69426292+	Inner	Outer
445131	100 x 1.2 x 16 mm (4 x 0.045 x 5/8 in.)	WA60 RBF	15300	2354 2	100	400
445132	100 x 1.6 x 16 mm (4 x 1/16 x 5/8 in.)	WA46 RBF	15300	8918 0	100	400
445135	115 x 1.6 x 22.23 mm (4-1/2 x 1/16 x 7/8 in.)	WA46 RBF	13200	8424 6	50	200
445136	115 x 1.0 x 22.23 mm (4-1/2 x 1/32 x 7/8 in.)	WA60 RBF	13200	8425 3	50	200
445137	115 x 3.0 x 22.23 mm (4-1/2 x 1/8 x 7/8 in.)	WA30 RBF	13200	8919 7	25	200
445139	125 x 1.6 x 22.23 mm (5 x 1/16 x 7/8 in.)	WA46 RBF	12300	8920 3	50	200
445140	125 x 1.0 x 22.23 mm (5 x 1/32 x 7/8 in.)	WA60 RBF	12300	8426 0	50	200
445141	125 x 3.0 x 22.23 mm (5 x 1/8 x 7/8 in.)	WA30 RBF	12300	8427 7	25	200
445151	180 x 1.6 x 22.23 mm (7 x 1/16 x 7/8 in.)	WA46 RBF	8600	8921 0	50	200
445152	180 x 3.0 x 22.23 mm (7 x 1/8 x 7/8 in.)	WA30 RBF	8600	8922 7	25	100
445161	230 x 1.6 x 22.23 mm (9 x 1/16 x 7/8 in.)	WA46 RBF	6500	8428 4	50	100
445162	230 x 3.0 x 22.23 mm (9 x 1/8 x 7/8 in.)	WA30 RBF	6500	8923 4	25	100

GRINDING WHEELS-INOX



- For general applications in metal and stainless steel

TYPE 27 EN 12413 MPA 80m/s




Item No.	Size	Material	RPM	EAN 69426292+	Inner	Outer
445181	100 x 6 x 16 mm (4 x 1/4 x 5/8 in.)	WA24 RBF 15300	8924 1	25	200	
445183	115 x 6 x 22.23 mm (4-1/2 x 1/4 x 7/8 in.)	WA24 RBF 13200	8925 8	25	100	
445185	125 x 6 x 22.23 mm (5 x 1/4 x 7/8 in.)	WA24 RBF 12200	8926 5	25	100	
445187	180 x 6 x 22.23 mm (7 x 1/4 x 7/8 in.)	WA24 RBF 8600	8927 2	25	50	
445189	230 x 6 x 22.23 mm (9 x 1/4 x 7/8 in.)	WA24 RBF 6500	8928 9	25	50	

CUT OFF WHEELS-METAL



- For cutting all types of metal

TYPE 41 EN 12413 MPA 80m/s




Item No.	Size	Material	RPM	EAN 69426292(A) 69708346(B)	Inner	Outer
445050	75 x 1.6 x 10 mm (3 x 1/16 x 3/8 in.)	A46SFB	20100	A + 6971 7	100	1000
445055	100 x 2.5 x 16 mm (4 x 3/32 x 5/8 in.)	A36RBF	15300	A + 2557 7	50	200
445057	115 x 3 x 22.23 mm (4-1/2 x 1/8 x 7/8 in.)	A30RBF	13200	A + 2558 4	50	200
445059	115 x 1 x 22.23 mm (4-1/2 x 1/32 x 7/8 in.)	A60RBF	13200	A + 2559 1	50	200
445063	125 x 3 x 22.23 mm (5 x 1/8 x 7/8 in.)	A30RBF	12200	A + 2561 4	25	200
445065	125 x 1 x 22.23 mm (5 x 1/32 x 7/8 in.)	A60RBF	12200	A + 2562 1	50	200
445071	180 x 3 x 22.23 mm (7 x 1/8 x 7/8 in.)	A30RBF	8600	A + 2565 2	25	100
445072	180 x 1.2 x 22.23 mm (7 x 3/64 x 7/8 in.)	A46RBF	8600	B + 7699 0	25	200
445073	180 x 1.6 x 22.23 mm (7 x 1/16 x 7/8 in.)	A46RBF	8600	A + 2566 9	25	200
445075	230 x 3 x 22.23 mm (9 x 1/8 x 7/8 in.)	A30RBF	6500	A + 2567 6	0	25
445076	230 x 1.6 x 22.23 mm (9 x 1/16 x 7/8 in.)	A46RBF	6500	A + 5478 2	50	100
445085	355 x 3 x 25.4 mm (14 x 1/8 x 1 in.)	A30RBF	4400	A + 2572 0	0	25
445086	355 x 2.8 x 25.4 mm (14 x 1/8 x 1 in.)	A30RBF	4400	B + 7691 4	0	25

GRINDING WHEELS-METAL



- For weld grinding and surface conditioning with metal

TYPE 27 EN 12413 MPA 80m/s




Item No.	Size	Material	RPM	EAN 69426292+	Inner	Outer
445001	100 x 6 x 16 mm (4 x 1/4 x 5/8 in.)	A24RBF	15300	2541 6	25	100
445003	115 x 6 x 22.23 mm (4-1/2 x 1/4 x 7/8 in.)	A24RBF	13200	2542 3	10	100
445005	125 x 6 x 22.23 mm (5 x 1/4 x 7/8 in.)	A24RBF	12200	2543 0	10	100
445009	180 x 6 x 22.23 mm (7 x 1/4 x 7/8 in.)	A24RBF	8600	2545 4	10	50
445011	230 x 6 x 22.23 mm (9 x 1/4 x 7/8 in.)	A24RBF	6500	2546 1	10	20

CUT OFF WHEELS-STONE



- For general applications in concrete, stone and masonry

TYPE 41 EN 12413 MPA 80m/s



Item No.	Size	Material	RPM	EAN 69426292+	Inner	Outer
445103	115 x 3 x 22.23 mm (4-1/2 x 1/8 x 7/8 in.)	C30RBF	13200	2575 1	50	200
445105	125 x 3 x 22.23 mm (5 x 1/8 x 7/8 in.)	C30RBF	12200	2576 8	25	200
445109	180 x 3 x 22.23 mm (7 x 1/8 x 7/8 in.)	C30RBF	8600	2578 2	25	100
445111	230 x 3 x 22.23 mm (9 x 1/8 x 7/8 in.)	C30RBF	6500	2579 9	25	50




GRINDING WHEELS-STONE



- For general applications in concrete, stone and masonry

TYPE 27 EN 12413 MPA 80m/s




Item No.	Size	Material	RPM	EAN 69426292+	Inner	Outer
445015	115 x 6 x 22.23 mm (4-1/2 x 1/4 x 7/8 in.)	C24RBF	13200	2548 5	10	100
445017	125 x 6 x 22.23 mm (5 x 1/4 x 7/8 in.)	C24RBF	12200	2549 2	10	100
445021	180 x 6 x 22.23 mm (7 x 1/4 x 7/8 in.)	C24RBF	8600	2551 5	10	50
445025	230 x 6 x 22.23 mm (9 x 1/4 x 7/8 in.)	C24RBF	6500	2553 9	10	20

MULTI-PURPOSE CUT OFF WHEEL



- For cutting metal, aluminum alloy, steel, inox, masonry, pvc

TYPE 41 EN 12413 MPA 80m/s




Item No.	Size	Material	RPM	EAN 69743345+	Inner	Outer
445201	100 x 1 x 16 mm (4x 1/32 x 5/8 in.)	WA60 TBF 15300	5507 6	100	400	
445203	115 x 1 x 22.23 mm (4-1/2 x 1/32 x 7/8 in.)	WA60 TBF 13200	5508 3	50	200	
445205	125 x 1 x 22.23 mm (5 x 1/32 x 7/8 in.)	WA60 TBF 12200	5509 0	50	200	
445207	180 x 1.6 x 22.23 mm (7 x 1/16 x 7/8 in.)	WA46 TBF 8600	5510 6	25	200	
445209	230 x 3 x 22.23 mm (9 x 1/8 x 7/8 in.)	WA30 TBF 6500	5511 3	0	25	

10 PC CUT OFF WHEEL METAL TIN SET-METAL



- Size: 115 x 1 x 22.23 mm
- For cutting all types of metal

TYPE 41 EN 12413 MPA 80m/s




Item No.	Description	EAN 69743345+	Inner	Outer
445059TIN	10 PC Cut Off Wheel	5010 1	10	40

10 PC CUT OFF WHEEL METAL TIN SET-METAL




- Size: 125 x 1 x 22.23 mm
- For cutting all types of metal

TYPE 41 EN 12413 MPA 80m/s



Item No.	Description	EAN 69743345+	Inner	Outer
445065TIN	10 PC Cut Off Wheel	5011 8	10	40



TACTIX SAW BLADE FEATURES



Teeth Per Inch Selection Guide

3 TPI	6 TPI	8 TPI	10 TPI	14 TPI	18 TPI	24 TPI	GRIT
Wood							
		Thick Metal: 8 mm and more					
				Medium metal:3-8 mm			
						Thin metal: 3 mm and less	
							Abrasives
ROUGH ————— CUT QUALITY ————— SMOOTH							
FAST ————— CUT SPEED ————— SLOW							

10 PC JIG SAW BLADE SET



T-SHANK

- Fast and clean cut for chipboard, MDF, plywood and thin metal

Contents:


3 pc 436001 (≈T101B, HCS, 10 TPI, clean for wood)



3 pc 436013 (≈T144D, HCS, 6 TPI, speed for wood)



1 pc 436103 (≈T118B, HSS, 12 TPI, basic for metal)



Item No.	Description	EAN 69426292+	Inner	Outer
436382	10 pc Jig Saw Blade Set - T-Shank	5003 6	10	60

10 PC JIG SAW BLADE SET



U-SHANK

- Fast and clean cut for chipboard, MDF, plywood and thin metal

Contents:


3 pc 436251 (≈U101B, HCS, 10 TPI, clean for wood)



3 pc 436263 (≈U144D, HCS, 6 TPI, speed for wood)



1 pc 436303 (≈U118B, HSS, 12 TPI, basic for metal)



Item No.	Description	EAN 69426292+	Inner	Outer
436386	10 pc Jig Saw Blade Set - U-Shank	5005 0	10	60

10 PC JIG SAW BLADE SET



T-SHANK

- Fast cut for chipboard, MDF, plywood and thin metal

Contents:


2 pc 436007 (≈T111C, HCS, 8 TPI, basic for wood)



3 pc 436013 (≈T144D, HCS, 6 TPI, speed for wood)



2 pc 436101 (≈T118A, HCS, 21 TPI, basic for metal)



Item No.	Description	EAN 69426292+	Inner	Outer
436381	10 pc Jig Saw Blade Set - T-Shank	5002 9	10	60

10 PC JIG SAW BLADE SET




U-SHANK

- Fast cut for chipboard, MDF, plywood and thin metal

Contents:

2 pc 436257 (≈U111C, HCS, 8 TPI, basic for wood)



3 pc 436263 (≈U144D, HCS, 6 TPI, speed for wood)




2 pc 436301 (≈U118A, HSS, 21 TPI, basic for metal)




Item No.	Description	EAN 69426292+	Inner	Outer
436385	10 pc Jig Saw Blade Set - U-Shank	5004 3	10	60

5 PC T-SHANK JIG SAW BLADES




- High carbon steel, straight and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood, wood<30 mm and closed pipes/profiles<30 mm



Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436001	100 mm (4 in.)	75 mm (3 in.)	2407 5	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood and wood<45 mm



Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436003	100 mm (4 in.)	75 mm (3 in.)	2408 2	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood and wood<65 mm




Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436005	116 mm (4-1/2 in.)	91 mm (3-5/8 in.)	2409 9	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight cut
- Milled teeth
- Suitable for chipboard, MDF, plywood and wood<50 mm




Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436007	100 mm (4 in.)	75 mm (3 in.)	2410 5	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight cut
- Milled teeth
- Suitable for chipboard, MDF, plywood and wood<15 mm



Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436009	91 mm (3-9/16 in.)	67 mm (2-5/8 in.)	2411 2	20	200

5 PC T-SHANK JIG SAW BLADES




- High carbon steel, curve cut
- Milled teeth
- Suitable for chipboard, MDF, plywood and wood<15 mm




Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436011	82 mm (3-1/4 in.)	57 mm (2-1/4 in.)	2412 9	20	200

5 PC T-SHANK JIG SAW BLADES




- High carbon steel, straight and fast cut
- Ground teeth
- Suitable for chipboard, MDF, plywood and wood<50 mm




Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436013	100 mm (4 in.)	75 mm (3 in.)	2413 6	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, curve and fast cut
- Ground teeth
- Suitable for chipboard, MDF, plywood and wood<50 mm



Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436015	100 mm (4 in.)	75 mm (3 in.)	2414 3	20	200

5 PC T-SHANK JIG SAW BLADES




- High carbon steel, straight and fast cut
- Ground teeth
- Suitable for chipboard, MDF, plywood and wood<100 mm



Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436017	132 mm (5-1/4 in.)	107 mm (4-3/16 in.)	2415 0	20	200

5 PC T-SHANK JIG SAW BLADES




- High carbon steel, curve and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood and wood<15 mm



Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436019	82 mm (3-1/4 in.)	57 mm (2-1/4 in.)	2416 7	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight and clean cut
- Ground teeth and back
- Reverse tooth for splinter free cuts on top on work piece
- Suitable for chipboard, MDF, plywood and wood<30 mm



Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436021	100 mm (4 in.)	75 mm (3 in.)	2417 4	20	200



5 PC T-SHANK JIG SAW BLADES




- Bi-metal, long life, straight cut
- Milled teeth
- Suitable for thin sheet metal 1.5-3 mm




Item No.	Length	Work Length	EAN	Inner	Outer
436205	75 mm (3 in.)	50 mm (2 in.)	69426292+	2431 0	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 0.5-1.5 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436105	75 mm (3 in.)	50 mm (2 in.)	69426292+	2422 8	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for aluminum and non-ferrous metals
- Suitable for thin sheet metal 3-15 mm and closed pipes/profiles<30 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436115	100 mm (4 in.)	75 mm (3 in.)	69426292+	2427 3	200

5 PC T-SHANK JIG SAW BLADES




- Bi-metal, long life, straight cut
- Milled teeth
- Special for aluminum and non-ferrous metals
- Suitable for thin sheet metal 1-3 mm and closed pipes/profiles<30 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436207	100 mm (4 in.)	75 mm (3 in.)	69426292+	2432 7	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, curve cut
- Milled teeth
- Suitable for thin sheet metal 1-3 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436107	75 mm (3 in.)	50 mm (2 in.)	69426292+	2423 5	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, curve cut
- Milled teeth
- Suitable for aluminum and non-ferrous metals
- Suitable for thin sheet metal 3-15 mm and closed pipes/profiles<30 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436117	100 mm (4 in.)	75 mm (3 in.)	69426292+	2428 0	200

5 PC T-SHANK JIG SAW BLADES



- Bi-metal, long life, straight cut
- Milled teeth
- Suitable for thin sheet metal 2.5-6 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436201	75 mm (3 in.)	50 mm (2 in.)	69426292+	2429 7	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 1-3 mm and closed pipes/profiles<65 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436109	132 mm (5-1/4 in.)	105 mm (4-1/8 in.)	69426292+	2424 2	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 1-3 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436101	75 mm (3 in.)	50 mm (2 in.)	69426292+	2420 4	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 2.5-6 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436103	75 mm (3 in.)	50 mm (2 in.)	69426292+	2421 1	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 2.5-6 mm and closed pipes/profiles<65 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436111	132 mm (5-1/4 in.)	105 mm (4-1/8 in.)	69426292+	2425 9	200



5 PC T-SHANK JIG SAW BLADES



- Bi-metal, long life, straight and fast cut
- Ground teeth
- Suitable for hard and soft wood, plastic, plywood and laminated particleboard<60 mm




Item No.	Length	Work Length	EAN	Inner	Outer
436213	100 mm (4 in.)	75 mm (3 in.)	69426292+	2435 8	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight, fast and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood and wood<85 mm




Item No.	Length	Work Length	EAN	Inner	Outer
436025	132 mm (5-1/4 in.)	107 mm (4-3/16 in.)	69426292+	2419 8	200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, straight cut
- Milled teeth
- Suitable for chipboard, MDF, plywood and wood<15 mm




Item No.	Length	Work Length	EAN	Inner	Outer
436259	91 mm (3-9/16 in.)	66 mm (2-5/8 in.)	69426292+	4266 6	200

5 PC T-SHANK JIG SAW BLADES




- Bi-metal, long life, straight and clean cut
- Ground teeth and back
- Suitable for hard and soft wood, plastic, plywood and laminated particleboard<30 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436215	100 mm (4 in.)	75 mm (3 in.)	69426292+	2436 5	200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, straight and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood, wood<30 mm and closed pipes/profiles<30 mm




Item No.	Length	Work Length	EAN	Inner	Outer
436251	100 mm (4 in.)	75 mm (3 in.)	69426292+	4262 8	200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, curve cut
- Milled teeth
- Suitable for chipboard, MDF, plywood and wood<15 mm




Item No.	Length	Work Length	EAN	Inner	Outer
436261	82 mm (3-1/4 in.)	57 mm (2-1/4 in.)	69426292+	4267 3	200

5 PC T-SHANK JIG SAW BLADES



- Bi-metal, long life, straight and fast cut
- Milled teeth
- Suitable for hard and soft wood, plastic, plywood and laminated particleboard<60 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436217	132 mm (5-1/4 in.)	105 mm (4-1/8 in.)	69426292+	9321 7	200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, straight and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood and wood<45 mm




Item No.	Length	Work Length	EAN	Inner	Outer
436253	100 mm (4 in.)	75 mm (3 in.)	69426292+	4263 5	200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, straight and fast cut
- Ground teeth
- Suitable for chipboard, MDF, plywood and wood<50 mm




Item No.	Length	Work Length	EAN	Inner	Outer
436263	100 mm (4 in.)	80 mm (3-3/16 in.)	69426292+	4268 0	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood, wood<60 mm
- Allow for angled and parallel cuts (use parallel guide)



Item No.	Length	Work Length	EAN	Inner	Outer
436023	100 mm (4 in.)	75 mm (3 in.)	69426292+	2418 1	200

5 pc U-SHANK JIG SAW BLADES



- High carbon steel, straight cut
- Milled teeth
- Suitable for chipboard, MDF, plywood and wood<50 mm




Item No.	Length	Work Length	EAN	Inner	Outer
436257	100 mm (4 in.)	75 mm (3 in.)	69426292+	4265 9	200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, curve and fast cut
- Ground teeth
- Suitable for chipboard, MDF, plywood and wood<50 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436265	100 mm (4 in.)	75 mm (3 in.)	69426292+	4269 7	200

5 PC U-SHANK JIG SAW BLADES



- Bi-metal, long life, straight and fast cut
- Ground teeth
- Suitable for hard and soft wood, plastic, plywood and laminated particleboard<60 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436363	100 mm (4 in.)	75 mm (3 in.)	69426292+	4286 4	20 200

5 PC U-SHANK JIG SAW BLADES



- Bi-metal, long life, straight and clean cut
- Ground teeth and back
- Suitable for hard and soft wood, plastic, plywood and laminated particleboard<30 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436367	100 mm (4 in.)	75 mm (3 in.)	69426292+	4287 1	20 200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, curve and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood and wood<15 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436269	82 mm (3-1/4 in.)	57 mm (2-1/4 in.)	69426292+	4271 0	20 200

5 PC U-SHANK JIG SAW BLADES




- High carbon steel, straight and clean cut
- Ground teeth and back
- Reverse tooth for splinter free cuts on top on work piece
- Suitable for chipboard, MDF, plywood and wood<30 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436271	100 mm (4 in.)	75 mm (3 in.)	69426292+	4272 7	20 200

5 PC U-SHANK JIG SAW BLADES




- Bi-metal, long life, straight cut
- Milled teeth
- Suitable for thin sheet metal 2.5-6 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436351	75 mm (3 in.)	50 mm (2 in.)	69426292+	4283 3	20 200

5 PC U-SHANK JIG SAW BLADES




- Bi-metal, long life, straight cut
- Milled teeth
- Suitable for thin sheet metal 1.5-3 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436355	75 mm (3 in.)	50 mm (2 in.)	69426292+	4284 0	20 200

5 PC U-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 0.5-1.5 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436305	75 mm (3 in.)	50 mm (2 in.)	69426292+	4277 2	20 200

5 PC U-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Special for aluminum and non-ferrous metals
- Suitable for thin sheet metal 2.5-6 mm and closed pipes/profiles<30 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436313	100 mm (4 in.)	75 mm (3 in.)	69426292+	4281 9	20 200

5 PC U-SHANK JIG SAW BLADES



- High speed steel, curve cut
- Milled teeth
- Special for aluminum and non-ferrous metal
- Suitable for thin sheet metal 3-15 mm and closed pipes/profiles<30 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436315	100 mm (4 in.)	75 mm (3 in.)	69426292+	4282 6	20 200

5 PC U-SHANK JIG SAW BLADES




- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 1-3 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436301	75 mm (3 in.)	50 mm (2 in.)	69426292+	4275 8	20 200

5 PC U-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 2.5-6 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436303	75 mm (3 in.)	50 mm (2 in.)	69426292+	4276 5	20 200



2 PC RECIPROCATING SAW BLADES



- Bi-metal, long life
- Milled teeth
- Suitable for thin sheet metal 1.5-3 mm and closed pipes/profiles<100 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436431	150 mm (6 in.)	132 mm (5-1/4 in.)	69426292+	2440 2	20 200

2 PC RECIPROCATING SAW BLADES



- Bi-metal, long life
- Milled teeth
- Suitable for thin sheet metal 1.5-3 mm and closed pipes/profiles<100 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436433	150 mm (6 in.)	132 mm (5-1/4 in.)	69426292+	2441 9	20 200

2 PC RECIPROCATING SAW BLADES



- Bi-metal, long life
- Milled teeth
- Suitable for thin sheet metal 1.5-3 mm and closed pipes/profiles<175 mm




Item No.	Length	Work Length	EAN	Inner	Outer
436435	225 mm (9 in.)	203 mm (8 in.)	69426292+	2442 6	20 200

2 PC RECIPROCATING SAW BLADES



- Stainless steel, long life
- Milled teeth
- For cutting bone, freezing meat




Item No.	Length	Work Length	EAN	Inner	Outer
436471	400 mm (15-3/4 in.)	380 mm (15 in.)	69426292+	6281 7	10 100

2 PC RECIPROCATING SAW BLADES



- Bi-metal, long life
- Milled teeth
- Suitable for coarse wood with nails



Item No.	Length	Work Length	EAN	Inner	Outer
436402	400 mm (16 in.)	380 mm (15 in.)	69426292+	5476 8	10 100

2 PC RECIPROCATING SAW BLADES



- High carbon steel, economic cut
- Milled teeth
- Suitable for coarse wood free of nails 20-175 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436401	225 mm (9 in.)	203 mm (8 in.)	69426292+	2437 2	20 200

2 PC RECIPROCATING SAW BLADES



- High carbon steel, clean cut
- Milled teeth
- Suitable for chipboard, MDF, plywood, plastic, building wood<100 mm and closed pipes/profiles<100 mm
- Shaped for a plunge cut



Item No.	Length	Work Length	EAN	Inner	Outer
436403	150 mm (6 in.)	127 mm (5 in.)	69426292+	2438 9	20 200

2 PC RECIPROCATING SAW BLADES



- High carbon steel, fast cut
- Ground teeth
- Suitable for pruning green wood<150 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436405	230 mm (9 in.)	203 mm (8 in.)	69426292+	2439 6	20 200

2 PC RECIPROCATING SAW BLADES



- Bi-metal, long life
- Milled teeth
- Suitable for plaster<100 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436439	150 mm (6 in.)	132 mm (5-1/4 in.)	69426292+	2440 2	20 200

2 PC RECIPROCATING SAW BLADES



- Bi-metal, long life
- Milled teeth
- Suitable for wood<150 mm, thin sheet metal<12 mm, aluminum and plastic<12 mm



Item No.	Length	Work Length	EAN	Inner	Outer
436437	225 mm (9 in.)	203 mm (8 in.)	69426292+	2443 3	20 200

13 PC RECIPROCATING SAW BLADES SET



- 3 pc 152 x 19 x 1.3 mm 6TPI - HCS
- 3 pc 150 x 19 x 0.96 mm 18TPI - M42 Bi-metal
- 3 pc 203 x 19 x 1.27 mm 10TPI - M42 Bi-metal
- 2 pc 203 x 19 x 0.96 mm 14TPI - M42 Bi-metal
- 2 pc 228 x 22 x 1.6 mm 6TPI - M42 Bi-metal

Item No.	Description	EAN	Inner	Outer
436413	13 pc Reciprocating Saw Blades Set	69762270+	3317 3	6 12

BI-METAL HOLE SAW



- Bi-metal construction with HSS M3 cutting teeth, 4-6 TPI variable tooth pitch for economic fast cutting
- For holes in steel, cast iron, aluminum, wood and plastic, use with arbor



Item No.	Cutting DIA.	EAN 69426292+	Inner	Outer
440007	19 mm (3/4 in.)	2461 7	6	72
440013	22 mm (7/8 in.)	2464 8	6	72
440017	25 mm (1 in.)	2466 2	6	72
440021	29 mm (1-1/8 in.)	2468 6	6	72
440025	32 mm (1-1/4 in.)	2470 9	6	72
440029	35 mm (1-3/8 in.)	2472 3	6	72
440033	38 mm (1-1/2 in.)	2474 7	6	72
440035	40 mm (1-9/16 in.)	2475 4	6	72
440037	41 mm (1-5/8 in.)	2476 1	6	72
440041	44 mm (1-3/4 in.)	2478 5	6	72
440047	51 mm (2 in.)	2481 5	6	72
440051	54 mm (2-1/8 in.)	2483 9	6	72
440055	57 mm (2-1/4 in.)	2485 3	6	72
440061	64 mm (2-1/2 in.)	2488 4	6	72
440065	67 mm (2-5/8 in.)	2490 7	6	36
440067	68 mm (2-11/16 in.)	2491 4	6	36
440069	70 mm (2-3/4 in.)	2492 1	6	36
440071	73 mm (2-7/8 in.)	2493 8	6	36
440073	76 mm (3 in.)	2494 5	6	36
440077	83 mm (3-1/4 in.)	2496 9	6	36
440081	89 mm (3-1/2 in.)	2498 3	6	36
440085	95 mm (3-3/4 in.)	2500 3	6	36
440089	102 mm (4 in.)	2502 7	6	36
440091	105 mm (4-1/8 in.)	2503 4	4	24
440095	111 mm (4-3/8 in.)	2505 8	4	24
440097	114 mm (4-1/2 in.)	2506 5	4	24
440101	127 mm (5 in.)	2508 9	4	24
440105	152 mm (6 in.)	2510 2	4	12



5 PC HOLE SAW SET



- 4 pc hole saw: 51 mm (2 in.), 76 mm (3 in.), 86 mm (3-3/8 in.), 111 mm (4-3/8 in.)
- 1 pc arbor for use with 32-150 mm diameter hole saws

Item No.	Description	EAN 69426292+	Inner	Outer
440385	5 pc Hole Saw Set	2539 3	5	10

BI-METAL HOLE SAW WITH BUILT-IN ARBOR



- Bi-metal construction with HSS M3 cutting teeth, 4-6 TPI variable tooth pitch for economic fast cutting
- For holes in steel, cast iron, aluminum, wood and plastic, use with arbor



Item No.	Cutting DIA.	Shank DIA.	EAN 69426292+	Inner	Outer
440202	16 mm (5/8 in.)	9.5 mm (3/8 in.) hex	6492 7	12	72
440204	19 mm (3/4 in.)	9.5 mm (3/8 in.) hex	6493 4	12	72
440207	22 mm (7/8 in.)	9.5 mm (3/8 in.) hex	6494 1	12	72
440209	25 mm (1 in.)	9.5 mm (3/8 in.) hex	6495 8	12	72
440211	28 mm (1-1/8 in.)	9.5 mm (3/8 in.) hex	6496 5	12	72
440213	32 mm (1-1/4 in.)	11.1 mm (7/16 in.) hex	6497 2	12	72
440215	35 mm (1-3/8 in.)	11.1 mm (7/16 in.) hex	6498 9	12	72
440217	38 mm (1-1/2 in.)	11.1 mm (7/16 in.) hex	6499 6	12	72
440219	41 mm (1-5/8 in.)	11.1 mm (7/16 in.) hex	6500 9	12	72
440221	44 mm (1-3/4 in.)	11.1 mm (7/16 in.) hex	6501 6	12	72
440223	48 mm (1-7/8 in.)	11.1 mm (7/16 in.) hex	6502 3	12	72
440224	51 mm (2 in.)	11.1 mm (7/16 in.) hex	6503 0	12	72
440226	54 mm (2-1/8 in.)	11.1 mm (7/16 in.) hex	6504 7	12	72
440228	57 mm (2-1/4 in.)	11.1 mm (7/16 in.) hex	6505 4	12	72
440230	60 mm (2-3/8 in.)	11.1 mm (7/16 in.) hex	6506 1	12	72
440231	64 mm (2-1/2 in.)	11.1 mm (7/16 in.) hex	6507 8	12	72
440235	67 mm (2-5/8 in.)	11.1 mm (7/16 in.) hex	6508 5	6	36
440237	76 mm (3 in.)	11.1 mm (7/16 in.) hex	6509 2	6	36

JAPANESE HOLE SAW



- HSS hole saw with 6 mm HSS drill bit
- For cutting holes in iron, aluminium, cast metals, wood, plaster, steel pipes, stainless steel(1.0 mm)
- With 1 pc hex wrench

Item No.	Cutting DIA.	Shank DIA.	EAN 69426292+	Inner	Outer
441016	16 mm	10 mm	5257 3	10	60
441019	19 mm	10 mm	5258 0	10	60
441020	20 mm	10 mm	5259 7	10	60
441021	21 mm	10 mm	5260 3	10	60
441022	22 mm	10 mm	5261 0	10	60
441025	25 mm	12 mm	5262 7	10	60
441026	26 mm	12 mm	5263 4	10	60
441028	28 mm	12 mm	5264 1	10	60
441030	30 mm	12 mm	5265 8	10	60
441032	32 mm	12 mm	5266 5	10	60
441035	35 mm	12 mm	5267 2	10	60
441038	38 mm	14 mm	5268 9	10	60
441040	40 mm	14 mm	5269 6	10	60
441041	41 mm	14 mm	5270 2	10	60
441042	42 mm	14 mm	5271 9	10	60
441043	43 mm	14 mm	5272 6	10	30
441045	45 mm	14 mm	5273 3	10	30
441048	48 mm	14 mm	5274 0	10	30
441051	51 mm	14 mm	5275 7	10	30
441054	54 mm	14 mm	5276 4	10	30
441058	58 mm	14 mm	5277 1	10	30
441060	60 mm	14 mm	5278 8	10	30
441064	64 mm	14 mm	5279 5	10	30
441076	76 mm	14 mm	5280 1	10	30

3 PC DOOR LOCK INSTALLATION SET



- For installing door locks
- Includes 54 mm (2-1/8 in.) hole saw, 22 mm (7/8 in.) wood spade, 9.5 mm (3/8 in.) arbor

Item No.	Size	EAN 69426292+	Inner	Outer
440693	3 pc Door Lock Installation Set	5134 7	6	48

5 PC HOLE SAW SET



- For cutting holes in wood and plastic
- Includes 4 pc hole saw: 32 mm (1-1/4 in.), 38 mm (1-1/2 in.), 51 mm (2 in.), 54 mm (2-1/8 in.), 1 pc 9.5 mm (3/8 in.) arbor

Item No.	Size	EAN 69426292+	Inner	Outer
440695	5 pc Hole Saw Set	5135 4	6	48

7 PC HOLE SAW SET



- High carbon steel
- For cutting holes in wood and plastic
- 25 mm (1 in.) cutting depth
- Includes 26 mm (1 in.), 32 mm (1-1/4 in.), 38 mm (1-1/2 in.), 45 mm (1-3/4 in.), 50 mm (2 in.), 56 mm (2-1/4 in.), 63 mm (2-1/2 in.), 25 mm (1 in.) cutting depth

Item No.	Size	EAN 69426292+	Inner	Outer
440587	7 pc Hole Saw Set	4913 9	6	36

ADJUSTABLE HOLE SAW



- Adjust from 30-120 mm

Item No.	Size	EAN 69426292+	Inner	Outer
440703	Adjustable Hole Saw	6055 4	6	24

CARBIDE HOLE SAW



- Tungsten carbide teeth provides extrme hardness and sharpness.
- The carbide hole saw can quickly drill through ceramics and plastic.
- Used for drilling holes for water pipes, exhaust hoses, air conditioning drilling operations, etc.



Item No.	Cutting DIA.	EAN 69426292+	Inner	Outer
440426	33 mm	4793 7	12	72
440440	43 mm	4794 4	12	72
440465	67 mm	4797 5	6	36
440471	73 mm	4798 2	6	36
440477	83 mm	4799 9	6	36

ARBOR FOR HOLE SAW



- For use with 14-30 mm diameter hole saws
- Supplied complete with 1/4 in. HSS pilot drill
- 9.5 mm (3/8 in.) hex shank



Item No.	Size	EAN 69426292+	Inner	Outer
440303	≤30 mm (1-3/16 in.)	2520 1	10	60

ARBOR FOR HOLE SAW



- For use with 32-203 mm diameter hole saws
- Supplied complete with 1/4 in. HSS pilot drill
- 11.1 mm (7/16 in.) hex shank



Item No.	Size	EAN 69426292+	Inner	Outer
440311	≥32 mm (1-1/4 in.)	2524 9	10	60

7 PC CARBIDE HOLE SAW

- Includes 5 pc hole saws 33 mm, 53 mm, 67 mm, 73 mm, 83 mm
- 1 pc pilot drill bit
- 1 pc aluminium plate



Item No.	Description	EAN 69426292+	Inner	Outer
440537	7 pc Carbide Hole Saw	4802 6	0	10

ARBOR FOR HOLE SAW



- For use with 14-30 mm diameter hole saws
- Supplied complete with 1/4 in. HSS pilot drill
- SDS plus shank



Item No.	Size	EAN 69426292+	Inner	Outer
440315	≤30 mm (1-3/16 in.)	2526 3	10	60

ARBOR FOR HOLE SAW



- For use with 32-150 mm diameter hole saws
- Supplied complete with 1/4 in. HSS pilot drill
- SDS plus shank




Item No.	Size	EAN 69426292+	Inner	Outer
440317	≥32 mm (1-1/4 in.)	2527 0	10	60

300 mm EXTENSION



- Work with #440311
- 11.1 mm (7/16 in.) hex shank



Item No.	Size	EAN 69426292+	Inner	Outer
440361	300 mm (12 in.) Extension	2536 2	10	40




ALUMINIUM PLATE



- For use with carbide holesaw under 83 mm (3-1/4 in.)

Item No.	Size	EAN 69426292+	Inner	Outer
440525	83 mm (3-1/4 in.)	4801 9	6	36

PILOT DRILL BIT



- For 440303, 440311, 440315, 440317
- For Bi-metal hole saw with built-in arbor : 440202-440237



Item No.	Description	EAN 69426292+	Inner	Outer
440365	6.35 x 75 mm (1/4 x 3 in.)	2538 6	20	120
440367	6.35 x 105 mm (1/4 x 4-1/4 in.)	2539 3	20	120

PILOT DRILL BIT



- For use with aluminium plate (440525)



Item No.	Description	EAN 69426292+	Inner	Outer
440523	9.5 x 140 mm (3/8 x 5-1/2 in.)	4800 2	10	60



MULTI SAW BLADE

- Quick change function
- Universal fit system
- Compatible with numerous multi-tools



WOOD CUTTING


METAL CUTTING

MORTAR POLISHING

GROUT REMOVAL

WOOD GRINDING

MULTI SAW BLADE



HCS

- High carbon steel
- Suitable for wood, plasterboard and soft plastic
- Quick change function

Item No.	Work Size	Qty	EAN	Inner	Outer
437001	10 x 34 mm	3 pc	6163 6	10	60
437003	20 x 34 mm	3 pc	6164 3	10	60



MULTI SAW BLADE



HCS

- High carbon steel
- Suitable for wood, plasterboard and soft plastic
- Quick change function

Item No.	Work Size	Qty	EAN	Inner	Outer
437011	65 x 40 mm	1 pc	6168 1	10	60



MULTI SAW BLADE



BIM

- Bi-metal for long life
- Suitable for sheet metal, wood with nail, plastic and etc.
- Quick change function

Item No.	Work Size	Qty	EAN	Inner	Outer
437033	20 x 36 mm	1 pc	6172 8	10	60



MULTI SAW BLADE



HCS

- High carbon steel
- Suitable for wood, plasterboard and soft plastic
- Quick change function

Item No.	Work Size	Qty	EAN	Inner	Outer
437005	32 x 40 mm	3 pc	6165 0	10	60



MULTI SAW BLADE



HCS

- High carbon steel
- Provide for right angle cuts
- Suitable for wood, plasterboard and soft plastic
- Quick change function

Item No.	Work Size	Qty	EAN	Inner	Outer
437013	87 mm	1 pc	6169 8	10	60



MULTI SAW BLADE



BIM

- Bi-metal for long life
- Suitable for sheet metal, wood with nail, plastic and etc.
- Quick change function

Item No.	Work Size	Qty	EAN	Inner	Outer
437035	28 x 48 mm	1 pc	6173 5	10	60



MULTI SAW BLADE



HCS

FAST CUT

- High carbon steel
- Suitable for wood, plasterboard and soft plastic
- Quick change function

Item No.	Work Size	Qty	EAN	Inner	Outer
437007	32 x 40 mm	1 pc	A + 6166 7	10	60
437008	32 x 40 mm	3 pc	B + 7803 1	10	60



MULTI SAW BLADE



HCS

- High carbon steel
- Suitable for removing carpet paint, tape, glue residue and mortar
- Quick change function

Item No.	Work Size	Qty	EAN	Inner	Outer
437021	52 x 28 mm	1 pc	7802 4	10	60



MULTI SAW BLADE



BIM

- Bi-metal for long life
- Suitable for sheet metal, wood with nail, plastic and etc.
- Quick change function

Item No.	Work Size	Qty	EAN	Inner	Outer
437037	32 x 40 mm	1 pc	6174 2	10	60



MULTI SAW BLADE



HCS

- High carbon steel
- Suitable for wood, plasterboard and soft plastic
- Quick change function

Item No.	Work Size	Qty	EAN	Inner	Outer
437009	44 x 40 mm	3 pc	6167 4	10	60



MULTI SAW BLADE



BIM

- Bi-metal for long life
- Suitable for sheet metal, wood with nail, plastic and etc.
- Quick change function

Item No.	Work Size	Qty	EAN	Inner	Outer
437031	10 x 34 mm	1 pc	6171 1	10	60



MULTI SAW BLADE



BIM

- Bi-metal for long life
- suitable for metal, wood, plastic and etc
- Quick change function

Item No.	Work Size	Qty	EAN	Inner	Outer
437039	10 x 33 mm	1 pc	7801 7	10	60



MULTI SAW BLADE



BIM

- Bi-metal for long life
- Suitable for sheet metal, wood with nail, plastic and etc.
- Quick change function



Item No.	Work Size	Qty	EAN	Inner	Outer
437045	65 x 40 mm	1 pc	69426292+	6175 9	10 60

MULTI SAW BLADE ROUND



BIM

- High speed steel
- Suitable for metal, copper, wood, plasterboard, plastic and etc
- Quick change function



Item No.	Work Size	Qty	EAN	Inner	Outer
437057	80 mm	1 pc	69708346+	7799 7	10 60

MULTI SAW BLADE DELTA CARBIDE



TCT

- Tungsten carbide tip
- Suitable for polishing cement, ceramic, tile
- Quick change function



Item No.	Work Size	Qty	EAN	Inner	Outer
437071	78 mm	1 pc	69426292+	6178 0	10 60

MULTI SAW BLADE CARBIDE



TCT

- Tungsten carbide tip
- Suitable for polishing grout, ceramic tile, concrete, mortar
- Quick change function



Item No.	Work Size	Qty	EAN	Inner	Outer
437073	33 mm	1 pc	69708346+	7798 0	10 60

MULTI SAW BLADE ROUND CARBIDE



TCT

- Tungsten carbide tip
- Suitable for polishing cement, ceramic, tile
- Quick change function



Item No.	Work Size	Qty	EAN	Inner	Outer
437075	65 mm	1 pc	69426292+	6179 7	10 60

MULTI SAW BLADE ROUND CARBIDE



TCT

- Tungsten carbide tip
- Suitable for polishing grout, ceramic tile, concrete, mortar
- Quick change function



Item No.	Work Size	Qty	EAN	Inner	Outer
437077	88 mm	1 pc	69426292+	6180 3	10 60

MULTI SAW BLADE CARBIDE



TCT

- Tungsten carbide tip
- Suitable for polishing grout, ceramic tile, concrete, mortar
- Quick change function



Item No.	Work Size	Qty	EAN	Inner	Outer
437079	72 mm	1 pc	69708346+	7797 3	10 60

MULTI SAW BLADE ROUND DIAMOND



Diamond

- Diamond tip
- Suitable for chipping ceramic, tile, grout, concrete, mortar
- Quick change function



Item No.	Work Size	Qty	EAN	Inner	Outer
437083	88 mm	1 pc	6181 0	10 60	

MULTI SAW BLADE ROUND DIAMOND



Diamond

- Diamond tip
- Suitable for chipping ceramic, tile, grout, concrete, mortar
- Quick change function



Item No.	Work Size	Qty	EAN	Inner	Outer
437085	65 mm	1 pc	69708346+	7800 0	10 60

DELTA SANDING PAD



Diamond

- Use with sand paper,
- Quick change function



Item No.	Work Size	Qty	EAN	Inner	Outer
437093	92 mm	1 pc	6182 7	10 60	

[1]Compatible with most brands of Multi Tool including: ROCKWELL®, MAKITA®, DEWALT®, MILWAUKEE®, OZITO®, RYOBI®, BOSCH®, DREMEL®, AEG®, FEIN®, SKIL®, WORX®, RIDGID®, EINHELL®, CRAFTSMAN®, MASTERCRAFT®, BLACK & DECKER®

Rockwell® is a registered trade mark of Positec Group Limited | Makita® is a registered trade mark of Makita Corporation | DeWalt® is a registered trade mark of The Black & Decker Corporation | Milwaukee® is a registered trade mark of Milwaukee Electric Tool Corporation | Ozito® is a registered trade mark of Ozito Industries Pty Ltd | Ryobi® is a registered trade mark of Ryobi Ltd | Bosch® is a registered trade mark of Robert Bosch G.m.b.H | Dremel® is a registered trade mark of Robert Bosch Tool Corporation | AEG® is a registered trade mark of AB Electrolux | Fein® is a registered trade mark of C. & E. Fein GmbH | Skil® is a registered trade mark of Nanjing Chervon Industry Co., Ltd. | Worx® is a registered trade mark of Positec Group Limited | RIDGID® is a registered trade mark of RIDGID, INC | Einhell® is a registered trade mark of Einhell Germany AG | Craftsman® is a registered trade mark of Stanley Black & Decker, INC | Mastercraft® is a registered trade mark of Canadian Tire Corporation, Limited | Black & Decker® is a registered trade mark of The Black & Decker Corporation



10 PC SANDING SHEETS



- Aluminum oxide, paper backed for general purpose sanding



Item No.	Size	Grit	EAN	Inner	Outer
446000	230 X 93 mm (9 X 3-5/8 in.)	50#	4108 9	10 100	
446001	230 x 93 mm (9 x 3-5/8 in.)	80#	2580 5	10 100	
446005	230 x 93 mm (9 x 3-5/8 in.)	120#	2582 9	10 100	
446007	230 x 93 mm (9 x 3-5/8 in.)	180#	2583 6	10 100	
446009	230 x 93 mm (9 x 3-5/8 in.)	240#	2584 3	10 100	



10 PC SANDING SHEETS



- Aluminum oxide, paper backed for general purpose sanding



Item No.	Size	Grit	EAN	Inner	Outer
446043	230 X 93 mm (9 X 3-5/8 in.)	50#	3068 7	10 100	
446045	230 x 93 mm (9 x 3-5/8 in.)	80#	3069 4	10 100	
446047	230 x 93 mm (9 x 3-5/8 in.)	120#	3070 0	10 100	
446049	230 x 93 mm (9 x 3-5/8 in.)	180#	3071 7	10 100	
446051	230 x 93 mm (9 x 3-5/8 in.)	240#	3035 9	10 100	

2 PC SANDING BELTS



- Heated aluminum oxide, cloth backed,
- For most hand-held belt sanders



Item No.	Size	Grit	EAN	Inner	Outer
446101	457 X 76 mm (18 X 3 in.)	36#	2585 0	10 60	
446103	457 X 76 mm (18 X 3 in.)	50#	4109 6	10 60	
446107	457 X 76 mm (18 X 3 in.)	80#	3971 0	10 60	
446111	457 X 76 mm (18 X 3 in.)	120#	2586 7	10 60	
446121	533 X 76 mm (21 X 3 in.)	36#	3072 4	10 60	
446123	533 X 76 mm (21 X 3 in.)	50#	3073 1	10 60	
446125	533 X 76 mm (21 X 3 in.)	80#	3074 8	10 60	
446127	533 X 76 mm (21 X 3 in.)	120#	3075 5	10 60	
446131	610 X 100 mm (24 X 4 in.)	36#	3076 2	10 60	
446133	610 X 100 mm (24 X 4 in.)	50#	3077 9	10 60	
446135	610 X 100 mm (24 X 4 in.)	80#	3036 6	10 60	
446137	610 X 100 mm (24 X 4 in.)	120#	3037 3	10 60	

SANDING ROLL



- Aluminum oxide, paper backed for general purpose sanding



Item No.	Size	Grit	EAN	Inner	Outer
446161	5m X 115 mm (16ft x 4-1/2 in.)	50#	3039 7	10 30	
446163	5m X 115 mm (16ft x 4-1/2 in.)	80#	3040 3	10 30	
446165	5m X 115 mm (16ft x 4-1/2 in.)	120#	3041 0	10 30	
446167	5m X 115 mm (16ft x 4-1/2 in.)	240#	3042 7	10 30	
446183	5m X 38 mm (16ft x 1-1/2 in.)	80#	5482 9	12 36	
446185	5m X 38 mm (16ft x 1-1/2 in.)	120#	5483 6	12 36	
446187	5m X 38 mm (16ft x 1-1/2 in.)	240#	5484 3	12 36	

5 PC SANDING SHEETS



- Aluminum oxide, cloth backed
- For different applications



Item No.	Size	Grit	EAN	Inner	Outer
446211	280 X 230 mm (11 X 9 in.)	40#	4535 3	10 60	
446213	280 X 230 mm (11 X 9 in.)	60#	4536 0	10 60	
446215	280 X 230 mm (11 X 9 in.)	80#	4537 7	10 60	
446217	280 X 230 mm (11 X 9 in.)	120#	4538 4	10 60	
446219	280 X 230 mm (11 X 9 in.)	150#	4539 1	10 60	

5 PC SANDING SHEETS



- Silicon carbide wet use, waterproof and oilproof
- For different applications



Item No.	Size	Grit	EAN	Inner	Outer
446221	280 X 230 mm (11 X 9 in.)	120#	3078 6	20 120	
446223	280 X 230 mm (11 X 9 in.)	240#	3079 3	20 120	
446225	280 X 230 mm (11 X 9 in.)	400#	3080 9	20 120	
446227	280 X 230 mm (11 X 9 in.)	600#	3081 6	20 120	
446229	280 X 230 mm (11 X 9 in.)	800#	3082 3	20 120	
446231	280 X 230 mm (11 X 9 in.)	1200#	3083 0	20 120	

10 PC SANDING SHEETS



- Aluminum oxide, use with tri-palm sanders, hook and loop backed



Item No.	Size	Grit	EAN	Inner	Outer
446300	140 X 95 mm (5-1/2 X 3-3/4 in.)	50#	4110 2	20 120	
446301	140 X 95 mm (5-1/2 X 3-3/4 in.)	80#	2591 1	20 120	
446303	140 X 95 mm (5-1/2 X 3-3/4 in.)	120#	2592 8	20 120	
446305	140 X 95 mm (5-1/2 X 3-3/4 in.)	240#	4111 9	20 120	

10 PC SANDING SHEETS



- Aluminum oxide, use with tri-base (detail) sanders, hook and loop backed



Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446400	93 X 93 mm (3-3/4 X 3-3/4 in.)	50#	4112 6	20	120
446401	93 X 93 mm (3-3/4 X 3-3/4 in.)	80#	2593 5	20	120
446403	93 X 93 mm (3-3/4 X 3-3/4 in.)	120#	2594 2	20	120
446407	93 X 93 mm (3-3/4 X 3-3/4 in.)	240#	2595 9	20	120



10 PC SANDING DISCS



- Aluminum oxide, hook and loop backed



Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446691	125 mm (5 in.)	50#	3038 0	20	120
446693	125 mm (5 in.)	80#	3044 1	20	120
446695	125 mm (5 in.)	120#	3052 6	20	120
446697	125 mm (5 in.)	240#	3053 3	20	120

10 PC SANDING DISCS



- Aluminum oxide, hook and loop backed



Item No.	Size	Grit	EAN 69426292 (A) 69743345 (B)	Inner	Outer
446701	125 mm (5 in.)	50#	A + 2600 0	20	120
446703	125 mm (5 in.)	80#	A + 2601 7	20	120
446705	125 mm (5 in.)	120#	A + 3957 4	20	120
446707	125 mm (5 in.)	240#	A + 3958 1	20	120
446709	125 mm (5 in.)	320#	B + 5111 6	20	120

10 PC SANDING DISCS



- Aluminum oxide, hook and loop backed



Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446711	150 mm (6 in.)	50#	3084 7	20	120
446715	150 mm (6 in.)	120#	3086 1	20	120
446721	150 mm (6 in.)	240#	3087 8	20	120

10 PC SANDING DISCS



- Heated aluminium oxide, hook and loop backed
- Coated to reduce clogging
- For surface preparation in metal fabrication and automotive/boat refinishing workshops



Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446733	150 mm (6 in.)	80#	4526 1	20	120
446741	150 mm (6 in.)	320#	4528 5	20	120

3 PC SANDING AND POLISHING SET



- 1pc 125 mm (5 in.) 80# sanding disc
- 1pc 125 mm (5 in.) lambswool polishing cap
- 1pc backing pad with 8mm round shank adaptor

Item No.	Size	EAN 69426292+	Inner	Outer
446911	3 pc	5962 6	10	60

BACKING PAD FOR DRILL



- With 6 mm shank



Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446779	125 mm (5 in.)	2000	5485 0	10	60


FLAP DISC



- Bore size 22 mm (7/8 in.)
- Aluminum oxide
- For grinding and finishing on ferrous or non-ferrous metals

Item No.	Size	RPM	Grit	EAN 69426292+	Inner	Outer
446781	115 mm (4-1/2 in.)	18000	40#	3065 6	12	72
446783	115 mm (4-1/2 in.)	18000	60#	3066 3	12	72
446785	115 mm (4-1/2 in.)	18000	80#	3067 0	12	72
446797	125 mm (5 in.)	12200	40#	5479 9	12	72
446799	125 mm (5 in.)	12200	60#	5480 5	12	72
446801	125 mm (5 in.)	12200	80#	2602 4	12	72

ARBOR FOR BUFFING WHEELS



- For buffing wheels
- 12.7 mm (1/2 in.) Arbor
- 6 mm shank

Item No.	Size	EAN 69426292+	Inner	Outer
446901	Arbor for Buffing Wheels	2606 2	12	144

BACKING PAD VELCRO 50 mm QUICK CHUCK



- M14 Thread for grinding machine
- Round shank for PROTABLE drill
- Fit for all vecro back polishing accessories



Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446773	50 mm (2 in.)	4500	7044 7	10	60

BACKING PAD VELCRO 125 mm QUICK CHUCK



- M14 Thread for grinding machine
- Round shank for PROTABLE drill
- Fit for all vecro back polishing accessories



Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446775	125 mm (5 in.)	4500	7075 4	10	60

3 PC 75 mm (3 in.) SCRUB PAD VERY SOFT WHITE



- Window, Mirror, Furniture, Plastic

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446843.3W	75 mm (3 in.)	4500	8941 8	10	60

3 PC 75 mm (3 in.) SCRUB PAD SOFT BLUE



- Shower, Bathroom, Glass, Tile, Floor

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446843.3B	75 mm (3 in.)	4500	8942 5	10	60

3 PC 75 mm (3 in.) SCRUB PAD MEDIUM RED



- Cookware, Metal, Stainless Steel, Copper

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446843.3R	75 mm (3 in.)	4500	8943 2	10	60

3 PC 125 mm (5 in.) SCRUB PAD VERY SOFT WHITE



- Window, Mirror, Furniture, Plastic

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446845.3W	125 mm (5 in.)	4500	8944 9	10	60

3 PC 125 mm (5 in.) SCRUB PAD SOFT BLUE



- Shower, Bathroom, Glass, Tile, Floor

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446845.3B	125 mm (5 in.)	4500	8945 6	10	60

3 PC 125 mm (5 in.) SCRUB PAD MEDIUM RED



- Cookware, Metal, Stainless Steel, Copper

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446845.3R	125 mm (5 in.)	4500	8946 3	10	60

BUFFING WHEEL



- For buffing jewelry, brass and other fine materials

Item No.	Size	RPM	EAN	Inner	Outer
446851	100 mm (4 in.)	5000	69426292+	2603 1	10 60

BUFFING WHEEL



- For buffing jewelry, brass and other fine materials

Item No.	Size	RPM	EAN	Inner	Outer
446855	150 mm (6 in.)	4000	69426292+	2605 5	6 48

POLISHING CAP



- Lambswool & cotton
- For fine surface polishing
- Hook and loop backed


Item No.	Size	RPM	EAN	Inner	Outer
446860	125 mm (5 in.)	2000	5486 7	20	120



POLISHING SPONGE



Coarse Medium Fine



CUTTING LEVEL

2 PC POLISHING CAPS



- Lambswool & cotton
- For fine surface polishing

Item No.	Size	RPM	EAN	Inner	Outer
446861	180 mm (7 in.)	2000	3050 2	12	72
446865	240 mm (9-3/8 in.)	2000	3051 9	6	24

2 PC POLISHING CAPS



- Lambswool & cotton
- For fine surface polishing
- Hook and loop backed

Item No.	Size	RPM	EAN	Inner	Outer
446863	75 mm (3 in.)	2000	A + 7693 8	12	72
446866	127 mm (5 in.)	2000	A + 7694 5	12	72
446867	180 mm (7 in.)	2000	B + 5943 5	12	72

POLISHING CAP



- Lambswool
- For fine surface polishing

Item No.	Size	RPM	EAN	Inner	Outer
446869	180 mm (7 in.)	2000	6016 5	0	50



- Hook and loop backed

Item No.	Size	RPM	EAN	Inner	Outer
446873	75 mm (3 in.) - Medium	2000	A + 7695 2	6	24
446874	75 mm (3 in.) - Fine	2000	A + 7696 9	6	24
446876	127 mm (5 in.) - Medium	2000	A + 7697 6	6	24
446877	127 mm (5 in.) - Fine	2000	A + 7698 3	6	24
446878	180 mm (7 in.) - Coarse	2000	B + 5944 2	6	24
446879	180 mm (7 in.) - Medium	2000	B + 5945 9	6	24
446880	180 mm (7 in.) - Fine	2000	B + 5946 6	6	24

POLISHING SPONGE



Item No.	Size	RPM	EAN	Inner	Outer
446881	150 mm (6 in.) - Coarse	4600	4532 2	6	24
446883	150 mm (6 in.) - Medium	4600	4533 9	6	24
446885	150 mm (6 in.) - Fine	4600	4534 6	6	24

POLISHING CUSHION-MEDIUM



- For fine surface polishing, with 6 mm shank

Item No.	Size	RPM	EAN	Inner	Outer
446897	125 mm (5 in.)	2000	5487 4	12	72

POLISHING CUSHION-MEDIUM



- For fine surface polishing

Item No.	Size	RPM	EAN	Inner	Outer
446899	175 mm (7 in.)	2000	5488 1	12	72



WIRE BRUSH

-POWER DRILL



WIRE MATERIAL	WORKING SURFACE	METAL	CONCRETE	STAINLESS STEEL	ALUMINUM	WOOD	PVC	★★ Recommended ★ Acceptable
STEEL WIRE		★★	★★	★	★			
STAINLESS STEEL WIRE		★★	★	★★	★			
BRASS WIRE (Prevents spark from producing during polishing process)		★★	★	★	★			
NYLON WIRE		★		★	★★	★★	★★	

CRIMPED WIRE WHEEL BRUSH



- 0.3 mm steel wire, 6 mm round shank
- Ideal for removing coating,rust, scale and weld splatter in hard to reach spaces.
- Use with portable and stationary drills



Item No.	Size	RPM	EAN	69426292 (A) 69708346 (B)	Inner	Outer
447305	50 mm (2 in.)	4500	A + 3059 5	6	36	
447306	60 mm (2-3/8 in.)	4500	B + 7668 6	6	36	
447307	75 mm (3 in.)	4500	A + 3060 1	6	36	
447309	100 mm (4 in.)	4500	A + 3061 8	6	36	

CRIMPED WIRE CUP BRUSH



- 0.3 mm steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter on flat surfaces
- Use with portable and stationary drills



Item No.	Size	RPM	EAN	69426292+ 69708346	Inner	Outer
447325	50 mm (2 in.)	4500	3062 5	6	36	
447327	75 mm (3 in.)	4500	3063 2	6	36	

CRIMPED WIRE END BRUSH



- 0.3 mm steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter in hard to reach spaces
- Use with portable and stationary drills



Item No.	Size	RPM	EAN	69426292 (A) 69708346 (B)	Inner	Outer
447322	12 mm (1/2 in.)	4500	B + 7671 6	12	72	
447323	25 mm (1 in.)	4500	A + 4863 7	12	72	

CRIMPED WIRE WHEEL BRUSH -STAINLESS STEEL WIRE



- 0.3 mm stainless steel wire, 6mm round shank
- Ideal for removing coating,rust, scale and weld splatter in hard to reach spaces.
- Use with portable and stationary drills



Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447335	50 mm (2 in.)	4500	7675 4	6	36	
447337	75 mm (3 in.)	4500	7676 1	6	36	
447339	100 mm (4 in.)	4500	7677 8	6	36	

CRIMPED WIRE CUP BRUSH -STAINLESS STEEL WIRE



- 0.3 mm stainless steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter on flat surfaces
- Use with portable and stationary drills



Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447329	50 mm (2 in.)	4500	7674 7	6	36	

CRIMPED WIRE END BRUSH -STAINLESS STEEL WIRE



- 0.3 mm stainless steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter in hard to reach spaces
- Use with portable and stationary drills



Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447331	25 mm (1 in.)	4500	7883 3	12	72	

CRIMPED WIRE WHEEL BRUSH -BRASS WIRE



- 0.3 mm brass wire, 6mm round shank
- Ideal for removing coating,rust, scale and weld splatter in hard to reach spaces.
- Use with portable and stationary drills



Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447318	75 mm (3 in.)	4500	7670 9	6	36	

CRIMPED WIRE CUP BRUSH -BRASS WIRE



- 0.3 mm brass wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter on flat surfaces
- Use with portable and stationary drills



Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447328	50 mm (2 in.)	4500	7673 0	6	36	

CRIMPED WIRE END BRUSH -BRASS WIRE



- 0.3 mm brass wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter in hard to reach spaces
- Use with portable and stationary drills



Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447324	25 mm (1 in.)	4500	7882 6	6	36	

NYLON WIRE WHEEL BRUSH



- #80 durable abrasive nylon wire,6 mm round shank
- Ideal for spot and corner surface preparation on metal, PVC and wood.
- Use with portable and stationary drills



Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447805	75 mm (3 in.)	4500	7690 7	6	36	

NYLON WIRE CUP BRUSH



- #80 durable abrasive nylon wire,6 mm round shank
- Ideal for flat surface preparation on metal, PVC and wood.
- Use with portable and stationary drills



Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447803	50 mm (2 in.)	4500	7689 1	6	36	

NYLON WIRE END BRUSH



- #80 durable abrasive nylon wire,6 mm round shank
- Ideal for tight and narrow surface preparation on metal,PVC and wood.
- Use with portable and stationary drills



Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447801	25 mm (1 in.)	4500	7688 4	12	72	

KNOTTED WIRE WHEEL BRUSH



- 0.5 mm hardened steel wire, 6 mm round shank
- Twist knotted wire design provides less flexibility for heavy duty brushing action
- Ideal for bead weld preparation and confined areas
- Use with portable and stationary drills



Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447601	75 mm (3 in.)	20000	7682 2	6	36	

3 PC WIRE BRUSH SET-BRASS COATED STEEL WIRE



- 0.3 mm steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter
- Use with portable and stationary drills
- 1 pc 25 mm wire end brush • 1 pc 50 mm wire cup brush • 1 pc 50 mm wire wheel brush

Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447203	3 pc	4500	7657 0	10	60	

4 PC WIRE BRUSH SET



- 0.3 mm steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter
- 1 pc 250 mm knife brush • 1 pc 25 mm wire end brush • 1 pc 50 mm wire cup brush • 1 pc 50 mm wire wheel brush

Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447204	4 pc	4500	7658 7	10	40	

ABRASIVE TUBE BRUSH



- 0.3 mm steel wire, 8 mm round shank
- Ideal for cleaning, deburring and polishing of cylinders, tubes, pipes and bores,etc
- Use with portable drills or manually



Item No.	Size	EAN	69743345 (A) 69708346 (B)	Inner	Outer
447694	15 mm (5/8 in.)	A + 5271 6	10	60	
447701	20 mm (3/4 in.)	B + 7694 6	12	48	
447703	22 mm (7/8 in.)	B + 7685 3	12	48	
447705	30 mm (1-1/8 in.)	B + 7686 0	12	48	
447707	35 mm (1-3/8 in.)	B + 7687 7	12	48	

5 PC WIRE BRUSH SET-BRASS COATED STEEL WIRE



- 0.3 mm steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter
- Use with portable and stationary drills
- 1 pc 25 mm wire end brush • 1 pc 50 mm wire cup brush • 1 pc 75 mm wire cup brush • 1 pc 50 mm wire wheel brush • 1 pc 75 mm wire wheel brush

Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447205	5 pc	4500	7659 4	10	40	

4 PC WIRE BRUSH SET



- 0.3 mm steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter
- 1 pc 28mm tube brush • 1 pc 25 mm wire end brush • 1 pc 75 mm wire cup brush • 1 pc 75 mm wire wheel brush

Item No.	Size	RPM	EAN	69743345+	Inner	Outer
447206	4 pc	4500	5270 9	10	40	



CRIMPED WIRE CUP BRUSH



- 0.3 mm steel wire, M14 x 2 thread
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating, rust, scale and weld splatter on flat surfaces
- Use with angle grinders



Item No.	Size	RPM	EAN	69426292 (A) 69708346 (B)	Inner	Outer
447223	65 mm (2-1/2 in.)	12500	B + 7660 0	0	36	
447225	75 mm (3 in.)	12500	A + 3058 8	0	36	
447227	100 mm (4 in.)	8500	A + 4859 0	0	24	
447229	125 mm (5 in.)	6500	B + 7661 7	0	24	

CRIMPED WIRE CUP BRUSH - STAINLESS STEEL WIRE



- 0.3 mm stainless steel wire, M14 x 2 thread
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating, rust, scale and weld splatter on flat surfaces
- Use with angle grinders



Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447253	60 mm (2-3/8 in.)	12500	7664 8	0	36	
447255	75 mm (3 in.)	12500	7665 5	0	36	
447257	100 mm (4 in.)	8500	7666 2	0	36	

KNOTTED WIRE CUP BRUSH



- 0.5 mm hardened steel wire, M14 x 2 thread
- Twist knotted wire design provides less flexibility for heavy duty brushing action
- Ideal for removing coating, rust, scale and weld splatter on flat surfaces
- Use with angle grinders



Item No.	Size	RPM	EAN	69426292 (A) 69708346 (B)	Inner	Outer
447243	65 mm (2-1/2 in.)	12500	B + 7660 0	0	36	
447245	75 mm (3 in.)	12500	A + 3058 8	0	36	
447247	100 mm (4 in.)	8500	A + 4859 0	0	24	

CRIMPED WIRE CUP BRUSH - BRASS WIRE



- 0.3 mm brass wire, M14 x 2 thread
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating, rust, scale and weld splatter on flat surfaces
- Use with angle grinders



Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447435	60 mm (2-3/8 in.)	12500	7884 0	0	36	
447437	75 mm (3 in.)	12500	7681 5	0	36	
447439	100 mm (4 in.)	8500	7885 7	0	36	

KNOTTED WIRE WHEEL BRUSH



- 0.5 mm hardened steel wire, M14 x 2 thread
- Twist knotted wire design provides less flexibility for heavy duty brushing action
- Ideal for bead weld preparation and confined areas
- Use with angle grinders



Item No.	Size	RPM	EAN	69426292 (A) 69708346 (B)	Inner	Outer
447264	100 mm (4 in.)	12500	A + 4862 0	0	36	
447265	125 mm (5 in.)	10000	B + 7667 9	0	36	

CRIMPED WIRE BEVEL BRUSH



- 0.3 mm steel wire, M14 x 2 thread
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for grooves, curves and corners, and for efficient action on irregular objects
- Use with angle grinders



Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447603	100 mm (4 in.)	12500	7683 9	0	24	

BENCH GRINDER BRUSHES



- 0.3 mm steel wire, 32 mm round bore
- Crimped wire design provides flexibility for light to medium duty brushing action
- Use with bench grinders



Item No.	Size	RPM	EAN	69708346+	Inner	Outer
447401	150 x 25 x 32 mm	6000	7678 5	6	24	
447403	180 x 25 x 32 mm	6000	7679 2	4	12	
447405	200 x 25 x 32 mm	4500	7680 8	4	12	

CRIMPED WIRE WHEEL BRUSH - COATED BRASS WIRE



- 0.3 mm steel wire, M14 x 2 thread
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for bead weld preparation and confined areas
- Use with angle grinders



Item No.	Size	RPM	EAN	69743345+	Inner	Outer
447268	115 mm (4-1/2 in.)	12500	5272 3	0	36	

FLAP DISC



- For use with portable power drills
- For use on flat or contoured surfaces of wood, metal, plastic, rubber, stone etc.
- 6 mm shank

Item No.	Size	RPM	Grit	EAN 69426292+	Inner	Outer
446811	50 x 20 mm (2 x 3/4 in.)	12500	40#	3047 2	12	72
446813	50 x 20 mm (2 x 3/4 in.)	12500	80#	3048 9	12	72
446815	50 x 20 mm (2 x 3/4 in.)	12500	180#	3049 6	12	72

5 PC MOUNTED STONE SET



- 6 mm shank diameter
- For use on most metals

Item No.	Description	EAN 69426292+	Inner	Outer
447125	5 pc Mounted Stone Set	4915 3	12	72

72 PC ROTARY ACCESSORY SET



- Includes grinding points, polishing wheels, cutter/milling points, grinding wheels, cutting wheels, sanding drums, HSS drill bits and brush wheels

Item No.	Description	EAN 69426292+	Inner	Outer
447040	72 pc Rotary Accessory Set	3056 4	6	24

3 PC ROTARY RASP SET



- Made of high carbon steel
- For wood polishing

Item No.	Description	EAN 69426292+	Inner	Outer
447121	3 pc Rotary Rasp Set	3826 3	20	120

3 PC ROTARY FILE SET



- Made of high speed steel
- For steel polishing

Item No.	Description	EAN 69426292+	Inner	Outer
447123	3 pc Mounted Stone Set	3827 0	20	120

CLEAN & STRIP DISC



- Made of intertwined nylon woven cord with polyurethane coating
- Ideal for preparation and cleaning of welds, rust removal and removal of discoloration
- 6 mm shank

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446953	100 mm (4 in.) with Arbor	6000	2607 9	6	48

CLEAN & STRIP DISC



- Made of intertwined nylon woven cord with polyurethane coating
- Ideal for preparation and cleaning of welds, rust removal and removal of discoloration

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446955	100 mm (4 in.) with Arbor	6000	2608 6	10	60

CLEAN & STRIP DISC



- Use with angle grinders
- Made of intertwined nylon woven cord with polyurethane coating
- Ideal for preparation and cleaning of welds, rust removal and removal of discoloration

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446957	100 mm (4 in.) - 16 mm bore	6000	2609 3	10	60
446958	100 mm (4 in.) - 22 mm bore	6000	6283 1	10	60

50 mm (2 in.) DRILL BRUSH YELLOW PE



- For cleaning Bathroom, Tile, Kitchen

Item No.	Size	EAN 69426292+	Inner	Outer
447502	50 mm (2 in.)	5972 5	6	36

3 PC DRILL BRUSH SET



- 1 pc 84mm dome brush
- 1 pc 50mm wheel brush
- 1 pc 100mm wheel brush
- For cleaning Bathroom, tile, kitchen

Item No.	Size	EAN 69743345+	Inner	Outer
447303	3 pc	5332 4	6	24

100 mm (4 in.) DRILL BRUSH YELLOW PE



- For cleaning Bathroom, Tile, Kitchen

Item No.	Size	EAN 69426292+	Inner	Outer
447504	100 mm (4 in.)	6361 6	6	24

50 mm (2 in.) DRILL BRUSH WHITE PE SOFT WHITE



- For cleaning Glass, Furniture, Automobile

Item No.	Size	EAN 69426292+	Inner	Outer
447502W	50 mm (2 in.)	8938 8	6	36

63 mm (2-1/2 in.) DRILL BRUSH YELLOW PE



- For cleaning Bathroom, Tile, Kitchen

Item No.	Size	EAN 69426292+	Inner	Outer
447507	63 mm (2-1/2 in.)	7043 0	6	36

100 mm (4 in.) DRILL BRUSH WHITE PE SOFT WHITE



- For cleaning Glass, Furniture, Automobile

Item No.	Size	EAN 69426292+	Inner	Outer
447504W	100 mm (4 in.)	8939 5	6	24

63 mm (2-1/2 in.) DRILL BRUSH WHITE PE Brush SOFT WHITE



- For cleaning Glass, Furniture, Automobile

Item No.	Size	EAN 69426292+	Inner	Outer
447507W	63 mm (2-1/2 in.)	8940 1	6	36

5 PC BIT SETS - 50 mm (2 in.)



S2 50 mm
2 in.

Item No.	Tip Type	Size	EAN 69426292+	Inner	Outer
450207	Slot	5 mm	4479 0	24	144
450209	Slot	6 mm	4480 6	24	144
450231	PH	#1	4481 3	24	144
450232	PH	#2	4482 0	24	144

10 PC BIT SETS - 50 mm (2 in.)



S2 50 mm
2 in.

Item No.	Tip Type	Size	EAN 69426292+	Inner	Outer
450309	Slot	6 mm	4484 4	12	72
450331	PH	#1	4485 1	12	72
450332	PH	#2	4486 8	12	72

10 PC BIT SETS - 50 mm (2 in.)



CR-V 50 mm
2 in.

Item No.	Tip Type	Size	EAN 69426292+	Inner	Outer
450917	PH	#2	3438 8	12	72

10 PC BIT SETS - 25 mm (1 in.)



S2 25 mm
1 in.

Item No.	Tip Type	Size	EAN 69426292+	Inner	Outer
450005	Slot	4 mm	3088 5	24	144
450007	Slot	5 mm	3089 2	24	144
450009	Slot	6 mm	3090 8	24	144
450030	PH	#0	3091 5	24	144
450031	PH	#1	3092 2	24	144
450032	PH	#2	3093 9	24	144
450033	PH	#3	3828 7	24	144
450036	PZ	#1	4465 3	24	144
450037	PZ	#2	4466 0	24	144
450038	PZ	#3	4467 7	24	144
450042	TORX	T-10	5464 5	24	144
450043	TORX	T-15	2793 9	24	144
450044	TORX	T-20	2794 6	24	144
450045	TORX	T-25	2795 3	24	144
450047	TORX	T-30	5466 9	24	144
450048	TORX	T-40	5467 6	24	144

20 PC BIT SETS - 25 mm (1 in.)



S2 25 mm
1 in.

Item No.	Tip Type	Size	EAN 69426292+	Inner	Outer
450105	Slot	4 mm	4468 4	12	72
450107	Slot	5 mm	4469 1	12	72
450109	Slot	6 mm	4470 7	12	72
450131	PH	#1	4472 1	12	72
450132	PH	#2	4473 8	12	72
450133	PH	#3	4474 5	12	72
450135	PZ	#0	4475 2	12	72
450136	PZ	#1	4476 9	12	72
450137	PZ	#2	4477 6	12	72
450138	PZ	#3	4478 3	12	72

20 PC BIT SETS - 25 mm (1 in.)



CR-V 25 mm
1 in.

Item No.	Tip Type	Size	EAN 69426292+	Inner	Outer
450427	PZ	#2	3436 4	12	72



25 PC BIT SETS - 25 mm (1 in.)



S2 25 mm
1 in.

Item No.	Tip Type	Size	EAN 69426292+	Inner	Outer
450162	PH	#2	5468 3	12	48
450167	PZ	#2	5470 6	12	48
450170	TORX	T-10	5472 0	12	48
450171	TORX	T-15	5473 7	12	48
450172	TORX	T-20	5474 4	12	48
450173	TORX	T-25	5475 1	12	48

ACCESSORIES FOR POWER TOOLS



QUICK CHANGE CHUCK



- Stainless steel, magnetic shaft holds bits securely



Item No.	Size	EAN 69426292+	Inner	Outer
453003	60 mm (2-3/8 in.)	3829 4	10	60

QUICK CHANGE CHUCK



- Stainless steel, magnetic shaft holds bits securely



Item No.	Size	EAN 69426292+	Inner	Outer
453005	60 mm (2-3/8 in.)	3830 0	20	120

QUICK CHANGE CHUCK



- Easy one-hand auto loading

Item No.	Size	EAN 69426292+	Inner	Outer
453007	65 mm (2-9/16 in.)	3830 0	10	60

SCREW GUIDE



- Stainless steel outer sleeve slides over the screw and keeps it straight while driving
- Magnetic shaft holds bits securely



Item No.	Size	EAN 69426292+	Inner	Outer
453020	80 mm (3-1/8 in.)	8423 9	10	60
453021	120 mm (4-3/4 in.)	3831 7	20	120

MAGNETIC EXTENSION



- One piece construction, stainless steel, magnetic shaft holds bits securely



Item No.	Size	EAN 69426292+	Inner	Outer
453041	60 mm (2-3/8 in.)	8479 6	10	60

MAGNETIC EXTENSION



- Stainless steel, magnetic shaft holds bits securely

Item No.	Size	EAN 69426292+	Inner	Outer
453042	60 mm (2-3/8 in.)	3832 4	20	120

3 PC POWER BIT SOCKET ADAPTOR




- 6.35 mm (1/4 in.) hex shank for using with quick chuck and extension
- Include hex to 1/4 in. Dr., hex to 3/8 in. Dr. and hex to 1/2 in. Dr.



Item No.	Size	EAN 69426292+	Inner	Outer
453063	1/4, 3/8, 1/2 in. Dr.	4803 3	10	60

MAGNETIC NUT DRIVER



Item No.	Size	Length	EAN 69426292+	Inner	Outer
453205	10 mm	48 mm (1-7/8 in.)	6773 7	20	120
453211	1/4 in.	48 mm (1-7/8 in.)	6774 4	20	120
453213	5/16 in.	48 mm (1-7/8 in.)	6775 1	20	120
453215	3/8 in.	48 mm (1-7/8 in.)	6776 8	20	120

KEYED DRILL CHUCK WITH CHUCK KEY



Item No.	Size	EAN 69426292+	Inner	Outer
453111	1.5-10 mm 3/8-24UNF	8482 6	6	36
453112	1.5-13 mm 1/2-20UNF	8483 3	6	36

KEYED DRILL CHUCK WITH CHUCK KEY



Item No.	Size	EAN 69426292+	Inner	Outer
453116	1.5-10 mm 3/8-24UNF	8484 0	6	36
453117	1.5-13 mm 1/2-20UNF	8485 7	6	36

DRILL CHUCK WITH SDS PLUS ADAPTER AND CHUCK KEY



Item No.	Size	EAN 69426292+	Inner	Outer
453122	1.5-10 mm 3/8-24UNF	8486 4	6	36
453123	1.5-13 mm 1/2-20UNF	8487 1	6	36

KEYED DRILL CHUCK WITH CHUCK KEY



Item No.	Size	EAN 69426292+	Inner	Outer
453134	0.8-10 mm 3-8/24UNF	8488 8	6	36

CHUCK KEY



- For drill chucks

Item No.	Size	EAN 69426292+	Inner	Outer
453101	6 mm	8480 2	12	72
453102	10 mm	8481 9	12	72
453103	13 mm	4914 6	12	72

Angle Adapter For Drill



- 90° • 1/4 in. hex shank

Item No.	Size	EAN 69743345+	Inner	Outer
453125	150 mm	5307 2	6	36

16 PC DRILL STRAP & BIT SET



451908 - Metric

- #1, #2 x 2, #3;
- 4 mm, 6 mm;
- #1, #2 x 2, #3;
- 3 mm, 5 mm, 6 mm;
- T-15, T-20, T-25



Item No.	Description	EAN 69426292+	Inner	Outer
451908	16 pc Drill Strap & Bit Set - Metric	1649 0	6	36

CORDLESS SCREWDRIVER



- Contents:

10 pc 25 mm bits:

- #1, #2, #2
- T-10, T-15, T-20
- 5.5, 6.5 mm
- 3, 6 mm

4 pc 50 mm bits:

- #1, #2
- 5.5, 6.5 mm

1 pc 60 mm magnetic extension

2 pc hex shank Ti-coated HSS twist drill bits - 1.5, 3 mm

1 pc cordless screwdriver

- Voltage: 3.6V Li-ion battery
- Input 220V (EU)
- Speed: 200RPM
- Max. Torque: 3.0N.M/33.9in-lbs
- Charge time: 3-5 hours
- 1/4 in. quick release chuck
- 6 positions adjustable torque setting
- LED light for working in dimly lit areas
- LED battery power indicator
- Left and right rotation
- Dual angle adjustment
- Compact and light weight design

3.6V


220V



Item No.	Size	EAN 69426292+	Inner	Outer
469001	18 pc	5079 1	6	12

IMPACT SCREWDRIVER BITS

TACTIX Impact bits achieve higher torsion compared to other Impact bits on the market





Torsion zone

- Absorb torque peaks reducing stress at the bit tip
- Outstanding durability
- Energy saving impact distribution



IMPACT

Superior performance out last the competition



SQUARE IMPACT SCREWDRIVER BITS

Item No.	Size	Length	Quantity	EAN 69426292+	Inner	Outer
455301	#1	25 mm (1 in.)	3	6804 8	10	60
455302	#2	25 mm (1 in.)	3	6805 5	10	60
455303	#3	25 mm (1 in.)	3	6806 2	10	60
455312	#2	50 mm (2 in.)	2	6807 9	10	60
455322	#2	75 mm (3 in.)	1	6808 6	10	60

SLOTTED IMPACT SCREWDRIVER BITS

Item No.	Size	Length	Quantity	EAN 69426292+	Inner	Outer
455005	5.5 mm	25 mm (1 in.)	3	6788 1	10	60
455006	6.5 mm	25 mm (1 in.)	3	6789 8	10	60

HEX IMPACT SCREWDRIVER BITS

Item No.	Size	Length	Quantity	EAN 69426292+	Inner	Outer
455604	4 mm	25 mm (1 in.)	3	6821 5	10	60
455605	5 mm	25 mm (1 in.)	3	6822 2	10	60
455606	6 mm	25 mm (1 in.)	3	6823 9	10	60

PHILLIPS IMPACT SCREWDRIVER BITS

Item No.	Size	Length	Quantity	EAN 69426292+	Inner	Outer
455101	#1	25 mm (1 in.)	3	6790 4	10	60
455102	#2	25 mm (1 in.)	3	6791 1	10	60
455103	#3	25 mm (1 in.)	3	6792 8	10	60
455112	#2	50 mm (2 in.)	2	6793 5	10	60
455113	#3	50 mm (2 in.)	2	6794 2	10	60
455122	#2	75 mm (3 in.)	1	6795 9	10	60
455123	#3	75 mm (3 in.)	1	6796 6	10	60

POZI IMPACT SCREWDRIVER BITS

Item No.	Size	Length	Quantity	EAN 69426292+	Inner	Outer
455201	#1	25 mm (1 in.)	3	6797 3	10	60
455202	#2	25 mm (1 in.)	3	6798 0	10	60
455203	#3	25 mm (1 in.)	3	6799 7	10	60
455212	#2	50 mm (2 in.)	2	6800 0	10	60
455213	#3	50 mm (2 in.)	2	6801 7	10	60
455222	#2	75 mm (3 in.)	1	6802 4	10	60
455223	#3	75 mm (3 in.)	1	6803 1	10	60

TORX® IMPACT SCREWDRIVER BITS

Item No.	Size	Length	Quantity	EAN 69426292+	Inner	Outer
455402	T-15	25 mm (1 in.)	3	6809 3	10	60
455403	T-20	25 mm (1 in.)	3	6810 9	10	60
455404	T-25	25 mm (1 in.)	3	6811 6	10	60
455406	T-30	25 mm (1 in.)	3	6812 3	10	60
455408	T-40	25 mm (1 in.)	3	6813 0	10	60
455423	T-20	50 mm (2 in.)	2	6814 7	10	60
455424	T-25	50 mm (2 in.)	2	6815 4	10	60
455426	T-30	50 mm (2 in.)	2	6816 1	10	60
455428	T-40	50 mm (2 in.)	2	6817 8	10	60
455441	T-10	75 mm (3 in.)	1	7249 6	10	60
455442	T-15	75 mm (3 in.)	1	7250 2	10	60
455443	T-20	75 mm (3 in.)	1	7251 9	10	60
455444	T-25	75 mm (3 in.)	1	6818 5	10	60
455446	T-30	75 mm (3 in.)	1	6819 2	10	60
455448	T-40	75 mm (3 in.)	1	6820 8	10	60

Torx® is a Trademark of Textron Fastening Systems

IMPACT MAGNETIC NUT DRIVER

- Magnetic shaft holds bits securely
- Special material for impact function



Item No.	Size	Length	EAN 69426292+	Inner	Outer
456007	7 mm	50 mm (2 in.)	6824 6	10	60
456008	8 mm	50 mm (2 in.)	6825 3	10	60
456010	10 mm	50 mm (2 in.)	6826 0	10	60
456011	11 mm	50 mm (2 in.)	6827 7	10	60
456012	12 mm	50 mm (2 in.)	6828 4	10	60
456021	1/4 in.	50 mm (2 in.)	6829 1	10	60
456023	5/16 in.	50 mm (2 in.)	6830 7	10	60
456025	3/8 in.	50 mm (2 in.)	6831 4	10	60
456027	7/16 in.	50 mm (2 in.)	6832 1	10	60
456029	1/2 in.	50 mm (2 in.)	6833 8	10	60

IMPACT MAGNETIC BIT HOLDER

- Magnetic shaft holds bits securely



Item No.	Length	EAN 69426292+	Inner	Outer
456513	55 mm (2-3/16 in.)	6838 3	10	60

IMPACT QUICK CHUCK

- Easy one-hand auto loading



Item No.	Length	EAN 69426292+	Inner	Outer
456515	65 mm (2-9/16 in.)	6839 0	10	60



IMPACT MAGNETIC BIT HOLDER

- Magnetic shaft holds bits securely
- Special material for impact function



Item No.	Length	EAN 69426292+	Inner	Outer
456511	60 mm (2-3/8 in.)	6837 6	10	60

IMPACT BIT SOCKET ADAPTOR

- Special material for impact function



Item No.	Size	Length	EAN 69426292+	Inner	Outer
456501	1/4 in.	50 mm (2 in.)	6834 5	10	60
456502	3/8 in.	50 mm (2 in.)	6835 2	10	60
456503	1/2 in.	50 mm (2 in.)	6836 9	10	60

IMPACT QUICK CHUCK

- Easy one-hand auto loading



Item No.	Length	EAN 69426292+	Inner	Outer
456517	150 mm (6 in.)	6840 6	10	60

7 PC PHILLIPS BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
452001	7 pc PHILLIPS bit set	7240 3	12	48

11 PC PHILLIPS BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
452041	11 pc PHILLIPS bit set	7243 4	6	36

7 PC PHILLIPS IMPACT BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
455851	7 pc PHILLIPS impact bit set	7252 6	12	48

11 PC PHILLIPS IMPACT BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
455871	7 pc PHILLIPS impact bit set	7255 7	6	36

7 PC TORX BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
452003	7 pc TORX® bit set	7241 0	12	48

11 PC TORX BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
452043	11 pc TORX® bit set	7244 1	6	36

7 PC TORX IMPACT BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
455853	7 pc TORX® impact bit set	7253 3	12	48

11 PC TORX IMPACT BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
455873	11 pc TORX® impact bit set	7256 4	6	36

7 PC BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
452004	7 pc bit set	7242 7	12	48

11 PC BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
452044	11 pc bit set	7245 8	6	36

7 PC IMPACT BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
455854	7 pc impact bit set	7254 0	12	48

11 PC IMPACT BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
455874	11 pc impact bit set	7245 8	6	36



PHILLIPS
 SLOT
 POZI
 TORX
 HEX
 TORX TAMPER

56 PC COLOR QUICK CHANGE DRIVER BIT SET



- 48 pc 25 mm bit S2
- 4 mm x 2, 5.5 mm x 2, 6.5 mm x 2
 - #1 x 3, #2 x 3, #3 x 3
 - #1 x 3, #2 x 3, #3 x 3
 - 3, 4, 5 mm
 - T-10 x 2, T-15 x 2, T-20 x 2, T-25 x 2, T-27 x 2, T-30 x 2, T-40 x 2
 - T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 7 pc 75 mm bit S2
- 6 mm #1, #2
 - #2, #3 T-20, T-25
- 1 pc stainless steel quick change chuck

Item No.	Description	EAN 69426292+	Inner	Outer
419856P	56 pc color bit set	5586 4	12	24

56 PC COLOR QUICK CHANGE DRIVER BIT SET



- 48 pc 25 mm bit S2
- 3 mm x 2, 4 mm x 2, 6.5 mm x 2
 - #1 x 3, #2 x 3, #2R x 3, #3 x 3
 - #1 x 3, #2 x 3, #3 x 3
 - 3, 4, 5 mm
 - T-10 x 3, T-15 x 3, T-20 x 6, T-25 x 3, T-27, T-30, T-40
- 7 pc 75 mm bit S2
- #2R T-15, T-20, T-25, T-30, T-40
 - #2
- 1 pc stainless steel quick change chuck

Item No.	Description	EAN 69426292+	Inner	Outer
419857P	56 pc color bit set	5586 4	12	24

29 PC COLOR QUICK CHANGE DRIVER BIT SET



- 21 pc 25 mm bit S2
- 3, 5.5 mm
 - #1, #2 x 2, #3
 - #1, #2 x 2, #3
 - 3, 4, 5, 6 mm
 - T-10, T-15, T-20, T-20, T-25, T-30, T-40
- 6 pc 50 mm bit S2
- 6.5 mm #1, #2
 - #2 T-20, T-25
- 1 pc bit adaptor
- 1 pc stainless steel quick change chuck

Item No.	Description	EAN 69426292+	Inner	Outer
419829P	29 pc color bit set	5939 8	12	48

32 PC COLOR QUICK CHANGE DRIVER BIT SET



- 30 pc 25 mm bit S2
- 3, 4, 5.5, 6.5 mm
 - #0, #1 x 2, #2 x 2, #3 x 2
 - #0, #1 x 2, #2 x 2, #3 x 2
 - 3, 4, 5, 6 mm
 - T-10, T-15, T-20, T-20, T-25, T-25, T-30, T-40
- 1 pc bit adaptor
- 1 pc stainless steel quick change chuck

Item No.	Description	EAN 69426292+	Inner	Outer
419832P	32 pc color bit set	5585 7	12	48

IMPACT SCREWDRIVER BITS

Extremely long lifetime
Unique bit design and high tech multi-stage production process ensure unrivalled service life of bit

Torsion zone
UTorsion area absorbs torque peaks which reduces stress at the tip during heavy loading

Exclusive material
Specially modified material composition exclusively developed for MXMTORQ

Save energy
Bit design gives even power distribution, no energy wasted in heavy loading

28 PC IMPACT BIT SET



- 21 x
- 5.5, 6.5 mm
 - #1, #2 x 5, #3
 - #1, #2 x 3, #3
 - T-15, T-20, T-25, T-25, T-30, T-40
- 1 x
- 6 x
- #2, #3 T-20, T-25
 - #2 #2

Item No.	Description	EAN 69426292+	Inner	Outer
455828P	28 pc Impact Bit Set	6736 2	12	48

31 PC IMPACT BIT SET



- 30 x
- 5.5, 6.5 mm
 - #1, #2 x 6, #3 x 2
 - #1, #2 x 4, #3 x 2
 - T-15, T-20, T-25, T-25, T-30, T-40
 - #1, #2, #3
 - 4, 5, 6 mm
- 1 x


Item No.	Description	EAN 69426292+	Inner	Outer
455831P	31 pc Impact Bit Set	6737 9	12	48

36 PC IMPACT BIT SET



- 24 x
- 5.5, 6.5 mm
 - #1, #2, #2, #2, #3
 - #1, #2, #2, #3
 - T-15, T-20, T-20, T-25, T-25, T-30, T-40
 - #1, #2, #3
 - 4, 5, 6 mm
- 6 x
- #2, #3
 - #2
 - T-20, T-25
 - #2
- 2 x
- #2 T-25
- 1 x
- 2 x 7, 8 mm
- 1 x 1/4 in. Dr.

Item No.	Description	EAN 69426292+	Inner	Outer
455836P	36 pc Impact Bit Set	6738 6	6	24



WELDING ACCESSORIES & CONSUMABLES



MIG TORCH CONTACT TIP BINZEL

MIG

- Bronze material
- Binzel type replacement tips for MIG welders using (Binzel type) torches

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591001	0.6 mm	5 pc	7534 4	12	144
591002	0.8 mm	5 pc	7535 1	12	144
591003	0.9 mm	5 pc	7536 8	12	144

MIG TORCH CONTACT TIP TWECO

MIG

- Bronze material
- Tweco type replacement tips for MIG welders using (Tweco type) torches

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591004	0.6 mm	5 pc	7537 5	12	144
591005	0.8 mm	5 pc	7538 2	12	144
591006	0.9 mm	5 pc	7539 9	12	144

OXY FLINT LIGHTER

- Cup type lighter allows for fast, easy ignition. Replaceable flint.

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591007	193 mm	1 pc	7540 5	6	48

OXY TIP CLEANING SET

- Contents: 13pc tip cleaning set: 6, 7, 8, 10, 12, 14, 15, 16, 17, 18, 22, 24, 26 mm; 1pc mini file
- Removes carbon build up and keep tips clean

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591009	75 mm	14 pc	7542 9	12	144

OXY TIP CLEANING SET

- Contents: 12pc tip cleaning set: 7, 8, 10, 12, 14, 15, 16, 17, 18, 22, 24, 25 mm; 1pc mini file
- Removes carbon build up and loose slag

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591010	100 mm	13 pc	7543 6	6	96

REPLACEMENT OXY FLINTS

- Replacement flints for Tactix flint lighter 591007.

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591008	12 mm	10 pc	7541 2	12	144

ELECTRODE HOLDER

300 AMP

- Brass plated mouth
- Fully insulated

Item No.	Amperage	Electrode diameter	Qty	EAN 69708346+	Inner	Outer
591011	300 AMP	6.4 mm max.	1 pc	7544 3	6	36

ELECTRODE HOLDER

500 AMP

- Brass mouth (long working life)
- Fully insulated

Item No.	Amperage	Electrode diameter	Qty	EAN 69708346+	Inner	Outer
591012	500 AMP	9.0 mm max.	1 pc	7545 0	6	36

ELECTRODE HOLDER

300 AMP

- Brass plated mouth
- Fully insulated

Item No.	Amperage	Electrode diameter	Qty	EAN 69708346+	Inner	Outer
591013	300 AMP	6.4 mm max.	1 pc	7546 7	6	36

ELECTRODE HOLDER

300 AMP

- Brass mouth (long working life)
- Fully insulated

Item No.	Amperage	Electrode diameter	Qty	EAN 69708346+	Inner	Outer
591014	300 AMP	6.4 mm max.	1 pc	7547 4	6	36

ELECTRODE HOLDER

500 AMP

- Brass plated mouth
- Fully insulated

Item No.	Amperage	Electrode diameter	Qty	EAN 69708346+	Inner	Outer
591015	500 AMP	9.0 mm max.	1 pc	7548 1	6	36

ELECTRODE HOLDER

500 AMP

- Brass mouth (long working life)
- Fully insulated

Item No.	Amperage	Electrode diameter	Qty	EAN 69708346+	Inner	Outer
591016	500 AMP	9.0 mm max.	1 pc	7549 8	6	36

EARTH CLAMP



300
AMP

- Brass plated clamp mouth
- Replacement Earth Clamp to fit most welding machines

Item No.	Amperage	Qty	EAN	Inner	Outer
591017	300 AMP	1 pc	7550 4	6	36

EARTH CLAMP



500
AMP


- Brass plated clamp mouth
- Replacement Earth Clamp to fit most welding machines

Item No.	Amperage	Qty	EAN	Inner	Outer
591041	500 AMP	1 pc	7017 2	6	36



GAS SHIELDED WELDING PLIERS

1. Wire drawing out
2. Tip removal and installation
3. Hammering
4. Wire cutting
5. Spring loaded for easy opening and closing
6. Nozzle removal and installation
7. Insulation bushing removal and installation




Spatter removal from inside and outside the nozzle

Spatter removal from the nozzle end



Item No.	Size	Qty	EAN	Inner	Outer
591021	215 mm	1 pc	7554 2	6	36

WELDING TROLLEY



- Sturdy all metal construction
- 50 kg capacity
- Front caster wheels for easy maneuverability
- Built in tool storage
- Built in cable holders

Item No.	Height	Length	Width	Qty	EAN	Inner	Outer
591018	625 mm	370 mm	525 mm	1 pc	7551 1	0	1

CHIPPING HAMMER



- Dual head / Spring handle

Item No.	Size	Qty	EAN	Inner	Outer
591019	500 g	1 pc	7552 8	6	24

ELECTRODE STORAGE HOLDER



- Max Temperature: 120°C
- Protects from moisture
- Avoid flux chipping

Item No.	Capacity	Electrode Length	Qty	EAN	Inner	Outer
591023	4,5 kg	350 mm	1 pc	7556 6	0	10

4 METRE TIG TORCH & CABLE



TIG

- Rating:150A DC, 120A AC
- Duty cycle:60%
- Electrodes:0.5-2.4mm



Item No.	Description	EAN	Inner	Outer
591022	4 Metre TIG Torch & Cable	7555 9	0	5

MIG TORCH GAS NOZZEL



MIG

- Binzel type replacement tips for MIG welders using (Binzel type) torches

Item No.	Size	Qty	EAN	Inner	Outer
591020	12 mm	1 pc	7553 5	12	144

GAS DIFUSER MIG BINZEL



MIG

- Brass material
- Binzel type
- Suitable for use with MIG welders

Item No.	Qty	EAN	Inner	Outer
591025	1 pc	7558 0	12	144

TEFLON MIG LINER



MIG

- Binzel type
- Size: 0.8 mm to 1.0 mm
- Replaceable liner for aluminium welding
- Can be used with MIG wires

Item No.	Size	Qty	EAN	Inner	Outer
591026	3.3 m	1pc	7559 7	12	24

WIRE BRUSH



- Steel wire
- 4 x 18 wires
- Used to clean for welding

Item No.	Size	Qty	EAN	Inner	Outer
724003	175 mm (7 in.)	1 pc	3337 4	6	24

4 PC TIG TORCH ACCESSORY SET



TIG

- Contents:
1pc long back cap
1pc collet body
1pc collet
1pc ceramic nozzle

Item No.	Qty	EAN	Inner	Outer
591024	4 pc	7557 3	12	144



GAS DIFUSER MIG TWECO



MIG

- Brass material
- Tweco type
- Suitable for use with MIG welders

Item No.	Qty	EAN	Inner	Outer
591032	1pc	5512 0	12	144

WOOD HANDLE WIRE BRUSH



- Steel wire
- 4 x 16 wires
- Used to clean for welding

Item No.	Size	Qty	EAN	Inner	Outer
724104	280 mm (11 in.)	1 pc	3338 1	12	48

MAGNETIC WELDING HOLDER



• 45°, 90°, 135°

Item No.	Size	Pull Force	Qty	EAN 69708346+	Inner	Outer
591027	76 mm (3 in.)	11 kg (25 lbs.)	1 pc	7561 0	10	60

MAGNETIC WELDING HOLDER



• 45°, 90°, 135°

Item No.	Size	Pull Force	Qty	EAN 69708346+	Inner	Outer
591028	100 mm (4 in.)	22 kg (50 lbs.)	1 pc	7562 7	6	36

MAGNETIC WELDING HOLDER



• 45°, 90°, 135°

Item No.	Size	Pull Force	Qty	EAN 69708346+	Inner	Outer
591029	125 mm (5 in.)	33 kg (75 lbs.)	1 pc	7563 4	6	24

MAGNETIC WELDING HOLDER



• 45°, 90°, 135°

Item No.	Size	Pull Force	Qty	EAN 69708346+	Inner	Outer
591030	150 mm (6 in.)	44 kg (100 lbs.)	1 pc	7564 1	6	12

4PCS MINI MAGNETIC WELDING HOLDERS



• 45°, 90°, 135°


Item No.	Size	Pull Force	Qty	EAN 69708346+	Inner	Outer
591031	60 × 50 mm (2-3/8 × 2 in.)	4 kg (9 lbs.)	4 pc	7565 8	10	40



WELDING SCREEN



- Welding screen used to reduce glare and protect welders
- Specially formulated vinyl 16mil (0.4 mm) thick
- Certified UV resistant and flame retardant
- Kevlar stitching
- Edges with eyelets at 300 mm intervals
- Welding frame not included



Item No.	Size	Qty	EAN 69708346+	Inner	Outer
593001	174 × 174 mm	1 pc	7560 3	6	12

MILD STEEL WIRE



- Conforms AWS ER70S-6 standard
- For Gas MIG Welding
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592001	0.8 kg	0.6 mm	1 pc	7571 9	6	18

MILD STEEL WIRE



- Conforms AWS ER70S-6 standard
- For Gas MIG Welding
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592002	0.8 kg	0.8 mm	1 pc	7572 6	6	18

STAINLESS STEEL WIRE



- Conforms AWS ER-308 standard
- For Gas MIG Welding
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592003	1.0 kg	0.8 mm	1 pc	7573 3	6	18

GASLESS FLUX CORE MILD STEEL WIRE



- Conforms AWS E71T-GS standard
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592005	0.45 kg	0.8 mm	1 pc	7575 7	6	24

GASLESS FLUX CORE MILD STEEL WIRE



- Conforms AWS E71T-GS standard
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592006	0.45 kg	0.9 mm	1 pc	7576 4	6	24

ALUMINIUM WIRE



- Conforms AWS ER5356 standard
- For Gas MIG Welding
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592004	0.5 kg	0.8 mm	1 pc	7574 0	6	24

MILD STEEL WIRE



- Conforms AWS ER70S-6 standard
- For Gas MIG Welding
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592007	5 kg	0.6 mm	1 pc	7577 1	0	4
592008	5 kg	0.8 mm	1 pc	7578 8	0	4

GASLESS FLUX CORE MILD STEEL WIRE



- Conforms AWS E71T-GS standard
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592012	4.5 kg	0.8 mm	1 pc	7582 5	0	4
592013	4.5 kg	0.9 mm	1 pc	7583 2	0	4

TUNGSTEN RODS



- Conforms AWS A5.12
- 2% Thoriated Tungsten Electrode
- Used with DC Current to weld mild and stainless steel
- Red tip ground finish

Item No.	Diameter	Length	Qty	EAN 69708346+	Inner	Outer
592015	1.6 mm	175 mm	10 pc	7585 6	12	48
592016	2.4 mm	175 mm	10 pc	7586 3	12	48

STEEL DISPLAY FOR BULK DRILLS

- For bulk drills or bits
- 29 dividers
- With lock



Item No.	Size	EAN
454502	38 x 23 x 24 cm (15 x 9-1/8 x 9-3/8 in.)	69426292+ 7246 5

PTA QP DISPLAY BOX

- Maximum 24 compartments



Item No.	Size
454503	38 x 26 x 40 cm (15 x 10 x 15-3/4 in.)

PTA QP DISPLAY BOX



Item No.	Size
QP1	59.5 x 39.5 x 100 cm (23-1/2 x 15-3/4 x 40 in.)

STEEL DISPLAY

- 24 pc hook included




Item No.	Size	EAN
454505	47 x 32 x 71 cm (18-1/2 x 12-5/8 x 27-7/8 in.)	69426292+ 7247 2

PTA QP DISPLAY BOX



Item No.	Size
QP2	57 x 38 x 95 cm (22-1/2 x 15 x 37-1/2 in.)

PTA QP DISPLAY BOX



Item No.	Size
QP3	56 x 43 x 77 cm (22 x 17 x 30 in.)



PERSONAL PROTECTIVE EQUIPMENT

SAFETY GLASSES

- Polycarbonate lenses provide excellent protection from impact
- Conforms to CE EN166 & ANSI Z87.1



Item No.	Size	EAN	Inner	Outer
480001	clear	69426292+	6	24

SAFETY GLASSES

- Polycarbonate lenses provide excellent protection from impact
- Adjustable temple length
- Conforms to CE EN166 & ANSI Z87.1



Item No.	Size	EAN	Inner	Outer
480013	clear	69426292+	6	24

SAFETY GLASSES CLEAR

- Polycarbonate lenses provide excellent protection from impact
- Adjustable temple length
- UV protection
- Conforms to CE EN166



Item No.	Size	EAN	Inner	Outer
480016	clear	69762270+	6	24

SAFETY GLASSES CLEAR

- Polycarbonate lenses provide excellent protection from impact
- UV protection
- Conforms to CE EN166



Item No.	Size	EAN	Inner	Outer
480031	clear	69762270+	6	24

SAFETY GLASSES CLEAR

- Polycarbonate lenses provide excellent protection from impact
- Conforms to CE EN166 & ANSI Z87.1
- UV protection



Item No.	Size	EAN	Inner	Outer
480021	clear	69426292+	6	24

SAFETY GLASSES BLACK

- Polycarbonate lenses provide excellent protection from impact
- Conforms to CE EN166 & ANSI Z87.1
- UV protection



Item No.	Size	EAN	Inner	Outer
480022	black	69426292+	6	24

SAFETY GLASSES MIRROR

- Polycarbonate lenses provide excellent protection from impact
- Conforms to CE EN166 & ANSI Z87.1
- UV protection



Item No.	Size	EAN	Inner	Outer
480023	mirror	69426292+	6	24

SAFETY GLASSES CLEAR

- Polycarbonate lenses provide excellent protection from impact
- UV protection
- Conforms to CE EN166



Item No.	Size	EAN	Inner	Outer
480041	clear	69762270+	6	24

SAFETY GLASSES AND GOGGLES COMBO

- Polycarbonate lenses provide excellent protection from impact
- UV protection
- Anti Fog
- Removable soft inner frame
- Interchangeable Glasses and Goggles
- Conforms to CE EN166



Item No.	Size	EAN	Inner	Outer
480051	clear	69762270+	6	24

SAFETY GOGGLES

- Polycarbonate lenses provide excellent protection from impact



Item No.	Size	EAN	Inner	Outer
480161	clear	69426292+	6	48

SAFETY GOGGLE CLEAR

- Polycarbonate lenses provide excellent protection from impact
- Indirect Ventilation system
- UV protection
- Conforms to CE EN166



Item No.	Size	EAN	Inner	Outer
480163	clear	69762270+	6	48



3 PC FFP1 DUST MASK

- Conforms to EN149:2001



Item No.	Size	EAN	Inner	Outer
486013	3 pc FFP1	69426292+	12	120

3 PC FFP2 DUST MASK WITH VALVE

- Conforms to EN149:2001



Item No.	Size	EAN	Inner	Outer
486023	3 pc FFP2	69426292+	12	120

3 PC N95 DUST MASK

- NIOSH approved



Item No.	Size	EAN	Inner	Outer
486203	3 pc N95	69426292+	12	120

3 PC N95 DUST MASK WITH VALVE

- NIOSH approved



Item No.	Size	EAN	Inner	Outer
486213	3 pc N95	5500 0	12	120


30 PC DISPOSABLE DUST MASK




Item No.	Size	EAN	Inner	Outer
486530	30 pc	5501 7	12	48

3 PC FFP2 CARBON FILTER DUST MASK WITH VALVE

- Conforms to EN149:2001



Item No.	Size	EAN	Inner	Outer
486313	3 pc FFP2	69743345+	12	120



SAFETY HELMET-HDPE

- 30 mm slot for ear muff and other accessories
- Conforms to EN 397
- HDPE material
- Elastic chin strap



Item No.	Size	EAN	Inner	Outer
492001	orange color	69426292+	0	20

FACE SHIELD-CLEAR VISOR

- PC clear visor
- CE EN166



Item No.	Size	EAN	Inner	Outer
492071		69743345+	10	40

4 PC FORESTRY SAFETY SET

- 1 pc safety helmet-ABS-vented (492013), comply CE EN397
- 1 pc detachable earmuff (488113), comply CE EN352
- 1 pc PC visor-foldable, comply CE EN166
- 1 pc metal mesh visor-foldable, comply CE EN1731



SAFETY HELMET-ABS

- 30 mm slot for ear muff and other accessories
- Conforms to EN 397
- ABS shell
- Elastic chin strap



Item No.	Size	EAN	Inner	Outer
492012	54-62 cm	69743345+	0	20

FACE SHIELD-MESH VISOR

- Metal mesh visor
- CE EN1731



Item No.	Size	EAN	Inner	Outer
492072		69743345+	10	40

SAFETY HELMET-ABS-VENTED

- 30 mm slot for ear muff and other accessories
- Conforms to EN 397
- ABS shell
- Cooling vents
- Elastic chin strap



Item No.	Size	EAN	Inner	Outer
492013	54-62 cm (white)	5913 5	0	20
492014	54-62 cm (orange)	5914 2	0	20
492015	54-62 cm (yellow)	5915 9	0	20

BUMP CAP

- High-density PE interior shell
- Soft inner foam cushion



Item No.	Size	EAN	Inner	Outer
492061	56-60 cm	5916 6	0	30



Mesh visor & clear visor is replaceable



Item No.	Size	EAN	Inner	Outer
492104	4 pc	69762270+	0	6



BANDED EAR PLUGS PU

- SNR: 29dB



Item No.	Size	EAN	Inner	Outer
488042		69743345+	12	72

2 PAIRS CORDED EAR PLUGS WITH BOX

- SILICONE material
- SNR: 32dB
- CE certified



Item No.	Size	EAN	Inner	Outer
488024	2 pairs	69426292+	24	144

7 PAIRS EAR PLUGS

- PU material
- SNR: 38dB
- CE certified



Item No.	Size	EAN	Inner	Outer
488006	7 pairs	5502 4	24	144

100 PAIRS EAR PLUGS WITH PLASTIC BOX

- PU material
- SNR: 38dB
- CE certified



Item No.	Size	EAN	Inner	Outer
488008	100 pairs	5898 5	6	12

5 PAIRS CORDED EAR PLUGS

- PU material
- SNR: 38dB
- CE certified



Item No.	Size	EAN	Inner	Outer
488017	5 pairs	5900 5	24	144

5 PAIRS CORDED EAR PLUGS

- SILICONE material
- SNR: 32dB
- CE certified



Item No.	Size	EAN	Inner	Outer
488031	5 pairs	5902 9	24	144

5 PAIRS EAR PLUGS

- PU material
- SNR: 38dB
- CE certified



Item No.	Size	EAN	Inner	Outer
488007	5 pairs	5897 8	24	144

200 PAIRS EAR PLUGS

- PU material
- SNR: 38dB
- CE certified



Item No.	Size	EAN	Inner	Outer
488009	200 pairs	5899 2	0	6

100 PAIRS CORDED EAR PLUGS

- PU material
- SNR: 38dB
- CE certified



Item No.	Size	EAN	Inner	Outer
488018	100 pairs	5901 2	6	12

50 PAIR CORDED EAR PLUGS

- SILICONE material
- SNR: 32dB
- CE certified



Item No.	Size	EAN	Inner	Outer
488032	50 pairs	5903 6	10	60



EAR MUFFS

- Light weight, padded frame
- Soft ear cushions
- Conforms to EN352-1
- SNR: 29dB



Item No.	Size	EAN	Inner	Outer
488109		69426292+	6	12

SNR 29 dB

CE 2797 EN352-1



KID EAR MUFFS

- Light weight, padded frame
- Soft ear cushions
- Conforms to EN352-1
- SNR: 28dB
- For kids



SNR 28 dB

CE 2797 EN352-1



Item No.	Size	EAN	Inner	Outer
488110	Pink	8351 5	6	12
488111	Blue	8352 2	6	12

7 PC SAFTY SET

- Impact resistant lenses
- Smooth, soft PU ear plugs, SNR 38dB
- Adjustable ear muffs, SNR 29dB



x 5



Item No.	Size	EAN	Inner	Outer
488516	7 pc	3109 4	8	16

SNR 29 dB

CE 2797 EN352-1



DETACHABLE EAR MUFFS FOR HELMET 30 MM INSERT-CLASS 4

- Soft ear cushions
- 30 mm Safety Helmet connections
- Mounts to safety helmet (Safety Helmet not included)



Item No.	Size	EAN	Inner	Outer
488113		69743345+	0	20

NEW



30 mm Safety Helmet connections



NECKBAND EAR MUFFS-CLASS 5

- Soft ear cushions
- Adjustable
- Neck band should be placed behind the head



Item No.	Size	EAN	Inner	Outer
488114		69743345+	0	20

NEW



EAR MUFFS

- SNR: 29dB

CE




Item No.	Size	EAN	Inner	Outer
488103		5504 8	6	12

DELUXE EAR MUFFS

- SNR: 31dB
- Foldable compact design

CE



Item No.	Size	EAN	Inner	Outer
488107		5505 5	6	12

LISTENING MODE (LIS)

HANDS-FREE

FM RADIO

MP3

Soft ear cushions

Comfortable, light-weight frame

With listening mode (LIS) engaged, the ambient sound and conversations can be heard without removing the earmuffs

EAR MUFFS BLUETOOTH®/LIS/FM

- BLUETOOTH®
- LISTENING MODE (LIS)
- FM radio 88-108 MHz
- Built-in 1500 mAh rechargeable Li-battery
- Micro usb charging (cord included)
- IPX 3 water resistant
- SNR: 29dB

CE EN352

Bluetooth

Item No.	Size	EAN 69426292+	Inner	Outer
488131	Bluetooth/Listening/FM	8354 6	0	8

EAR MUFFS DAB+/BLUETOOTH®/LIS/FM

- DAB+ 170-240 MHz
- BLUETOOTH®
- LISTENING MODE (LIS)
- FM radio 88-108 MHz
- Built-in 1500 mAh rechargeable Li-battery
- Micro usb charging (cord included)
- IPX 3 water resistant
- SNR: 24dB

DAB+

CE EN352

Bluetooth

Item No.	Size	EAN 69426292+	Inner	Outer
488132	DAB+/Bluetooth/Listening/FM	8355 3	0	8

2 PC EAR CUSHION REPLACEMENT

- Suitable for 488131/488132



Item No.	Size	EAN 69426292+	Inner	Outer
488201	2 pc	8629 5	12	48

BLUETOOTH® HEARING PROTECTION G3.0

- Bluetooth® version 5.3
- Built-in Li-ion 800 mAh, 18+ hours working life
- Micro usb charging (cord included)
- SNR: 31 dB

CE EN352

Bluetooth

Item No.	Size	EAN 69743345+	Inner	Outer
488133	Bluetooth	5572 4	0	12



BLUETOOTH® HEARING PROTECTION G4.0

- Bluetooth® version 5.3
- FM radio 88-108 MHz
- LISTENING MODE (LIS)
- Built-in Li-ion 1500 mAh, 30+ hours working life
- Type-C usb charging (cord included)
- SNR: 30dB

CE EN352

Bluetooth

Item No.	Size	EAN 69743345(A)	Inner	Outer
488134	Bluetooth/FM/Listening	A+5693 6	0	8
488203	2 pc ear cushion replacement suitable for 488134,488136	B+3187 2	12	48



Scan for detail video



Telescopic steel sheet



Listening Mode (LIS) – normal conversation without removing earmuff



Bluetooth 5.3 technology provides stable and fast Bluetooth connection



(488136) DAB+ 170-240 MHz

BLUETOOTH® HEARING PROTECTION G4.0

- DAB+ 170-240 MHz
- Bluetooth® version 5.3
- FM radio 88-108 MHz
- LISTENING MODE (LIS)
- Built-in Li-ion 1500 mAh, 30+ hours working life
- Type-C usb charging (cord included)
- SNR: 30dB

DAB+

CE EN352

Bluetooth

Item No.	Size	EAN 69762270+	Inner	Outer
488136	DAB+/Listening/ FM /Bluetooth	3375 3	0	8



NEW

BLUETOOTH® NOISE-ISOLATING EARBUDS

- Bluetooth® version 5.2
- ENC microphone (Environmental Noise Cancellation)
- Li-ion 250 mAh, 20+ hours working life
- With 4 pairs foam ear tips & 1 pair silicone ear tips
- Type-C USB charging (cord included)
- SNR: 27dB



Item No.	Size	EAN 69743345 (A)	Inner	Outer
488135	Bluetooth	A+5694 3	8	24
488210	5 pairs ear tip replacements	B+3373 9	0	48

NEW

CE EN352

Bluetooth



EN388



ABCDEF

AGAINST MECHANICAL RISKS REFERENCE STANDARD EN388. GLOVES under EN388 standard show their resistance to a specific hazard by a number matrix. Abrasion resistance 1-4; blade cut resistance 1-5; tear strength resistance 1-4; puncture resistance 1-4; cut resistance method A-F; impact protect. The rating is based on 1-4 or 1-5 or A-F (lowest to highest). X=no test performed.

	Protection offered	Performance levels
A	Abrasion resistance	1 - 4
B	Blade cut resistance	1 - 5
C	Tear strength resistance	1 - 4
D	Puncture resistance	1 - 4
E	Cut resistance method	A - F
F	Impact protection	



EXTREME PERFORMANCE MECHANICS GLOVES

- Durable synthetic leather palm with touchscreen capable fingertips
- Non-slip PU patches with EVA padding reduce shock and vibration
- All-sided knuckle guard and finger guards protect against impact & shock
- Velcro adjustment with pull system
- EN 388 2121XP • CE certified



Item No.	Size	EAN	Inner	Outer
490223	L (#9)	0718 4	0	48
490224	XL (#10)	0719 1	0	48

LEATHER GLOVES

- EN388 2143X
- CE certified



Item No.	Size	EAN	Inner	Outer
490273	XL (#10)	5910 4	0	48

NITRILE COATED GLOVES

- Fully nitrile coated
- EN388 4111X • CE certified



Item No.	Size	EAN	Inner	Outer
490302	XL (#10)	5911 1	0	48

CUT RESISTANT GLOVES

- 13guage HPPE/Glass fiber liner
- EN388:2016/cut D & A4 cut resistance
- Palm dipped with black foam nitrile for superior grip in dry, wet and oily conditions



Item No.	Size	EAN	Inner	Outer
490073	L (#9)	3376 0	0	120
490074	XL (#10)	3377 7	0	120

LATEX DIPPED GLOVES

- Latex coated palms and fingers
- Conforms to EN 388 2.1.4.2 (Abrasion 2; Blade cut 1; Tear strength 4; Puncture 2)
- CE certified



Item No.	Size	EAN	Inner	Outer
490003	L (#9)	5641 0	0	120
490004	XL (#10)	5642 7	0	120

NITRILE DIPPED GLOVES

- Nitrile coated palms and fingers
- Conforms to EN 388 4.1.2.1 (Abrasion 4; Blade cut 1; Tear strength 2; Puncture 1)
- CE certified



Item No.	Size	EAN	Inner	Outer
490043	L (#9)	5643 4	0	120
490044	XL (#10)	5644 1	0	120

PU DIPPED GLOVES

- PU coated palms and fingers
- EN388 3121X
- CE certified



Item No.	Size	EAN	Inner	Outer
490063	L (#9)	5908 1	0	120
490064	XL (#10)	5909 8	0	120

CUT RESISTANT GLOVES

- 13guage Polysafe liner construction
- EN388:2016/cut C & A3 cut resistance
- PU coating gives great abrasion resistance for superior grip while offering excellent tactile sensitivity



Item No.	Size	EAN	Inner	Outer
490083	L (#9)	3378 4	0	120
490084	XL (#10)	3379 1	0	120



2 PC KNEE PADS

- Thick foam knee pads with gel-effect cushions
- With hook and loop straps
- CE certified



Item No.	Size	EAN	Inner	Outer
482001	2 pc	3478 4	0	8

2 PC KNEE PADS

- Hard PP cap • 600D polyester
- EVA inner foam • Wide velcro straps



Item No.	Size	EAN	Inner	Outer
482009	2 pc	5882 4	0	12

2 PC KNEE PADS

- Hard PVC outer shell
- Foam rubber inner for superior comfort
- wide velcro straps with hook and loop closure
- CE certified



Item No.	Size	EAN	Inner	Outer
482012	2 pc	5885 5	0	12

2 PC KNEE PADS

- Soft PU leather outer • 600D polyester
- EVA & GEL inner foam • Wide velcro straps



Item No.	Size	EAN	Inner	Outer
482013	2 pc	5886 2	0	24

2 PC KNEE PADS

- Hard PE outer shell
- Foam rubber inner for superior comfort
- Wide velcro straps with hook and loop closure
- CE certified



Item No.	Size	EAN	Inner	Outer
482007	2 pc	2790 8	6	24

2 PC KNEE PADS

- Hard PVC cap • 600D polyester
- EVA & GEL inner foam • Wide velcro straps



Item No.	Size	EAN	Inner	Outer
482010	2 pc	5883 1	0	10

2 PC KNEE PADS

- EVA & GEL inner foam
- 1680D polyester
- Wide velcro straps



Item No.	Size	EAN	Inner	Outer
482014	2 pc	5887 9	0	6

2 PC KNEE PADS

- Hard PP cap • 600D polyester
- EVA inner foam • Buckle for secure



Item No.	Size	EAN	Inner	Outer
482008	2 pc	5881 7	0	20

2 PC KNEE PADS

- Hard PP outer shell
- 2 layer inner foam for superior comfort
- wide velcro straps with hook and loop closure



Item No.	Size	EAN	Inner	Outer
482011	2 pc	5884 8	0	12

RUBBER MAT

- EVA rubber



Item No.	Size	EAN	Inner	Outer
482021	450 x 210 x 28 mm	5647 2	0	20

SAFETY SHOES

PROFESSIONS

Designed to satisfy the needs of all professionals.

Safety Toe

Midsole

Outsole

Upper

Performances

Insole

489001
100 PC

S1 P SRC
EN ISO 20345

Item No.	EUR	Size	UK	US	EAN 69743345 (A)	Inner	Outer
494011	#39	5	6		A+5921 0	0	10
494012	#40	6	7		A+5922 7	0	10
494013	#41	7	8		A+5923 4	0	10
494014	#42	8	9		A+5924 1	0	10
494015	#43	9	10		A+5925 8	0	10
494016	#44	10	11		A+5926 5	0	10
494017	#45	11	12		B+3347 0	0	10
494018	#46	12	13		B+3348 1	0	10
494019	#47	13	14		B+3349 8	0	10

Safety Toe

Midsole

Outsole

Upper

Performances

Insole

489001
100 PC

S3 SRC
EN ISO 20345

Item No.	EUR	Size	UK	US	EAN 69743345 (A)	Inner	Outer
494031	#39	5	6		A+5927 2	0	10
494032	#40	6	7		A+5928 9	0	10
494033	#41	7	8		A+5929 6	0	10
494034	#42	8	9		A+5930 2	0	10
494035	#43	9	10		A+5931 9	0	10
494036	#44	10	11		A+5932 6	0	10
494037	#45	11	12		B+3350 4	0	10
494038	#46	12	13		B+3351 1	0	10
489001					100 PC OVERSHOE COVER	A+8386 7	0 36

SAFETY VEST & SHIRT

SAFETY VEST

- Fabric: 100% polyester, 120g tricot, high-visibility
- 2 inches reflection tape
- Hook and loop front closure
- Colour: Orange/Yellow
- Features: Velcro closure
- CE certified



Item No.	Size	EAN	Inner	Outer
484003	M-5XL	69426292+	20	60

SAFETY VEST

- Fabric: 100% polyester, 120g tricot, high-visibility
- 2 inches reflection tape
- hook and loop front closure
- Colour: Orange/Yellow
- Features: Velcro closure
- CE certified



Item No.	Size	EAN	Inner	Outer
484004	M-5XL	69743345+	20	60

HEAVY DUTY SAFETY VEST

- Fabric: 100% polyester, 120g tricots, high-visibility
- Colour: Orange/Yellow
- Zipper closure / One phone pocket / One clear ID pocket / two lower pockets
- CE certified



Item No.	Size	EAN	Inner	Outer
484005	M-5XL	69743345+	20	60

SAFETY T-SHIRT

- Fabric: 100% polyester, 140g birdeye, high-visibility
- Colour: Orange/Yellow
- CE certified



Item No.	Size	EAN	Inner	Outer
484006	M-5XL	5890 9	20	60

SAFETY SHIRT

- Fabric: 100% polyester, 140g birdeye, high-visibility
- Colour: Orange/Yellow
- CE certified



Item No.	Size	EAN	Inner	Outer
484007	M-5XL	5891 6	20	60

SAFETY SHIRT

- Fabric: 100% polyester, 130gsm birdeye, high-visibility
- Color: Lime/Orange with black bottom
- Feature: Frontsnap closure
- One chest pocket with snap

Item No.	Size	EAN	Inner	Outer
484008	M-5XL	5892 3	20	60

SAFETY LONG SLEEVE POLO

- Fabric: 100% polyester, 130gsm birdeye, high-visibility
- Color: Lime/Orange with black bottom
- Feature: Frontsnap closure
- One chest pocket with snap

Item No.	Size	EAN	Inner	Outer
484009	M-5XL	5893 0	20	60

SAFETY JACKET

- Fabric: 100% polyester 300D Oxford oxford with PU coating, high-visibility
- 2 inches reflection tape
- Detachable hood
- Adjustable cuffs
- Colour: Orange/Yellow
- Two outside lower pockets with flaps
- CE certified



Item No.	Size	EAN	Inner	Outer
484010	M-5XL	5894 7	0	10

SAFETY PANTS

- Fabric: 100% polyester 150D Oxford oxford, high-visibility with PU coating
- 2 inches reflection tape
- Colour: Orange/Yellow
- Features: Elastic waist
- CE certified



Item No.	Size	EAN	Inner	Outer
484011	M-5XL	5895 4	0	10

TACTIX PEN

- Retractable ballpoint pen
- Soft grip for comfort



Item No.	Size	EAN 69426292+	Inner	Outer
999001		9901 1	20	200

BANNER PEN

- Retractable ballpoint pen



Item No.	Size	EAN 69426292+	Inner	Outer
999002		6489 7	50	1000

TACTIX POLO SHIRT

- Cotton/polyester



Item No.	Size	EAN 69426292+	Inner	Outer
999111S	BLACK S	7181 9	0	60
999111	BLACK M	9903 5	0	60
999112	BLACK L	9904 2	0	60
999113	BLACK XL	9905 9	0	60
999114	BLACK XXL	9919 6	0	60
999115	BLACK XXXL	9933 2	0	60
999116S	WHITE S	7182 6	0	60
999116	WHITE M	9906 6	0	60
999117	WHITE L	9907 3	0	60
999118	WHITE XL	9908 0	0	60
999119	WHITE XXL	9920 2	0	60
999120	WHITE XXXL	9934 9	0	60

TACTIX LANYARD



Item No.	Size	EAN 69426292+	Inner	Outer
999012		6740 9	0	500

MICRO FIBER LENS CLOTH



Item No.	Size	EAN 69426292+	Inner	Outer
999011		9932 5	0	2500

TACTIX T-SHIRT

- 100% cotton



Item No.	Size	EAN 69426292+	Inner	Outer
999121	BLACK M	9909 7	0	60
999122	BLACK L	9910 3	0	60
999123	BLACK XL	9911 0	0	60
999124	BLACK XXL	9921 9	0	60
999126	WHITE M	9912 7	0	60
999127	WHITE L	9913 4	0	60
999128	WHITE XL	9914 1	0	60
999129	WHITE XXL	9922 8	0	60

TACTIX CAP

- Hook and loop closure
- One size fits all



Item No.	Size	EAN 69426292+	Inner	Outer
999101		9902 8	12	72

TACTIX BANNER


- Suitable for indoor or outdoor use



Item No.	Size	EAN 69426292+	Inner	Outer
999201	1.2 x 0.59 m (47 x 23 in.)	9918 9	0	20

3 PC GIFT SET

- 1 pc 32 GB dual drive USB 3.1 & Type-C
- 1 pc TACTIX pen
- 1 pc TACTIX 2 m (6 ft.) tape measure



Item No.	Size	EAN 69426292+	Inner	Outer
999033	3 pc		0	1

HAND TOOLS

Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	
200001	1	200721	6	205426	10	206057	14	206339	15	215707	17	
200003	1	201001	6	205431	11	206058	14	206343	15	215771	17	
200005	1	201003	6	205433	11	206059	14	206345	15	215772	17	
200007	1	201005	6	205435	11	206060	14	206347	15	215803	17	
200008	1	201009	6	205437	11	206061	14	206360	15	215805	17	
200009	1	201011	6	205439	11	206062	14	206366	15	215851	17	
200011	1	201017	6	205440	11	206071	14	206367	15	215901	17	
200013	1	201025	6	205441	11	206072	14	206377	15	215907	17	
200015	1	201063	6	205445	11	206073	14	206378	15	216004	17	
200017	1	201083	6	205500	12	206074	14	206379	15	216005	17	
200019	1	202011	7	205501	12	206076	14	206380	15	216006	17	
200021	1	202013	7	205503	12	206078	14	206381	15	216033	18	
200023	1	202015	7	205505	12	206080	14	206382	15	216034	18	
200024	1	202017	7	205509	12	206082	14	206383	15	216035	18	
200025	1	202024	7	205511	12	206084	14	206384	15	216036	18	
200029	2	204001	7	205513	12	206091	14	206385	15	216038	18	
200029DISPLAY	2	204005	7	205515	12	206092	14	206386	15	216053	18	
	2	204007	7	205523	12	206093	14	206393	15	216054	18	
200051	2	204009	7	205601	12	206094	14	206397	15	216055	18	
200061	2	204024	7	205604	12	206095	14	207201	15	216056	18	
200063	2	204025	7	205605VD	12	206096	14	209021	15	216058	18	
200065	2	204036	7	205611	13	206097	14	210001	16	216093	18	
200071	2	205000	8	205612	13	206098	14	210003	16	216203	18	
200075	2	205001	8	205613	13	206099	14	210005	16	216211	18	
200081	2	205002	8	205614	13	206100	14	210007	16	216404	18	
200083	2	205003	8	205617	13	206101	14	210009	16	216447	18	
200085	2	205004	8	205618	13	206102	14	210011	16	217001	18	
200087	2	205009	8	205621	13	206111	14	210013	16	217022	18	
200089	2	205010	8	205622	13	206112	14	210015	16	217025	18	
200091	3	205013	8	205623	13	206113	14	210017	16	217029	18	
200101	3	205014	8	205624	13	206114	14	210019	16	217051	18	
200103	3	205015	8	205626	13	206116	14	210021	16	217053	18	
200104	3	205017	8	205627	13	206118	14	210023	16	217055	18	
200105	3	205020	8	205628	13	206120	14	210025	16	217057	18	
200107	3	205031	8	205629	13	206122	14	210027	16	217201	19	
200108	3	205032	8	205632	13	206124	14	210029	16	217203	19	
200109	3	205033	8	205635	13	206131	14	210123	16	217210	19	
200111	3	205035	8	205641	13	206132	14	210142VD	16	217211	19	
200113	3	205037	8	205642	13	206133	14	210143VD	16	217401	19	
200114	3	205038	8	205645	13	206134	14	215001	16	218003	19	
200115	3	205041	8	205646	13	206135	14	215003	16	218005	19	
200117	3	205045	8	205647	13	206136	14	215005	16	218011	19	
200119	3	205047	8	205651	13	206137	14	215007	16	218013	19	
200121	3	205052	8	205652	13	206138	14	215009	16	218101	19	
200123	3	205054	8	205653	13	206139	14	215011	16	218103	19	
200124	3	205055	8	205655	13	206140	14	215213	16	218105	19	
200151	4	205057	8	205656	13	206141	14	215217	16	218107	19	
200153	4	205061	8	205659	13	206142	14	215227	16	218109	19	
200161	4	205063	8	205660	13	206151	14	215229	16	218121	19	
200163	4	205069	8	205705	13	206152	14	215233	16	218123	19	
200165	4	205071	8	205706	13	206153	14	215237	16	218147	19	
200181	4	205073	8	205707	13	206154	14	215403	16	218151	19	
200183	4	205075	8	205708	13	206156	14	215405	16	218161	19	
200185	4	205077	8	205709	13	206158	14	215409	16	218162	19	
200187	4	205081	8	205710	13	206160	14	215413	16	218163	19	
200189	4	205083	8	205711	13	206162	14	215417	16	218164	19	
200191	4	205085	8	205774	13	206164	14	215427	16	218165	19	
200201	4	205151	8	205775	13	206171	14	215429	16	220011	20	
200221	4	205153	8	205776	13	206172	14	215433	16	220013	20	
200223	4	205155	8	205791	11	206173	14	215437	16	220015	20	
200225	4	205157	8	205793VD	12	206174	14	215453	16	220017	20	
200227	5	205159	8	206001	13	206175	14	215455	16	220019	20	
200303	5	205161	8	206003	13	206176	14	215457	16	220021	20	
200313	5	205173	8	206005	13	206177	14	215459	16	220031	20	
200316	5	205177	8	206007	13	206178	14	215475	16	220033	20	
200501	5	205183	8	206009	13	206179	14	215479	16	220035	20	
200503	5	205185	8	206015	13	206180	14	215601	16	220037	20	
200505	5	205187	8	206017	13	206181	14	215603	16	220039	20	
200507	5	205189	8	206028	13	206182	14	215604	16	220051	20	
200509	5	205211	9	206031	14	206195	14	215605	16	220103	20	
200513	5	205213	9	206032	14	206201	14	215607	16	220105	20	
200551	5	205233	9	206033	14	206203	14	215609	16	220107	20	
200553	5	205241	9	206034	14	206205	14	215611	17	220109	20	
200555	5	205245	9	206036	14	206209	15	215613	17	220111	20	
200557	5	205247	9	206038	14	206301	15	215614	17	220113	20	
200559	5	205248	9	206040	14	206303	15	215615	17	220115	20	
200563	5	205249	9	206042	14	206305	15	215617	17	220531	20	
200565	5	205250	9	206044	14	206307	15	215631	17	NEW	220533	20
200603	5	205253	9	206046	14	206309	15	215632	17	NEW	220535	20
200611	5	205387	10	206048	14	206311	15	215633	17	NEW	220631	20
200613	5	205401	10	206050	14	206313	15	215634	17	NEW	220635	20
200621	5	205403	10	206051	14	206315	15	215636	17	NEW	220637	20
200623	5	205405	10	206052	14	206317	15	215701	17		221001	20
200633	5	205407	10	206053	14	206331	15	215703	17		221003	20
200711	6	205408	10	206054	14	206333	15	215704	17		221005	20
200713	6	205409	10	206055	14	206335	15	215705	17		221007	20
200719	6	205411	10	206056	14	206337	15	215706	17		221031	20

HAND TOOLS

Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.
221051	20	230112	24	250056	26	267111	33	284150	38	301005	43
221053	20	233005	24	250059	26	267117VD	33	284151	38	301103	43
221055	20	233181	24	250110	27	267311	33	284152	38	301256	44
221057	21	233183	24	250112	27	267313	33	284153	38	301601	44
221071	21	233185	24	250113	27	267315	33	284154	38	301603	44
221073	21	233305	24	250116	27	267317	33	284155	38	301607	44
221075	21	233307	24	250119	27	267321	33	284157	38	301609	44
221201	21	235083	24	251011	27	267323	33	284201	38	301612	44
221203	21	235085	24	251013	27	267341	33	284202	38	301615	44
221205	21	235088	24	251016	27	267401	33	284203	38	301631	44
221209	21	235089	24	251019	27	267403	33	284204	38	301633	44
221211	21	235183	24	251033	27	268001	33	284206	38	301635	44
221213	21	235185	24	253001	27	268004	33	284215	39	305000	44
221215	21	235188	24	253005	27	268011	33	284223	39	305001	44
222003	21	235283	24	253007	27	268012	33	284301	39	305002	44
222005	21	235285	24	253011	27	269001	33	284302	39	305003	44
222007	21	235288	24	253022	27	269005	33	284306	39	305004	44
222009	21	235292	24	254000	27	269006	33	284307	39	305005	44
222011	21	235341	24	254002	28	270003	34	284313	39	305006	44
222013	21	235343	24	254005	28	270007	34	284903	39	305031	45
222103	21	235345	24	254101	28	270009	34	284907	39	305033	45
222107	21	235347	24	254105	28	270015	34	289015	41	305056	45
222111	21	235353	25	254111	28	273011	34	290801	41	305101	45
222551	21	235355	25	254191	28	273013	34	290802	41	305102	45
222557	21	235357	25	258051	27	273015	34	290803	41	305103	45
222559	21	235361	24	258055	27	273023	34	290804	41	305104	45
222561	21	235363	24	258101	27	273027	34	290805	41	305106	45
222563	21	235365	24	258103	27	273111	34	290806	41	305111	45
222565	21	235367	24	258105	27	273113	34	290901	41	305113	45
222701	21	235373	25	260001	29	273115	34	290902	41	305116	45
222703	21	235375	25	260005	29	273117	34	290903	41	305193	45
222705	21	235377	25	260011	29	273203	34	290904	41	305195	45
222751	21	235381	24	260021	29	273212	35	290905	41	305401	45
222753	21	235383	24	260031	29	273214	35	290906	41	305471	45
223001	22	235385	24	260035	29	273218	35	291301	41	308003	45
223003	22	235387	24	260036	29	273237	35	291302	41	308007	45
223005	22	235393	25	260038	29	275111	35	291303	41	308035	45
223007	22	235395	25	260039	29	275113	35	293001	39	310151	46
223037	22	235397	25	260043	29	275115	35	293005	40	310173	46
223101	22	236401	24	260511	29	275117	35	293021	39	310191	46
223102	22	236403	24	260513	29	275119	35	293023	40	310213	46
223103	22	236405	24	260515	29	275121	35	293025	40	310231	46
223203	22	236411	24	261003	29	275123	35	293401	40	310233	46
224001	22	236413	24	261007	29	275125	35	293402	40	310235	46
224101	22	236415	24	261015	30	280210	35	293403	40	315003	46
224103	22	239012	25	261051	30	280212	35	293441	40	315011	46
224105	22	239013	25	261125	30	281040	35	293442	40	315013	46
224106	22	239043	25	261201	30	281111	35	293701	40	315021	47
224107	22	239055	25	261203	30	281113	35	293702	40	315031	47
225011	22	239057	25	261215	30	281211	35	293751	40	315037	47
225015	22	239081	25	261223	30	281330	35	293752	40	315039	47
225017	22	239083	25	261501	30	281402	35	294801	41	330001	47
225018	22	239091	25	261503	30	281408	36	294802	41	330031	47
225019	22	239093	25	263015	30	281423	36	294803	41	330042	47
225021	22	239111	25	263017	30	281432	36	294820	41	330043	47
225023	22	239161	25	265001	31	282051	36	298101	41	330045	48
225025	22	239211	25	265003	31	282061	36	298103	42	330081	48
225029	22	239212	25	265005	31	283012	36	298113	42	330083	48
225031	22	239215	25	265011	31	283014	36	298117	42	335001	48
225053	22	239216	25	265013	31	283022	36	298201	42	335003	48
225061	23	239219	25	265015	31	283024	36	298205	42	335005	48
225065	23	239220	25	265021	31	283026	36	298213	42	335007	48
225067	23	239241	25	265022	31	283033	36	298221	42	335009	48
225069	23	239243	25	265023	31	283063	36	298225	42	335011	48
225071	23	239245	25	265025	31	283065	36	298401	42	335013	48
225073	23	239263	26	265061	31	283073	36	298403	42	335021	48
225075	23	240020	26	265063	31	283083	36	298409	42	335025	48
225079	23	240030	26	265064	31	283085	36	298421	42	335027	48
225081	23	240120	26	265065	31	283094	37	298422	42	335029	48
225093	23	240130	26	265071	31	283096	37	298423	42	335031	48
225625	23	NEW	26	240230	26	265073	31	298424	42	335101	48
227001	23			240260	26	265074	31	298501	42	335103	48
227003	23			240510	26	265075	31	298503	42	335105	48
227005	23			240520	26	265104	31	298505	42	335109	48
227009	23			240530	26	265122	31	300000	43	335113	48
227011	23			240620	26	265123	31	300001	43	335201	48
227013	23			240630	26	265125	31	300003	43	335202	48
227015	23			240730	26	265127	31	300005	43	335203	48
227017	23			240760	26	266011	32	300007	43	335210	48
227027	23			241001	26	266051	32	300009	43	335211	48
227101	23			241005	26	266255	32	300010	43	335212	48
227303	23			245011	26	267005	32	300012	43	335213	48
227323	23			245111	26	267007	32	300021	43	336002	48
230011	23			245311	26	267031	32	300033	43	336040	49
230033	23			245411	26	267032	32	300103	43	336070	49
230085	23			250051	26	267053	32	301001	43	338003	49
230103	24			250053	26	267105	32	301003	43	338015	49

HAND TOOLS

Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.
338017	49		360133	51		360597	52		361034	53		361173	53
338082	49		360140	51		360598	52		361035	53		361174	53
339013	49		360141	51		360599	52		361036	53		361175	53
339060	49		360142	51		360600	52		361037	53		361176	53
340008	49		360143	51		360601	52		361038	53		361177	53
340030	49		360144	51		360602	52		361039	53		361178	53
340041	49		360150	51		360603	52		361040	53		361179	53
340201	49		360151	51		360604	52		361041	53		361180	53
340206	49		360152	51		360611	52		361042	53		361181	53
340225	49		360153	51		360612	52		361043	53		361191	53
340513	50		360160	51		360613	52		361044	53		361192	53
340601	50		360161	51		360614	52		361045	53		361193	53
340603	50		360162	51		360615	52		361046	53		361194	53
340615	50		360163	51		360616	52		361047	53		361203	53
340617	50		360164	51		360617	52		361048	53		361204	53
340621	50		360165	51		360618	52		361049	53		361205	53
340626	50		360166	51		360619	52		361050	53		361206	53
340632	50	NEW	360167	51		360620	52		361051	53		361207	53
340904	50		360501	51		360631	52		361052	53		361208	53
342002	50		360502	51		360632	52		361053	53		361209	53
342003	50		360503	51		360633	52		361054	53		361210	53
342004	50		360504	51		360634	52		361072	53		361211	53
360001	51		360505	51		360641	52		361073	53		361212	53
360002	51		360506	51		360642	52		361074	53		361213	53
360003	51		360507	51		360643	52		361075	53		361214	53
360004	51		360508	51		360645	52		361076	53		361215	53
360005	51		360509	51		360646	52		361077	53	NEW	361221	53
360006	51		360510	51		360647	52		361078	53		361223	53
360007	51		360511	51		360649	52		361079	53		361224	53
360008	51		360521	51		360651	52		361080	53		361225	53
360009	51		360522	51		360653	52		361081	53		361226	53
360010	51		360523	51		360703	52		361082	53		361227	53
360021	51		360524	51		360705	52		361083	53		361228	53
360022	51		360525	51		360707	52		361084	53		361229	53
360023	51		360526	51		360721	52		361085	53		361230	53
360024	51		360527	51		360722	52		361086	53		361231	53
360025	51		360528	51		360723	52		361087	53		361232	53
360026	51		360529	51		360724	52		361088	53		361233	53
360027	51		360530	51		360731	52		361089	53		361234	53
360028	51		360531	51		360732	52		361090	53		361235	53
360029	51		360532	51		360733	52		361101	53		361236	53
360030	51		360533	51		360741	52		361102	53		361237	53
360031	51		360534	51		360742	52		361103	53		361238	53
360032	51		360535	51		360743	52		361104	53		361239	53
360033	51		360536	51		360744	52		361105	53		361240	53
360041	51		360537	51		360745	52		361106	53		361241	53
360042	51		360538	51		360746	52		361107	53		361242	53
360043	51		360539	51		360751	52		361108	53		361251	53
360044	51		360540	51		360753	52		361109	53		361252	53
360045	51		360541	51		360754	52		361110	53		361253	53
360046	51		360542	51		360755	52		361111	53		361255	53
360047	51		360543	51		360756	52		361112	53		361257	53
360048	51		360544	51		360757	52		361113	53		361259	53
360049	51		360545	51		360758	52		361114	53		361261	53
360051	51		360546	51		360803	52		361115	53		361263	53
360052	51		360547	51		360804	52		361116	53		361265	53
360053	51		360548	51		360805	52		361117	53		361273VD	58
360054	51		360549	51		360806	52		361118	53		361275VD	58
360055	51		360550	51		360807	52		361119	53		361276VD	58
360056	51		360561	51		360808	52		361120	53		361277VD	58
360057	51		360562	51		360809	52		361121	53		361280VD	58
360058	51		360563	51		360823	52		361122	53		361282VD	58
360059	51		360564	51		360824	52		361123	53		361285VD	58
360061	51		360565	51		360825	52		361124	53		361287VD	58
360062	51		360566	51		360826	52		361141	53		361301	54
360063	51		360567	51		361002	53		361142	53		361302	54
360064	51		360568	51		361003	53		361143	53		361303	54
360065	51		360569	51		361004	53		361144	53		361304	54
360066	51		360570	51		361005	53		361145	53		361322	54
360067	51		360571	51		361006	53		361146	53		361323	54
360068	51		360572	51		361007	53		361147	53		361324	54
360069	51		360580	52		361008	53		361148	53		361332	54
360070	51		360581	52		361009	53		361149	53		361333	54
360071	51		360582	52		361010	53		361150	53		361334	54
360072	51		360583	52		361011	53		361151	53		361341	54
360101	51		360584	52		361012	53		361161	53		361342	54
360102	51		360585	52		361013	53		361162	53		361343	54
360103	51		360586	52		361014	53		361163	53		361344	54
360104	51		360587	52		361015	53		361164	53		361345	54
360105	51		360588	52		361016	53		361165	53		361346	54
360120	51		360589	52		361017	53		361166	53		361347	54
360121	51		360591	52		361018	53		361167	53		361351	54
360122	51		360592	52		361019	53		361168	53		361352	54
360123	51		360593	52		361020	53		361169	53		361353	54
360124	51		360594	52		361031	53		361170	53		361354	54
360131	51		360595	52		361032	53		361171	53		361355	54
360132	51		360596	52		361033	53		361172	53		361356	54

HAND TOOLS

Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.
362105	56	363071	59	363447	59	365179	65	370134	69	372503	71
362106	56	363073	59	363603	59	365181	65	370135	69	372505	71
362107	56	363074	59	363604	59	365183	65	370136	69	372507	71
362108	56	363075	59	363605	59	365185	65	370137	69	372509	71
362109	56	363077	59	363607	59	365223	65	370139	69	372511	71
362111	56	363080	59	363609	59	365224	65	370143	69	372513	71
362112	56	363081	59	363611	59	365225	65	370145	69	372515	71
362113	56	363082	59	363613	59	365226	65	370147	69	372517	71
362123	55	363083	59	363615	59	365241	64	370151	69	372519	71
362131	55	363084	59	363617	59	365242	64	370155	69	372521	71
362132	56	363085	59	363619	59	365243	64	370159	69	372522	71
362301	56	363086	59	363621	59	365261	64	370163	69	372524	71
362302	57	363087	59	363623	59	365261WB	64	370501	69	372526	71
362303	57	363088	59	363624	59	365321	63	370503	69	372528	71
362304	57	363089	59	363625	59	365321WB	63	370511	69	372907	71
362305	57	363090	59	363627	59	365354	65	370512	69	372908	71
362306	57	363091	59	363629	59	365405	64	370513	69	373005	72
362307	57	363092	59	363631	59	365413	64	370534	69	373006	72
362308	57	363093	59	363632	59	369201	68	370535	69	373007	72
362309	57	363095	59	363633	59	369202	68	370536	70	373101	71
362311	57	363096	59	363635	59	369203	68	370536	70	373103	71
362312	57	363097	59	363636	59	369204	68	370708VD	70	373105	71
362313	57	363098	59	363637	59	369205	68	370710VD	70	373107	71
362314	57	363099	59	363639	59	369206	68	370712VD	70	373107	71
362315	57	363101	59	363641	59	369207	68	370713VD	70	373109	71
362316	57	363103	59	363663	59	369207	68	370714VD	70	373111	71
362321	57	363104	59	363664	59	369208	68	370715VD	70	373113	71
362323	57	363105	59	363665	59	369380	68	370717VD	70	373115	71
362331	56	363107	59	363666	59	369381	68	370719VD	70	373117	71
362332	57	363108	59	363667	59	370003	69	371003	70	373119	71
362335	57	363109	59	363668	59	370005	69	371005	70	373121	71
362351VD	NEW	363111	59	363669	59	370007	69	371007	70	373123	71
362353VD	58	363113	59	363670	59	370009	70	371009	70	373125	71
362355VD	58	363133	59	363671	59	370011	69	371011	70	373127	71
362401	58	363134	59	363672	59	370013	69	371013	70	373129	71
362403	58	363135	59	363673	59	370015	69	371015	70	373131	71
362405	58	363136	59	363674	59	370017	69	371017	70	373133	71
362407	58	363137	59	363675	59	370019	69	371019	70	373135	71
362409	58	363138	59	363676	59	370021	69	371021	70	373137	71
362411	58	363139	59	363677	59	370023	69	371023	70	373139	71
362413	58	363140	59	363678	59	370025	69	371025	70	373141	71
362415	58	363141	59	363679	59	370027	69	371027	70	373143	71
363001	58	363142	59	363703	59	370029	69	371029	70	373145	71
363003	58	363143	59	363705	59	370031	69	371031	70	373147	71
363005	58	363144	59	363707	59	370033	69	371103	70	373149	71
363006	58	363145	59	363709	59	370035	69	371105	70	373151	71
363007	58	363146	59	363711	59	370037	69	371107	70	373165	71
363008	58	363147	59	363715	59	370039	69	371109	70	373246	72
363009	58	363350	59	363787	60	370039	69	371111	70	373258	72
363010	58	363351	59	363803	60	370041	69	371113	70	373259	72
363011	58	363353	59	363804	60	370043	69	371115	70	373260	72
363012	58	363355	59	363807	60	370045	69	371117	70	373261	72
363013	58	363357	59	363820	60	370047	69	371119	70	373262	72
363014	58	363359	59	363901	60	370049	69	371165	70	373267	72
363015	58	363361	59	363902	60	370051	69	371208	70	373268	72
363016	58	363363	59	363906	60	370053	69	371209	70	373269	72
363017	58	363365	59	363907	60	370055	69	371210	70	373269	72
363018	58	363367	59	363908	60	370056	69	371211	70	373269	72
363019	58	363369	59	363909	60	370057	69	371212	70	373269	72
363020	58	363371	59	363910	60	370058	69	371215	70	373307	72
363022	58	363373	59	363911	60	370059	69	371216	70	373318	72
363024	58	363375	59	363912	60	370062	69	371217	70	373341	72
363025	58	363377	59	363913	60	370063	69	371218	70	373482	72
363026	58	363379	59	363914	60	370064	69	371219	70	373486	72
363028	58	363403	59	363915	60	370065	69	371222	70	373487	72
363029	58	363405	59	363916	60	370066	69	371224	70	373503	72
363030	58	363407	59	363917	60	370067	69	371267	70	373507	73
363032	58	363409	59	363918	60	370068	69	371270	70	373601	72
363034	58	363411	59	363919	60	370069	69	371301	70	375007	73
363051	59	363413	59	363920	60	370070	69	371903	71	375007	73
363052	59	363415	59	363921	60	370071	69	371905	71	375007	73
363053	59	363417	59	363922	60	370072	69	371907	71	376001	73
363054	59	363419	59	363923	60	365075	63	371909	71	376002	73
363055	59	363421	59	363924	60	365101	65	371911	71	376004	73
363056	59	363423	59	363925	60	365103	65	371913	71	376021	73
363057	59	363425	59	363926	60	365105	65	371915	71	376022	73
363058	59	363427	59	363927	60	365107	65	371917	71	376024	73
363059	59	363429	59	363928	60	365109	65	371919	71	376031	73
363060	59	363431	59	363929	60	365111	65	371921	71	376032	73
363061	59	363433	59	363930	60	365113	65	371923	71	376033	73
363062	59	363435	59	363931	60	365115	65	371925	71	376034	73
363063	59	363437	59	363932	60	365117	65	371927	71	376041	73
363065	59	363439	59	363933	60	365119	65	371929	71	376042	73
363066	59	363441	59	363934	60	365121	65	371931	71	376061	73
363067	59	363442	59	363935	60	365123	65	371933	71	376206	73
363068	59	363443	59	363936	60	365125	65	371935	71	376207	73
363069	59	363445	59	363937	60	365127	65	371937	71	376401	73
						365129	65	371939	71	376402	73
						365131	65	371941	71	376403	73
						365133	65	371943	71	376404	73
						365135	65	371945	71	376405	73
						365137	65	371947	71	376418	74
						365139	65	371949	71	376420	74
						365141	65	371951	71	380016	74
						365143	65	371953	71		
						365145	65	371955	71		
						365147	65	371957	71		
						365149	65	371959	71		
						365151	65	371961	71		
						365153	65	371963	71		
						365155	65	371965	71		
						365157	65	371967	71		
						365159	65	371969	71		
						365161	65	371971	71		
						365163	65	371973	71		
						365165	65	371975	71		
						365167	65	371977	71		
						365169	65	371979	71		
						365171	65	371981	71		
						365173	65	371983	71		
						365175	65	371985	71		
						365177	65	371987	71		

HAND TOOLS

Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.
380025	74	406506US	81	530316	90	900061	100	205348P	111	206433P	112
380035	74	406508US	81	530318	90	900062	100	205351P	111	206435P	112
381002	74	406510US	81	530320	90	900063	100	205352P	111	206441P	

POWER TOOLS ACCESSORIES

Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.	
410000BS	133	NEW	410051PB	127	NEW	410147	130		410374BM	132		410425	131	
410001	129		410053	129		410147BS	133		410374PB	127	NEW	410429	131	
410001BM	132		410053BM	132		410149	130		410375	131		410433	131	
410001PB	127	NEW	410053PB	127	NEW	410149BM	132		410375PB	127	NEW	410437	131	
410003	129		410055	129		410151	130		410376	131		410441	131	
410003PB	127	NEW	410055BS	133		410151BM	132		410376BM	132		410482	129	
410005	129		410055PB	127	NEW	410151BS	133		410376PB	127	NEW	410483	130	
410005BS	133		410056BM	132		410153	130		410377	131		410484	129	
410005PB	127	NEW	410057BS	133		410153BM	132		410377PB	127	NEW	410485	130	
410007	129		410058BS	133		410153BS	133		410378	131		410486	129	
410007PB	127	NEW	410059BS	133		410155	130		410379	131		410487	130	
410009	129		410061	129		410157BS	133		410379BM	132		410488	131	
410009BM	132		410062	129		410180	147	NEW	410379PB	127	NEW	410489	131	
410009BS	133		410062BM	132		410181	130		410380	131		410492	129	
410009PB	127	NEW	410062BS	133		410183	147	NEW	410381	131		410493	130	
410011	129		410063	129		410185	130		410381PB	127	NEW	410494	129	
410011BM	132		410064	129		410187	130		410382	131		410495	130	
410011PB	127	NEW	410065	129		410189	130		410382BM	132		410496	129	
410013	129		410066	129		410203	131		410382PB	127	NEW	410497	130	
410013BS	133		410068	129		410205	131		410383	131		410498	131	
410013PB	127	NEW	410070	129		410207	131		410383BM	132		410499	131	
410015	129		410072	129		410209	131		410383PB	127	NEW	410501	137	
410015BM	132		410074	129		410211	131		410384	131		410501PB	128	NEW
410015PB	127	NEW	410076	129		410213	131		410384BM	132		410503	137	
410017	129		410078	129		410215	131		410384PB	127	NEW	410503PB	128	NEW
410017BM	132		410080	129		410217	131		410385	131		410505	137	
410017BS	133		410081	129		410219	131		410385BM	132		410505PB	128	NEW
410017PB	127	NEW	410082	129		410221	131		410385PB	127	NEW	410506	137	
410019	129		410084	129		410223	131		410386	131		410506PB	128	NEW
410019PB	127	NEW	410085	129		410253	131		410386BM	132		410507	137	
410021	129		410086	129		410255	131		410386PB	127	NEW	410507PB	128	NEW
410021BM	132		410087	129		410257	131		410387	131		410508	137	
410021PB	127	NEW	410088	129		410259	131		410387BM	132		410508PB	128	NEW
410023	129		410089	129		410261	131		410387PB	127	NEW	410509	137	
410023BM	132		410101	130		410263	131		410388	131		410509PB	128	NEW
410023PB	127	NEW	410103	130		410265	131		410388BM	132		410511	137	
410025	129		410105	130		410267	131		410388PB	127	NEW	410511PB	128	NEW
410025BS	133		410107	130		410269	131		410389	131		410513	137	
410025PB	127	NEW	410109	130		410271	131		410389BM	132		410513PB	128	NEW
410027	129		410109BS	133		410273	131		410389PB	127	NEW	410515	137	
410027BM	132		410111	130		410303	133		410390	131		410515PB	128	NEW
410027PB	127	NEW	410111BM	132		410304	133		410390BM	132		410517	137	
410029	129		410113	130		410305	133		410390PB	127	NEW	410517PB	128	NEW
410029PB	127	NEW	410113BS	133		410306	133		410391	131		410519	137	
410031	129		410115	130		410310	133		410391BM	132		410519PB	128	NEW
410031PB	127	NEW	410115BM	132		410314	133		410391PB	127	NEW	410521	137	
410033	129		410117	130		410315	133		410392	131		410521PB	128	NEW
410033BS	133		410117BM	132		410316	133		410392BM	132		410523	137	
410033PB	127	NEW	410117BS	133		410320	133		410392PB	127	NEW	410523PB	128	NEW
410035	129		410119	130		410324	133		410393	131		410525	137	
410035BM	132		410121	130		410346	133		410393BM	132		410525PB	128	NEW
410035PB	127	NEW	410121BM	132		410348	133		410393PB	127	NEW	410527	137	
410037	129		410123	130		410350	133		410394	131		410527PB	128	NEW
410037PB	127	NEW	410125	130		410352	133		410394PB	127	NEW	410547	137	
410039	129		410125BS	133		410354	133		410395	131		410548	137	
410039PB	127	NEW	410127	130		410356	133		410395BM	132		410550	137	
410041	129		410127BM	132		410358	133		410395PB	127	NEW	410551	137	
410041BM	132		410129	130		410360	133		410396	131		410551BS	137	
410041BS	133		410131	130		410362	133		410396BM	132		410552	137	
410041PB	127	NEW	410131BS	133		410364	133		410396PB	127	NEW	410552BS	137	
410043	129		410133	130		410370	131		410397	131		410553	137	
410043BM	132		410133BS	133		410370BM	132		410397BM	132		410553BS	137	
410043PB	127	NEW	410135	130		410370PB	127	NEW	410397PB	127	NEW	410554	137	
410045	129		410135BS	133		410371	131		410411	131		410555	137	
410045PB	127	NEW	410137	130		410371BM	132		410413	131		410555BS	137	
410047	129		410139	130		410371PB	127	NEW	410414	131		410556	137	
410047BS	133		410139BS	133		410372	131		410415	131		410557	137	
410047PB	127	NEW	410141	130		410372BM	132		410416	131		410558	137	
410049BM	132		410143	130		410372PB	127	NEW	410417	131		410558BS	137	
410049PB	127	NEW	410143BM	132		410373	131		410418	131		410559	137	
410051	129		410143BS	133		410373BM	132		410419	131		410559BS	137	
410051BM	132		410145	130		410373PB	127	NEW	410421	131		410560	137	
410051BS	133		410145BS	133		410374	131		410423	131		410561	137	

POWER TOOLS ACCESSORIES

Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.	
410779	139		411509PB	128	NEW	412003	143		416205	138		420350	153		425161	156	
410781	139		411511	142		412005	143		416207	138		420371	154		425165	156	
410785	139		411513	142		412007	143		416209	138		420372	154		425171	155	NEW
410789	139		411513PB	128	NEW	412009	143		416223	138		420373	154		425173	155	NEW
410793	139		411515	142		412011	143		416225	138		420381	153		425175	155	NEW
410797	139		411515PB	128	NEW	412013	143		416227	138		420391	154		425177	155	NEW
410799	139		411517	142		412015	143		416229	138		420393	154		425179	155	NEW
410801	139		411517PB	128	NEW	412017	143		416231	138		420401	154		425181	155	NEW
410803	139		411519	142		412035	143		416241	138	NEW	420403	154		425201	158	
410805	139		411519PB	128	NEW	412037	143		416507	144		420411	153		425202	158	
410807	139		411521	142		412039	143		418011	145		420421	154		425203	158	
410839	139		411521PB	128	NEW	412041	143		418013	145		420461	154		425205	158	
410841	139		411523	142		412043	143		418014P	131		421001	134		425206	158	
410843	139		411523PB	128	NEW	412045	143		418021	146		421003	134		425301	159	NEW
410845	139		411525	142		412047	143		418033	146		421005	134		425303	159	NEW
410847	139		411525PB	128	NEW	412049	143		418051	145		421007	134		425305	159	NEW
410849	139		411527	142		412051	143		418081	145		421009	134		425307	159	NEW
410851	139		411529	142		412053	143		418083	145		421011	134		425309	159	NEW
410853	139		411601	142		412055	143		418101	145		421013	134		425311	159	NEW
410855	139		411603	142		412081	143		418103	145		421015	134		425321	159	NEW
410857	139		411605	142		412085	143		418107	146		421017	134		425323	159	NEW
410901	139		411609	142		412109	143		418109	146		421019	134		425325	159	NEW
410902	139		411611	142		412115	143		418113	146		421021	134		425327	159	NEW
410903	139		411613	142		412121	143		418115	146		421023	134		425329	159	NEW
410904	139		411617	142		412127	143		418130	147		421025	134		425331	159	NEW
410950	140	NEW	411621	142		412132	143		418132	147		421027	134		425333	159	NEW
410951	139		411623	142		412145	141		418159	148		421029	134		425335	159	NEW
410953	139		411625	142		412147	141		418162	148		421031	134		425337	159	NEW
410954	139		411627	142		412149	141		418210	148		421051	134		425339	159	NEW
410955	139		411629	142		412150	141		418321	146		421053	134		425360	159	
410961	140		411631	142		412170	141		418455	148		421055	134		425362	159	
410962	140		411633	142		412171	143		418505	150	NEW	421057	134		425364	159	
411012	140		411635	142		412173	143		418607	147		421059	134		425366	159	
411014	140		411637	142		412190	141		418713	148		421061	134		425368	159	
411016	140		411639	142		412201	144		418714	148		421063	134		425370	159	
411018	140		411641	142		412207	144		418737	149		421065	134		425372	159	
411020	140		411643	142		412213	144		418739	149		421067	134		425374	159	
411022	140		411647	142		412219	144		418740	149		421069	134		425376	159	
411025	140		411661	142		412225	144		418744	150	NEW	421071	134		425378	159	
411028	140		411662	142		412239	144		418746	150	NEW	421073	134		425380	159	
411030	140		411663	142		412510	144		419013	149		421075	134		425382	159	
411054	140		411664	142		412512	144		419014	149		421077	134		425384	159	
411056	140		411665	142		412516	144		419829P	193		421079	134		425386	159	
411058	140		411666	142		412518	144		419832P	193		421081	134		425388	159	
411060	140		411667	142		412520	144		419856P	193		421083	134		425390	159	
411062	140		411668	142		412522	144		419857P	193		421161	134		425392	160	
411065	140		411669	142		412525	144		420001	153		421163	134		425394	160	
411068	140		411670	142		412530	144		420011	153		421301	134		425396	160	
411070	140		411671	142		412532	144		420012	153		421303	134		425398	160	
411072	140		411672	142		413001	144		420013	153		421311	134		425399	160	
411075	140		411673	142		413006	144		420017	153		421313	134		425501	157	
411080	140		411674	142		413110	144		420031	153		421601	134		425503	157	
411082	140		411675	142		416001	135		420041	153		421603	134		425505	157	
411085	140		411676	142		416005	135		420051	153		421660	134		425507	157	
411088	140		411681	142		416015	135		420071	154		421905	133		425509	157	
411090	140		411682	142		416017	135		420081	153		425021	156		425521	157	
411095	140		411683	142		416019	135		420093	154		425023	156		425523	157	
411103	139		411684	142		416027	135		420103	154		425025	156		425525	157	
411105	139		411685	142		416033	135		420111	153		425029	156		425527	157	
411106	139		411686	142		416035	135		420115	153		425033	156		425531	157	
411108	139		411687	142		416061	136		420121	154		425051	156		425541	157	
411110	139		411688	142		416063	136		420135	154		425053	156		425543	157	
411116	139		411689	142		416101	144		420141	154		425055	156		425545	157	
411118	139		411690	142		416103	144		420145	153		425059	156		425547	157	
411120	139		411691	142		416105	144		420151	153		425063	156		425549	157	
411501	142		411692	142		416107	144		420155	153		425100	156		425573	157	
411501PB	128	NEW	411693	142		416141	144		420161	154		425103	156		426001	158	
411503	142		411694	142		416143	144		420212	154		425105	156		426003	158	
411503PB	128	NEW	411695	142		416146	144		420311	153		425109	156		426011	158	
411505	142		411696	142		416149	144		420313	153		425113	156		426013	158	
411505PB	128	NEW	411697	142		416151	144	NEW	420315	153		425151	156		426021	158	
411507	142		411901	143		416201	138		420317	153	NEW	425155	156		426023	158	
411509	142		411903	143		416203	138		420331	153		425157	156		434368	161	

POWER TOOLS ACCESSORIES

Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.
434424	161	436263	168	440081	171	445009	163	446183	176	446897	179
434431	161	436265	168	440085	171	445011	163	446185	176	446899	179
434624	161	436269	169	440089	171	445015	163	446187	176	446901	177
434636	161	436271	169	440091	171	445017	163	446211	176	446911	177
434637	161	436301	169	440095	171	445021	163	446213	176	446953	185
434646	161	436303	169	440097	171	445025	163	446215	176	446955	185
434736	161	436305	169	440101	171	445050	163	446217	176	446957	185
434848	161	436313	169	440105	171	445055	163	446219	176	446958	185
434860	161	436315	169	440202	171	445057	163	446221	176	447040	185
434936	161	436351	169	440204	171	445059	163	446223	176	447121	185
434948	161	436355	169	440207	171	445059TIN	164	446225	176	447123	185
434960	161	436363	169	440209	171	445063	163	446227	176	447125	185
434980	161	436367	169	440211	171	445065	163	446229	176	447203	182
435019	161	436381	165	440213	171	445065TIN	164	446231	176	447204	182
435022	161	436382	165	440215	171	445071	163	446300	176	447205	182
435023	161	436385	165	440217	171	445072	163	446301	176	447206	182
435025	161	436386	165	440219	171	445073	163	446303	176	447223	184
435026	161	436401	170	440221	171	445075	163	446305	176	447225	184
435060	161	436402	170	440223	171	445076	163	446400	177	447227	184
435068	161	436403	170	440224	171	445085	163	446401	177	447229	184
435078	161	436405	170	440226	171	445086	163	446403	177	447243	184
435160	161	436413	170	440228	171	445103	163	446407	177	447245	184
435180	161	436431	170	440230	171	445105	163	446691	177	447247	184
435248	161	436433	170	440231	171	445109	163	446693	177	447253	184
435260	161	436435	170	440235	171	445111	163	446695	177	447255	184
435501	162	436437	170	440237	171	445131	163	446697	177	447257	184
435503	162	436439	170	440303	172	445132	163	446701	177	447264	184
435505	162	436471	170	440311	172	445135	163	446703	177	447265	184
435509	162	437001	174	440315	172	445136	163	446705	177	447268	184
435513	162	437003	174	440317	172	445137	163	446707	177	447303	186
435515	162	437005	174	440361	172	445139	163	446709	177	447305	181
435523	162	437007	174	440365	172	445140	163	446711	177	447306	181
435601	162	437008	174	440367	172	445141	163	446715	177	447307	181
435603	162	437009	174	440385	171	445151	163	446721	177	447309	181
435605	162	437011	174	440426	172	445152	163	446733	177	447318	181
435607	162	437013	174	440440	172	445161	163	446741	177	447322	181
435609	162	437021	174	440465	172	445162	163	446773	178	447323	181
435701	162	437031	174	440471	172	445181	163	446775	178	447324	181
435703	162	437033	174	440477	172	445183	163	446779	177	447325	181
435705	162	437035	174	440523	172	445185	163	446781	177	447327	181
435707	162	437037	174	440525	172	445187	163	446783	177	447328	181
436001	166	437039	174	440537	172	445189	163	446785	177	447329	181
436003	166	437045	175	440587	171	445201	164	446797	177	447331	181
436005	166	437057	175	440693	171	445203	164	446799	177	447335	181
436007	166	437071	175	440695	171	445205	164	446801	177	447337	181
436009	166	437073	175	440703	171	445207	164	446811	185	447339	181
436011	166	437075	175	441016	171	445209	164	446813	185	447401	184
436013	166	437077	175	441019	171	446000	176	446815	185	447403	184
436015	166	437079	175	441020	171	446001	176	446843.3B	178	447405	184
436017	166	437083	175	441021	171	446005	176	446843.3R	178	447435	184
436019	166	437085	175	441022	171	446007	176	446843.3W	178	447437	184
436021	166	437093	175	441025	171	446009	176	446845.3B	178	447439	184
436023	168	440007	171	441026	171	446043	176	446845.3R	178	447502	186
436025	168	440013	171	441028	171	446045	176	446845.3W	178	447502W	186
436101	167	440017	171	441030	171	446047	176	446851	179	447504	186
436103	167	440021	171	441032	171	446049	176	446855	179	447504W	186
436105	167	440025	171	441035	171	446051	176	446860	179	447507	186
436107	167	440029	171	441038	171	446101	176	446861	179	447507W	186
436109	167	440033	171	441040	171	446103	176	446863	179	447601	182
436111	167	440035	171	441041	171	446107	176	446865	179	447603	184
436115	167	440037	171	441042	171	446111	176	446866	179	447694	182
436117	167	440041	171	441043	171	446121	176	446867	179	447701	182
436201	167	440047	171	441045	171	446123	176	446869	179	447703	182
436205	167	440051	171	441048	171	446125	176	446873	179	447705	182
436207	167	440055	171	441051	171	446127	176	446874	179	447707	182
436213	168	440061	171	441054	171	446131	176	446876	179	447801	182
436215	168	440065	171	441058	171	446133	176	446877	179	447803	182
436217	168	440067	171	441060	171	446135	176	446878	179	447805	182
436251	168	440069	171	441064	171	446137	176	446879	179	450005	187
436253	168	440071	171	441076	171	446161	176	446880	179	450007	187
436257	168	440073	171	445001	163	446163	176	446881	179	450009	187
436259	168	440077	171	445003	163	446165	176	446883	179	450030	187
436261	168	440079	171	445005	163	446167	176	446885	179	450031	187

POWER TOOLS ACCESSORIES

Item No.	Page No.	Item No.	Page No.	Item No.	Page No.
450032	187	455103	190	591006	196
450033	187	455112	190	591007	196
450036	187	455113	190	591008	196
450037	187	455122	190	591009	196
450038	187	455123	190	591010	196
450042	187	455201	190	591011	196
450043	187	455202	190	591012	196
450044	187	455203	190	591013	196
450045	187	455212	190	591014	196
450047	187	455213	190	591015	196
450048	187	455222	190	591016	196
450105	187	455223	190	591017	197
450107	187	455301	190	591018	197
450109	187	455302	190	591019	197
450131	187	455303	190	591020	198
450132	187	455312	190	591021	197
450133	187	455322	190	591022	198
450135	187	455402	190	591023	197
450136	187	455403	190	591024	198
450137	187	455404	190	591025	198
450138	187	455406	190	591026	198
450162	187	455408	190	591027	199
450167	187	455423	190	591028	199
450170	187	455424	190	591029	199
450171	187	455426	190	591030	199
450172	187	455428	190	591031	199
450173	187	455441	190	591032	198
450207	187	455442	190	591041	197
450209	187	455443	190	592001	200
450231	187	455444	190	592002	200
450232	187	455446	190	592003	200
450309	187	455448	190	592004	200
450331	187	455604	190	592005	200
450332	187	455605	190	592006	200
450427	187	455606	190	592007	200
450917	187	455810	152	592008	200
451908	189	455820	152	592012	200
452001	192	455828P	194	592013	200
452003	192	455831P	194	592015	200
452004	192	455836P	194	592016	200
452041	192	455842	152	593001	199
452043	192	455844	152	724003	198
452044	192	455846	152	724104	198
453003	188	455848	152		
453005	188	455851	192		
453007	188	455853	192		
453020	188	455854	192		
453021	188	455871	192		
453041	188	455873	192		
453042	188	455874	192		
453063	188	456007	191		
453101	189	456008	191		
453102	189	456010	191		
453103	189	456011	191		
453111	189	456012	191		
453112	189	456021	191		
453116	189	456023	191		
453117	189	456025	191		
453122	189	456027	191		
453123	189	456029	191		
453125	189	456501	191		
453134	189	456502	191		
453205	188	456503	191		
453211	188	456511	191		
453213	188	456513	191		
453215	188	456515	191		
454502	201	456517	191		
454503	201	469001	189		
454505	201	591001	196		
455005	190	591002	196		
455006	190	591003	196		
455101	190	591004	196		
455102	190	591005	196		

Handwriting practice lines on page 225. The page features a faint background image of a modern building with a glass facade and a large overhanging section. The lines are horizontal and evenly spaced, covering the majority of the page area.

Handwriting practice lines on page 226. The page features a faint background image of a modern building with a glass facade and a large overhanging section. The lines are horizontal and evenly spaced, covering the majority of the page area.

CATALOGUE 2024/25



www.tactixtools.com

MERIDIAN
美瑞实业

Meridian International Co., Ltd.

1886 Laiyin Road, Songjiang, Shanghai, China

Tel: (021) 3763 3311

Fax: (021) 3763 3322 3763 3355

www.meridianintl.com

Distributed by

